

3M™ Industrial Adhesives and Tapes



Everyday MRO Essentials

Best sellers for bonding,
fastening, masking, sealing,
protecting, and packaging



Featuring select
**Industrial Strength,
Conveniently Packaged**
products.





3M Best Sellers

for your **MRO TOOLBOX**

With **3M MRO Everyday Essentials**, you're ready to wrap a duct, lock a bolt, seal a crack, clean away rust, and quickly finish the many other jobs that keep an operation running smoothly, safely, and neatly. In this catalog are 3M best sellers — the 100+ as determined by the professionals who buy them for the most common maintenance and repair jobs throughout facilities ranging from factories to hospitals.




Bonding

The right adhesives to join any combination of materials with the strength you need. Choice of liquids, pastes, hot melts, aerosols, and the convenience of pressure-sensitive adhesive bonding tapes.



Maintaining

The convenience of aerosols paired with 3M performance power. The perfect tools for cleaning up grease, removing adhesive, lubricating, and preventing corrosion.





Masking, Sealing & Protecting

A versatile line of products designed to help you easily prep, mask, paint, fix, hold, mark, repair, seal, and protect surfaces.



Packaging & Bundling

No matter the size or volume, 3M offers packaging convenience and dependability. Securely seal boxes, stabilize pallets, bundle items, and label packages with confidence.



Reclosable Fastening

An open-and-shut case. 3M industrial-strength fasteners secure, attach, and connect different surfaces for thousands of easy openings and secure closings.



Industrial strength



Conveniently packaged

NOW

Big industrial strength...easy to choose packaging

What's in it for your customers?

- A better brand experience
- A+ supporting content
- Protected inventory
- Clear identification

What's in it for you?

- Bar codes on the inner packs for better inventory tracking
- Improved presentation/identification and less contamination of "broken case" units
- Customer-preferred identification and content
- Simple "go to" product line with clarified product positioning for easy representation
- "Ready to promote" sales tools and rewards
- Opportunity to keep pace with transformational trends shaping the future of industrial buying

General Use		Performance		High Performance		Specialty Gold		
<ul style="list-style-type: none"> • Light and medium duty use • Rubber-based adhesive 		<ul style="list-style-type: none"> • Industrial-strength performance you can trust • Great for paint masking and other applications • Great paint lines 		<ul style="list-style-type: none"> • Industrial-strength performance you can trust • Super sharp paint lines • Proprietary 3M adhesive sticks and removes cleanly 		<ul style="list-style-type: none"> • Industrial-strength high temperature performance • Super sharp paint lines • Proprietary 3M adhesive sticks and removes cleanly 		
Good	Paint Lines	Best	Good	Paint Lines	Best	Good	Paint Lines	Best
Good	Strength	Best	Good	Strength	Best	Good	Strength	Best
Good	Conformability	Best	Good	Conformability	Best	Good	Conformability	Best
Temp. (30 minutes)	200°F/93°C		Temp. (30 minutes)	225°F/107°C		Temp. (30 minutes)	250°F/121°C	
						Temp. (30 minutes)	300°F/149°C	

NEW labeling describes the performance level.

Table of Contents

Adhesives	1-6
3M™ Adhesives for Electronics	1
3M™ Scotch-Weld™ Epoxy Adhesives.....	1
3M™ Aerosol Adhesives.....	1-3
3M™ Aerosol Adhesives - Cans.....	1-2
3M™ Aerosol Adhesives – Low VOC.....	3
3M™ Contact Adhesives	3
Solvent-Based Contact Adhesives.....	3
Water-Based Contact Adhesives.....	3
3M™ Plastic Adhesives	3
3M™ Rubber & Gasket Adhesives	3-4
3M™ Scotch-Weld™ Cylinder Spray Adhesives	4
Concrete Repair	4
Adhesives	4
Hot-Melt Systems	4
3M™ Scotch-Weld™ Hot Melt Adhesives.....	4
Polyurethane and Hybrid Adhesive and Sealants	5
Adhesive Sealants and Sealants.....	5
3M™ Scotch-Weld™ Adhesives.....	5
3M™ Scotch-Weld™ Anaerobic Adhesives/Activators	5
3M™ Scotch-Weld™ Structural Adhesive	5
Structural Adhesives.....	6
3M™ Scotch-Weld™ Two Part Curing Adhesives	6
Adhesives - Dispensers, Applicators and Accessories	7-8
Applicators and Parts.....	7-8
Hot Melt/PUR Systems.....	7
Two Part Curing	7-8
Lubricants & Cleaners	9
Industrial Cleaners.....	9
Industrial Cleaners - Low VOC.....	9
Lubricants	9
Matting & Treads	10
Matting Products	10
Tapes	11-37
Reclosable Fasteners.....	11-12
Duct Tapes.....	12-13
Cloth Tapes.....	12-13
Masking Products.....	13-16
Masking Tapes.....	13-16
Packaging Products	16-29
Box Sealing Tapes.....	16-22
Filament Tapes.....	22-25
Hang Tabs.....	25
Label Protection Products	26
Labeling Products.....	27
Packing List Envelopes	27-28
Strapping Tapes.....	28
Stretchable Tapes	29

KEY: BO - Bottle BX - Box CQ - Cartridge EA - Each PA - Pail PH - Pack TB - Tube
 BG - Bag CN - Can CT - Carton LB - Pound PD - Pad RL - Roll

Table of Contents

Specialty Tapes	29-37
Adhesive Transfer Tapes	29
ATG Products	29-30
Double Coated Tapes	30-31
Mounting Tapes	31
Foil Tapes Aluminum	31-32
Cloth Tapes	32
Film Tapes	33-35
Removable Repositionable Tapes	35
Safety Tapes	35-36
Sealing Tapes	37
Stripping Tapes	37
Vent Tapes	37

KEY: BO - Bottle BX - Box CQ - Cartridge EA - Each PA - Pail PH - Pack TB - Tube
 BG - Bag CN - Can CT - Carton LB - Pound PD - Pad RL - Roll

3M™ Adhesives for Electronics, 3M™ Scotch-Weld™ Epoxy Adhesives

3M™ Scotch-Weld™ Epoxy Adhesive DP460NS Duo-Pak

High performance, non-sag formula. Very high level of durability. Ideal for vertical applications. Minimal adhesive flow. 60 minute work life. Mix ratio: 2:1.



UPC Number	Size	Color	Case Qty	Units
00-021200-43670-3	50 mL	Off-White	12	EA
00-021200-43671-0	200 mL	Off-White	12	EA
00-021200-43672-7	400 mL	Off-White	6	EA

3M™ Scotch-Weld™ Epoxy Adhesive DP460 Duo-Pak

A very high performance epoxy adhesive. Great for bonding a wide variety of materials with outstanding reliability and durability. This product is toughened to provide extremely high peel strength and a shear strength of 4,500 psi. Has a 60 to 80 minute work life. Handling strength in 2 to 4 hours. Meets requirements of MIL-A-23941A.



UPC Number	Product ID	Size	Color	Case Qty	Units
00-021200-82225-4	DP460	1.25 fl oz	Off-White	12	EA
00-021200-87830-5	DP460	200 mL	Off-White	12	EA
00-021200-87831-2	DP460	400 mL	Off-White	6	EA

3M™ Scotch-Weld™ Epoxy Adhesive DP100NS Duo-Pak

A non-sag, translucent version of 3M™ Scotch-Weld™ DP100 Adhesive with a 1:1 mix ratio. Permits application on many vertical surfaces. NOTE: Make-To-Order with a lead time 30-45 days.



UPC Number	Size	Color	Case Qty	Units
00-021200-82255-1	50 mL	Translucent	12	EA
00-021200-87264-8	200 mL	Translucent	12	EA
00-021200-87265-5	400 mL	Translucent	6	EA

3M™ Scotch-Weld™ Epoxy Adhesive DP100 FR

A fast setting, room temperature curing, flame retardant, two-part adhesive for bonding a variety of materials, such as many metals, ceramics, wood and many plastics. It meets UL94V0 burn test requirements, has a 1:1 mix ratio, and has a worklife of 5-8 minutes.



UPC Number	Size	Color	Case Qty	Units
00-048011-56742-6	50 mL	Clear	12	EA
00-048011-56743-3	400 mL	Cream	6	EA
00-048011-56744-0	200 mL	Cream	12	EA

3M™ Adhesives for Electronics, 3M™ Scotch-Weld™ Epoxy Adhesives, cont'd

3M™ Scotch-Weld™ Epoxy Adhesive DP100 Plus Duo-Pak

Exhibits much higher shear and peel strengths compared to DP100 Adhesive. It has a 1:1 mix ratio, a 4 minute work life, and is slightly flexible when cured.



UPC Number	Product ID	Size	Color	Case Qty	Units
00-021200-87195-5	DP100Plus	50 mL	Clear	12	EA
00-021200-87266-2	DP100	200 mL	Clear	12	EA

3M™ Scotch-Weld™ Epoxy Adhesive DP100 Duo-Pak

A very clear, fast setting, room temperature curing, two-part adhesive for bonding a variety of materials, such as many metals, ceramics, wood and many plastics.



UPC Number	Product ID	Size	Color	Case Qty	Units
00-021200-22648-9	DP100	50 mL	Clear	12	EA
00-021200-87260-0	DP100	200 mL	Clear	12	EA
00-021200-87261-7	DP100	400 mL	Clear	6	EA

3M™ Aerosol Adhesives, 3M™ Aerosol Adhesives - Cans

3M™ Heavy Duty 20 Spray Adhesive

3M™ Heavy Duty 20 Spray Adhesive is a high strength, fast grabbing, industrial grade, lace spray aerosol adhesive. Bonds, laminates, metals, plastics, rubber and more.



UPC Number	Product ID	Size	Color	Case Qty	Units
00-051111-07861-7	20	20 fl oz	Clear	12	CN

3M™ Foam & Fabric 24 Spray Adhesive

An economical fast-tack industrial grade spray adhesive. Bonds foam to metal, fabric, wood and many other substrates - ideal for upholstery applications.



UPC Number	Product ID	Size	Color	Case Qty	Units
00-051111-07862-4	24	20 fl oz	Orange	12	CN



3M™ Aerosol Adhesives, 3M™ Aerosol Adhesives - Cans, cont'd

3M™ Multi-Purpose 27 Spray Adhesive

A versatile economical, industrial grade mist spray aerosol adhesive. Ideal for bonding paper, cardboard, fabrics, soft foams, and many other lightweight materials.



UPC Number	Product ID	Size	Color	Case Qty	Units
00-051111-07832-7	27	20 fl oz	Clear	12	CN

3M™ Pressure Sensitive Spray Adhesive 72 Blue


It permits wide-area bonds to be made hours after spraying and easy repositioning of bonds. Provides strong bonds for adhering plastic, foam padding, carpet backing, polyethylene, polypropylene and many other materials to fiberglass, plastics, and particle board.



UPC Number	Product ID	Size	Color	Case Qty	Units
00-021200-30025-7	72	24 oz	Blue	12	CN

3M™ Foam Fast 74 Spray Adhesive

3M™ Foam Fast 74 Spray Adhesive orange, INVERTED is an industrial grade spray adhesive for foam bonding, featuring upside down spray technology.



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051111-07277-6	74	Inverted	24 fl oz	Orange	12	CN
00-021200-96316-2	74	Original Formula	24 fl oz	Orange	12	CN

3M™ Repositionable 75 Spray Adhesive

This adhesive provides tape-like bonds on many lightweight materials. It adheres in seconds, yet has an extra-long tack range that allows you to lift and reposition materials.



UPC Number	Product ID	Size	Color	Case Qty	Units
00-021200-30067-7	75	16 fl oz	Clear	12	CN

3M™ Aerosol Adhesives, 3M™ Aerosol Adhesives - Cans, cont'd

3M™ Super 77™ Multipurpose Adhesive

High tack, high coverage and fast drying for permanently attaching foils, carpeting, lightweight foams, paper, cardboard, felt and cloth to painted or unpainted metals, wood and hardboard. Bonds quickly in 15 seconds.



UPC Number	Product ID	Size	Color	Case Qty	Units
00-021200-21210-9	77	24 fl oz	Clear	12	CN

3M™ Polystyrene Foam Insulation 78 Spray Adhesive

Upside down spray technology for fast tack bonding to concrete, polystyrene, wood, metal, formliners, and plastics. Does not degrade polystyrene. Ideal for applications that require spraying down. Use when bonding to concrete, polystyrene, fiberglass, wood, metal, formliners, and plastics.



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-021200-41593-7	78	Original Formula	24 fl oz	Clear	12	CN
00-051111-07279-0	78	Inverted	24 fl oz	Clear	12	CN

3M™ Rubber & Vinyl 80 Spray Adhesive

Neoprene-based contact adhesive in aerosol form. It has exceptional resistance to plasticizing oils. Bonds rubber and supported vinyls better than many typical bulk neoprene contact adhesives.



UPC Number	Product ID	Size	Color	Case Qty	Units
00-021200-82618-4	80	24 fl oz	Yellow	6	CN

3M™ Hi-Strength 90 Spray Adhesive

3M™ Hi-Strength 90 Spray Adhesive is an industrial high strength contact adhesive.



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-021200-30023-3	90	Original Formula	24 fl oz	Clear	12	CN
00-051111-07278-3	90	Inverted	24 fl oz	Clear	12	CN



3M™ Aerosol Adhesives, 3M™ Aerosol Adhesives – Low VOC

3M™ Foam Fast 74 Spray Adhesive - Low VOC <25%

Used for bonding flexible urethane or latex foam together and to other materials such as wood, metal and plastics. Features include high coverage, soft bond lines, and immediate bonds. Meets CARB / OTC VOC Requirements; Helps contribute to LEED® credits



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051111-97967-9	74	Low VOC <25%	24 fl oz	Clear	12	CN
00-051111-97958-7	74	Low VOC <25%	24 fl oz	Orange	12	CN

3M™ Super 77™ Multi-Purpose Spray Adhesive - Low VOC <25%

Bonds quickly. Securely bonds many lightweight materials such as attaching foils, carpeting, lightweight paper, cardboard, felt, and cloth to painted or unpainted metals, wood. Low soak-in, long open time. Meets CARB / OTC VOC Requirements; helps contribute to LEED® credits



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051111-97956-3	77	Low VOC <25%	24 fl oz	Clear	12	CN

3M™ Hi-Strength 90 Spray Adhesive - Low VOC <25%

Creates a high strength bond to concrete, wood, MDF and laminates. Good moisture resistance. Meets CARB / OTC VOC Requirements; helps contribute to LEED® credits



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051111-97957-0	90	Low VOC <25%	24 fl oz	Clear	12	CN

3M™ Hi-Strength 94 ET Spray Adhesive - Low VOC <20%

3M™ Hi-Strength 94 ET Spray Adhesive is a high performance, industrial grade spray adhesive with a unique low telegraphing pebble spray pattern.



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051111-97977-8	94	Low VOC <20%	24 fl oz	Clear	12	CN
00-051111-97978-5	94	Low VOC <20%	24 fl oz	Red	12	CN

3M™ Contact Adhesives, Solvent-Based Contact Adhesives

3M™ Scotch-Weld™ Neoprene High Performance Contact Adhesive 1357

A high performance contact adhesive that provides a long bonding range and excellent initial strength.



UPC Number	Product ID	Size	Color	Case Qty	Units
00-021200-64963-9	1357	5 gal	Light Yellow	1	PA

3M™ Contact Adhesives, Water-Based Contact Adhesives

3M™ Fastbond™ Contact Adhesive 30NF

It has high immediate bond strength and long bonding range. It is non-flammable in the wet state, post-formable and heat resistant. It bonds most foamed plastics, plastic laminate, wood, plywood, wood veneer, and canvas to themselves and to each other. Non-flammable in the wet state. GreenGuard® Indoor Air Quality Certified.



UPC Number	Product ID	Size	Color	Case Qty	Units
00-021200-21182-9	30NF	5 gal	Neutral	1	PA

3M™ Plastic Adhesives

3M™ Scotch-Weld™ Nitrile High Performance Plastic Adhesive 1099

A light tan, fast drying adhesive with good resistance to plasticizer migration. Air dried bonds have high strength; resist weathering, water, oil and fuel. It is excellent for bonding most vinyl extrusions and sheeting.



UPC Number	Product ID	Size	Color	Case Qty	Units
00-021200-19808-3	1099	5 oz	Tan	36	TB

3M™ Rubber & Gasket Adhesives

3M™ Scotch-Weld™ Nitrile High Performance Rubber And Gasket Adhesive 847

A premium quality, reddish brown, multi-purpose adhesive. Develops strong flexible bonds very rapidly to a wide variety of substrates, including many plastics and rubbers, gasketing materials and leather. Has exceptional resistance to most fuels and oil.



UPC Number	Product ID	Size	Color	Case Qty	Units
00-021200-19718-5	847	5 oz	Brown	36	TB

3M™ Rubber & Gasket Adhesives, cont'd

3M™ Scotch-Grip™ Industrial Adhesive 4799

A brushable, heat resistant adhesive that develops strength rapidly and provides good creep resistance and low soak-in on porous surfaces. Bond rubber (including EPDM) and many materials such as canvas and linoleum to metal, wood and concrete.



UPC Number	Product ID	Size	Color	Case Qty	Units
00-021200-21354-0	4799	5 oz	Black	36	TB

3M™ Scotch-Weld™ Cylinder Spray Adhesives

3M™ Scotch-Weld™ Hi-Strength Postforming 94 CA Cylinder Spray Adhesive

3M™ Scotch-Weld™ Hi-Strength Postforming 94 CA Cylinder Spray Adhesive is a high performance, postformable industrial grade spray adhesive. This bulk adhesive is prepackaged in convenient, portable, no maintenance aerosol cylinders. It features a fast tacking adhesive designed for high pressure laminations, particularly decorative laminate to particle board. It can also be used for veneers, fiberglass, headliners, foams, fabrics, glass, mirrors, cork, tile, rubber and steel. This adhesive is a SCAQMD Rule 1168 Compliant Adhesive. It contains very low VOC's, is postformable, and features a low telegraphing spray pattern.



UPC Number	Product ID	Extra Desc	Color	Case Qty	Units
00-048011-61703-9	94CA	Large Cylinder	Clear	1	EA

3M™ Scotch-Weld™ HoldFast 70 Cylinder Spray Adhesive

3M™ Scotch-Weld™ HoldFast 70 Clear Cylinder Spray Adhesive is an industrial grade spray adhesive for Marine, Specialty Vehicle and Construction Applications. This bulk adhesive is prepackaged in convenient, portable, no maintenance aerosol cylinders. It features a very fast tacking adhesive without halogenated solvents. Also it has a unique heavy body spray pattern with low soak-in ideally suited for irregular or porous substrates. This adhesive is designed for temporary or permanent bonds on softer substrates like fabrics, foams, plastics and heavy papers to themselves as well as wood, glass, concrete or steel. Formulated to bond polystyrene insulation for many contractor insulation applications. It is a proven adhesive technology for manufactured housing, RV and marine industries for ABS tubs and insulation bonding.



UPC Number	Product ID	Extra Desc	Color	Case Qty	Units
00-048011-61690-2	70	Large Cylinder	Clear	1	EA

Concrete Repair, Adhesives

3M™ Concrete Repair 600, Self Leveling

Used as a horizontal grade repair material and adhesive for numerous substrates such as concrete, ceramic, wood, metal and glass.



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-021200-96596-8	600	Cartridge/2 Mix Nozzles	8.4 oz	Gray	6	CQ
00-021200-56602-8	600	Syringe	50 mL	Gray	12	EA

Hot-Melt Systems, 3M™ Scotch-Weld™ Hot Melt Adhesives, High Temperature Hot Melt Adhesives

3M™ Scotch-Weld™ Hot Melt Adhesive 3762AE

Economical adhesive for general purpose applications. It features an excellent "hot tack" fast-setting adhesive for production speed. Designed to be used with 3M™ Hot Melt Adhesive Applicator AE II to make up an advanced hand-held system that helps improve productivity, lower cost and minimize waste.



UPC Number	Product ID	Size	Color	Case Qty	Units
00-021200-82596-5	3762AE	0.45"x12"	Tan	11	LB

3M™ Scotch-Weld™ Hot Melt Adhesive 3762 LM AE

A rapid setting, low viscosity adhesive that exhibits excellent "hot tack" at low application temperature.



UPC Number	Product ID	Size	Color	Case Qty	Units
00-051115-25579-3	3762LM AE	0.45"x12"	Light Amber	11	LB

Polyurethane and Hybrid Adhesive and Sealants, Adhesive Sealants and Sealants

3M™ Polyurethane Construction Sealant 525

3M™ Polyurethane Construction Sealant 525 is a single component polyurethane elastomeric sealant which cures under the effect of atmospheric humidity to form the most flexible and resilient joint with excellent adhesion on most materials. Elongation of over 600%, Shore A of 25, skin time of 2 hrs. 525 can be used for heavy and light precast panel expansion joints, wood, aluminum and PVC joinery seams, expansion joints, and clay and concrete roof tiles.



UPC Number	Product ID	Size	Color	Case Qty	Units
00-048011-62823-3	525	1/10 gal	Gray	12	CQ

3M™ Polyurethane Sealant 540

3M™ Polyurethane Sealants are one component, moisture curing products which form permanently elastic bonds.



UPC Number	Product ID	Size	Color	Case Qty	Units
00-021200-41595-1	540	10.5 fl oz	Black	12	CQ
00-021200-49054-5	540	10.5 fl oz	White	12	CQ
00-021200-41594-4	540	10.5 fl oz	Gray	12	CQ

3M™ Hybrid Sealant 755

3M™ Hybrid Sealant 755 is a single component elastomeric adhesive sealant curing without isocyanates. This hybrid technology is paintable when wet and will not degrade when exposed to UV.



UPC Number	Product ID	Size	Color	Case Qty	Units
00-051111-97848-1	755	290 mL	White	12	CQ

3M™ Scotch-Weld™ Adhesives, 3M™ Scotch-Weld™ Anaerobic Adhesives/Activators

3M™ Scotch-Weld™ Threadlockers

3M™ Scotch-Weld™ Threadlockers prevent vibration loosening and seal against leakage and corrosion.



UPC Number	Product ID	Size	Case Qty	Units
00-051115-25138-2	TL43	10 mL	10	BO
00-048011-62606-2	TL42	50 mL	10	BO
00-048011-62610-9	TL62	50 mL	10	BO

3M™ Scotch-Weld™ Plastic & Rubber Instant Adhesive PR100

3M™ Scotch-Weld™ Engineer Grade Instant Adhesives are designed to give exceptional performance on difficult to bond plastics and rubbers, together or in combination with metals and/or composites. Superior performance on PVC, ABS, nylon, EPDM, and Santoprene®.



UPC Number	Product ID	Size	Case Qty	Units
00-051115-25214-3	PR100	1 oz	10	BO
00-051115-25939-5	PR100	1lb	25	BO

3M™ Scotch-Weld™ Adhesives, 3M™ Scotch-Weld™ Structural Adhesive

3M™ Scotch-Weld™ Super Fast Instant Adhesive

3M™ Scotch-Weld™ Super Fast Instant Adhesives are designed to give exceptional performance on difficult to bond plastics and rubbers, acidic and/or contaminated surfaces such as: woods, leathers, cardboard and oily surfaces. Super fast cure for high speed production.



UPC Number	Product ID	Size	Case Qty	Units
00-048011-62631-4	SF100	20 g	10	BO

Structural Adhesives, 3M™ Scotch-Weld™ Two Part Curing Adhesives, Acrylics, 3M™ Scotch-Weld™ Acrylic Adhesive - Duo Pak

3M™ Scotch-Weld™ Low Odor Acrylic Adhesive DP810

Toughened structural adhesive with less odor than most acrylic adhesives. Has excellent shear and peel strength along with good impact resistance and durability. Quickly bonds most metals, ceramics, wood and most plastics.



UPC Number	Product ID	Size	Color	Case Qty	Units
00-021200-31310-3	DP810	1.7 oz	Tan	12	EA
00-021200-49077-4	DP810	50 mL	Black	12	EA

Structural Adhesives, 3M™ Scotch-Weld™ Two Part Curing Adhesives, Plastic Adhesives (Structural), 3M™ Scotch-Weld™ Plastic Adhesive - Duo Pak

3M™ Scotch-Weld™ Structural Plastic Adhesive DP8010 Duo-Pak

Two-part acrylic-based adhesive (10:1 ratio by volume) that can bond many low surface energy plastics, including many grades of polypropylene, polyethylene, and TPO's without special surface preparation. It has a long (up to 10 minutes) open time and good work life (up to 2 hours). To dispense use 3M™ EPX 10:1 plunger and 10:1 mixing nozzles.



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-021200-49110-8	DP8010	Duo-Pak	35 mL	Pink/Amber	12	EA



Applicators and Parts, Hot Melt/PUR Systems, Hot Melt Applicators

3M™ Scotch-Weld™ Hot Melt Adhesive Applicator AE II

Combines the best features of a high volume industrial system into a compact, self-contained applicator. Dispenses ½" x 12" size Scotch-Weld™ Hot Melt Adhesive AE sticks. Includes stand.



UPC Number	Product ID	Extra Desc	Case Qty	Units
00-021200-96594-4	AEII	Electric with a trigger switch	5	EA

3M™ Scotch-Weld™ Hot Melt Applicator AE II LT

3M™ Scotch-Weld™ Hot Melt Applicator AE II LT



UPC Number	Product ID	Case Qty	Units
00-051115-25567-0	AE II LT	5	EA

Applicators and Parts, Two Part Curing

3M™ Scotch-Weld™ EPX™ Plus II Mixing Square Nozzle Gold

Features a unique design that allows the two parts of the adhesive to cascade through the nozzle with low pressure. Mix ratio: 1:1 or 2:1. 72 per box, 24 per bag, 12 per case.



UPC Number	Size	Case Qty	Units
00-021200-50008-4	5.3 mm	72	EA

3M™ Scotch-Weld™ EPX™ 10:1 Mixing Nozzle

10:1 mixing ratio. Designed for the 3M™ Scotch-Weld™ EPX Plus Applicator.



UPC Number	Size	Case Qty	Units
00-021200-39200-9	250 mL	36	EA
00-021200-31381-3	5.4 mm	72	EA

Applicators and Parts, Two Part Curing, cont'd

3M™ Scotch-Weld™ EPX Applicator Nozzle

Applicator nozzle designed for both the 200 mL and 400 mL applicators.



UPC Number	Size	Case Qty	Units
00-021200-87982-1	6 mm	36	EA



3M™ EPX™ Applicators and Accessories

Mixing nozzle will perform to your requirements. With consistent air pressure for easy uniform application, the Duo-Pak cartridge will give you the flow rate needed. Fast, convenient way to simultaneously meter, mix and apply two-part adhesives and potting compounds. System features handy 3M™ Scotch-Weld™ EPX Cartridges that snap quickly into the durable, lightweight Scotch-Weld™ EPX applicator. A slight squeeze on the trigger advances the plunger into the cartridge. Accurate measurement and the mixing nozzle provides thorough mixing and precise placement of material. Ideal system for assembly, maintenance and in-field service.



UPC Number	Product ID	Extra Desc	Size	Case Qty	Units
00-021200-87977-7		3M™ Scotch-Weld™ EPX™ Plus II 10:1 Plunger	200 mL	1	EA
00-021200-21791-3	9742	EPX™ Mixing Nozzle 9742	50 mL	72	EA
00-021200-87978-4		EPX™ Pneumatic Applicator	200 mL	1	EA
00-021200-83528-5	9781	EPX™ Pneumatic Applicator	50 mL	1	EA
00-021200-87979-1		3M™ Scotch-Weld™ EPX™ Pneumatic Applicator	400 mL	1	EA
00-021200-50005-3		3M™ Scotch-Weld™ EPX™ Plus II 1:1 Plunger	50 mL	10	EA
00-021200-50006-0		3M™ Scotch-Weld™ EPX™ Plus II 2:1 Plunger	50 mL	10	EA
00-021200-87981-4		3M™ Scotch-Weld™ EPX™ Plunger for Manual Applicator	200 mL	1	EA

3M™ Scotch-Weld™ EPX Plus II 10:1 Plunger

This plunger is for the 3M™ Scotch-Weld™ EPX Plus II Applicator. The EPX Plus II Applicator is used to dispense 3M™ Scotch-Weld™ adhesives in duo-pak cartridges.



UPC Number	Case Qty	Units
00-021200-50007-7	10	EA

3M™ Scotch-Weld™ Square Gold Mixing Nozzle, 127 mm

3M™ Scotch-Weld™ Square Gold Mixing Nozzle, 127 mm



UPC Number	Product ID	Size	Case Qty	Units
00-021200-97331-4	9176	127mm	36	EA

3M™ Scotch-Weld™ EPX™ Plus II Applicator W 2:1 and 1:1 Plunger Model 9170

This plunger is for the 3M™ Scotch-Weld™ EPX™ Plus II Applicator. The EPX Plus II Applicator is used to dispense 3M™ Scotch-Weld™ adhesives in duo-pak cartridges. The applicator is a low-cost portable, self contained metering, mixing and dispensing machine that simultaneously meters and mixes two-part adhesives as the material is applied.



UPC Number	Product ID	Extra Desc	Size	Case Qty	Units
00-021200-50004-6	EPX PLUS II APPL	2:1 and 1:1 Plunger 9170	50 mL	10	EA

Applicators and Parts, Two Part Curing, cont'd

3M™ Scotch-Weld™ EPX™ 10:1 Conversion Kit For 200mL Pneumatic Applicator

3M™ Scotch-Weld™ EPX™ 10:1 Conversion Kit For Pneumatic Applicator converts 200 mL pneumatic applicator to a 10:1 250mL pneumatic applicator.

UPC Number	Case Qty	Units
00-021200-31385-1	1	EA



Industrial Cleaners

3M™ Adhesive Remover

3M™ Adhesive Remover bites in and dissolves the sticky overspray of many aerosol adhesives, plus grease, oil, grime, tape residue, tar, wax, and more. Color: Pale Yellow.



UPC Number	Size	Color	Case Qty	Units
00-021200-49142-9	1 gal	Pale Yellow	4	CN
00-021200-49048-4	24 fl oz	Pale Yellow	6	CN

3M™ Citrus Base Cleaner

A liquid cleaner/degreaser that can be used to dissolve and remove dirt, grease, tar, and many non-curing type adhesives. It can also be used to degrease substrates for adhesive bonding in place of many chlorinated or petroleum-based solvents.



UPC Number	Size	Case Qty	Units
00-021200-76394-6	24 fl oz	12	CN

Industrial Cleaners, Industrial Cleaners - Low VOC

3M™ Adhesive Remover - Low VOC

3M™ Adhesive Remover bites in and dissolves the sticky overspray of many aerosol adhesives, plus grease, oil, grime, tape residue, tar, wax, and more. Color: Pale Yellow.



UPC Number	Extra Desc	Size	Color	Case Qty	Units
00-051111-97974-7	Low VOC <20%	24 fl oz	Clear	12	CN

3M™ Silicone Spray - Low VOC

Formulated with a silicone polymer. Will not freeze at minus 28°F (-33°C) or at 350°F (177°C). Lubricate moving parts, eliminate squeaks caused by friction, prevent sticking and freezing, protect against rust. Fast drying, long lasting! Ingredients listed under Food and Drug Administration Regulation Title 21 CFR 178.3570 and 181.28, Lubricants. Seals out moisture; preserves plastic, rubber, leather; helps prevent build up of glues, waxes, inks, paints, etc.



UPC Number	Extra Desc	Size	Color	Case Qty	Units
00-051111-07732-0	Lower VOC Formula	24 fl. oz.	Clear	12	CN

Lubricants

3M™ 5-Way Penetrant

Multi-purpose product that is effective as a demoisurant - displaces moisture and "dries out" electrical apparatus.



UPC Number	Size	Color	Case Qty	Units
00-021200-21305-2	24 fl oz	Light Amber	12	CN

3M™ Silicone Lubricant

Dries fast to eliminate squeaks, prevent sticking, and seal out moisture, protecting against rust and corrosion. Preserves plastic, rubber and leather. It prolongs machine and cutting tool life by helping to prevent glue, wax, ink and paint buildup. Does 101 tasks. The silicone polymer is effective between -28°F and 350°F. Adheres to parts exceptionally well, reducing reapplication. Ingredients FDA listed. Comes with a handy snorkel tube for small, hard-to-reach areas.



UPC Number	Size	Color	Case Qty	Units
00-021200-85822-2	24 fl oz	Clear	12	CN



Matting Products

3M™ Clean-Walk Framed Mat 5840

An adhesive-coated mat that is used in removing dirt from the bottom of shoes, wheels or any passing objects. To expose an adhesive surface, just peel the top sheet back. 60 sheets per mat.



UPC Number	Product ID	Size	Color	Case Qty	Units
00-021200-55724-8	5840	31½"x25½"	White/Black	1	EA
00-021200-55723-1	5840	31½"x25½"	White/White	1	EA

3M™ Clean-Walk Replacement Pad 5842

An adhesive-coated mat that is used in removing dirt from the bottom of shoes, wheels or any passing objects. To expose an adhesive surface, just peel the top sheet back. 60 sheets per pad.



UPC Number	Product ID	Size	Color	Case Qty	Units
00-021200-55722-4	5842	30"x24"	White	2	PD



Reclosable Fasteners

3M™ Hook/Loop Fastener TB3526N/ TB3527N

High performance PSA nylon hook and loop with rubber adhesive and white polypropylene film liner. 100 mil to 160 mil engaged thickness. 3 mil printed liner.



UPC Number	Size	Color	Case Qty	Units
00-051111-92007-7	1"x10'	Black	1	BG

3M™ Hook/Loop Fastener TB3000

Thin back to back fastener. One side of the fastener is covered with tiny clear polypropylene hooks. The hooks can engage with thousands of soft pliable thin polyester loops on the reverse side providing for a limited number of openings and closings.



UPC Number	Size	Color	Case Qty	Units
00-051111-92011-4	1"x10'	Black	1	BG

3M™ Dual Lock™ Reclosable Fastener SJ4570

Amazingly thin and reclosable, yet strong, 3M™ Dual Lock™ Reclosable Fasteners are thinner and more flexible than other reclosable fasteners. SJ4570 is backed with 3M™ Laminating Adhesive 300LSE, giving it an excellent bond to many substrates including polypropylene, polyethylene, metal, finished wood and more.



UPC Number	Product ID	Size	Color	Case Qty	Units
00-021200-44883-6	SJ4570	1"x50yds	Clear	2	RL
00-021200-45075-4	SJ4570	5/8"x50yds	Clear	3	RL

3M™ Dual Lock™ Reclosable Fastener Roll

3M™ Dual Lock™ Reclosable Fasteners have been used extensively in transportation, electronics, business equipment, machinery, medical and sign and display markets. When the mushroom-shaped stems interlock, tensile strength is high enough to replace mechanical fasteners in many applications, yet you can readily open and close Dual Lock reclosable fasteners hundreds of times. High temperature and solvent resistant. The mix and match program allows a customer to match their adhesive requirements with the reclosable strength required to meet their needs.



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-021200-86282-3	SJ3560	Type 250	1"x50yds	Clear	2	RL
00-021200-86283-0	SJ3560	Type 250	2"x50yds	Clear	1	RL
00-021200-65812-9	SJ3540	Type 250	1"x50yds	Black	2	RL
00-021200-74379-5	SJ3550	Type 250	1"x50yds	Black	2	RL
00-021200-65817-4	SJ3550	Type 250	2"x50yds	Black	1	RL

Reclosable Fasteners, cont'd

3M™ Hook-and-Loop Reclosable Fastener SJ3526/ SJ3527

It's as simple as pressing together and pulling apart. When your product calls for thousands of easy openings and closings, 3M™

Reclosable Fasteners pull through for you. Tiny, stiff hooks mesh with pliable loops for quick secure fastening. In addition, Hook-and-Loop reclosable fasteners are backed with 3M adhesive technology expertise which range from rubber adhesives to high performance, double-coated foam tape which can be adhered to most surfaces to provide a solution as strong as you need. High performance adhesive is designed for great temperature, solid shear and peel performance.



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-021200-86256-4	SJ3527N	Loop	2"x50yds	White	2	RL
00-021200-86243-4	SJ3526N	Hook	1"x50yds	Black	3	RL
00-021200-86245-8	SJ3526N	Hook	2"x50yds	Black	2	RL
00-021200-86253-3	SJ3527N	Loop	1"x50yds	White	3	RL
00-021200-86244-1	SJ3526N	Hook	1"x50yds	White	3	RL
00-021200-86252-6	SJ3527N	Loop	1"x50yds	Black	3	RL
00-021200-86255-7	SJ3527N	Loop	2"x50yds	Black	2	RL

3M™ Hook-and-Loop Reclosable Fastener SJ3571/SJ3572

It's as simple as pressing together and pulling apart. When your product calls for thousands of easy openings and closings, 3M™ Reclosable

Fasteners pull through for you. Tiny, stiff hooks mesh with pliable loops for quick secure fastening. In addition, Reclosable fasteners are backed with 3M adhesive technology expertise which range from rubber adhesives to high performance, double-coated foam tape which can be adhered to most surfaces to provide a solution as strong as you need. Premium performance nylon hook with an acrylic pressure sensitive adhesive for high temperature resistance and great shear performance.



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-021200-86285-4	SJ3571	Loop	1"x50yds	Black	3	RL
00-021200-86286-1	SJ3572	Hook	1"x50yds	Black	3	RL
00-021200-86377-6	SJ3572	Hook	2"x50yds	Black	2	RL
00-021200-86467-4	SJ3571	Loop	2"x50yds	White	2	RL
00-021200-87277-8	SJ3571	Loop	1"x50yds	White	3	RL
00-021200-87292-1	SJ3572	Hook	1"x50yds	White	3	RL
00-021200-87297-6	SJ3571	Loop	2"x50yds	Black	2	RL
00-021200-87381-2	SJ3572	Hook	2"x50yds	White	2	RL



Reclosable Fasteners, cont'd

3M™ Dual Lock™ Reclosable Fastener TB4570

Low Surface Energy Acrylic Adhesive. Low to medium temperature performance. Indoor Uses: Metals, glass, many plastics and powder coated paints, medium to low energy surface materials. Half the thickness of standard Dual Lock reclosable fasteners.



UPC Number	Product ID	Size	Color	Case Qty	Units
00-051111-07808-2	TB4570	1"x10'	Clear	1	EA

3M™ Dual Lock™ Reclosable Fastener TB3540

Rubber based adhesive. Low temperature performance. Indoor uses: Many plastics and powder coated paints, low surface energy materials.



UPC Number	Product ID	Size	Color	Case Qty	Units
00-051111-07800-6	TB3540	1"x10'	Black	1	EA

3M™ Dual Lock™ Reclosable Fastener TB3550

General Purpose Acrylic Adhesive. High temperature performance. Indoor/Outdoor uses: Metals, glass, medium to high surface energy plastics and paint.



UPC Number	Product ID	Size	Color	Case Qty	Units
00-051111-07802-0	TB3550	1"x10'	Black	1	EA

3M™ Dual Lock™ Reclosable Fastener TB3560

Clear Acrylic Adhesive. Highest temperature performance. Indoor/Outdoor uses: Metals, glass and high surface energy plastics.



UPC Number	Product ID	Size	Color	Case Qty	Units
00-051111-07804-4	TB3560	1"x10'	Clear	1	EA

Duct Tapes, Cloth Tapes

3M™ Value Duct Tape 1900

Utility cloth duct tape. Typical physical and performance properties include, adhesion to steel: 58 oz./in. width, tensile strength: 16 lbs/in width, elongation at break: 12%, thickness: 5.8 mils, temperature use range: up to 200°F (93°C).



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051115-23421-7	1900	Individually Labeled	1.88"x50yds	Silver	24	RL
00-051115-23422-4	1900	Individually Labeled	2.83"x50yds	Silver	12	RL
00-051111-97841-2	1900	Individually Labeled	1.88"x60yds	Silver	24	RL

3M™ Duct Tape 3900

- Holds firmly
- Stays in place
- Multiple colors



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-021200-49829-9	3900	Individually Labeled	48mmx54.8m	White	24	RL
00-021200-49830-5	3900	Individually Labeled	48mmx54.8m	Red	24	RL
00-021200-49831-2	3900	Individually Labeled	48mmx54.8m	Olive	24	RL
00-021200-49832-9	3900	Individually Labeled	48mmx54.8m	Blue	24	RL
00-021200-49833-6	3900	Individually Labeled	48mmx54.8m	Black	24	RL
00-051131-06976-3	3900	Individually Labeled	48mmx54.8m	Silver	24	RL
00-021200-49828-2	3900	Individually Labeled	48mmx54.8m	Yellow	24	RL

3M™ Duct Tape 3939

- Strong hold
- Sticks well to many surfaces
- For tough jobs
- Maintenance and repair
- Holding poly sheeting
- Pulling wires and bundling



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-021200-85562-7	3939	Bulk	72mmx54.8m	Silver	12	RL
00-051131-06975-6	3939	Individually Labeled	48mmx54.8m	Silver	24	RL



Duct Tapes, Cloth Tapes, cont'd

3M™ Duct Tape 6969

- Stronger hold
- Sticks well to rough surfaces
- For tough jobs and demanding applications
- Protecting surfaces from abrasion
- Use for bundling heavy pipes
- Holds on sealed brick and concrete



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-021200-22773-8	6969	Individually Labeled	48mmx54.8m	Black	24	RL
00-021200-22780-6	6969	Individually Labeled	48mmx54.8m	Olive	24	RL
00-051131-06969-5	6969	Individually Labeled	48mmx54.8m	Silver	24	RL

3M™ Performance Plus Duct Tape 8979

- 6-month clean removal for most opaque surfaces
- UV- and water-resistant
- Protecting indoor/outdoor surfaces
- Use for bundling heavy materials
- Fixing, repairing and maintaining



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-048011-53851-8	8979	Individually Labeled	48mmx22.8m	Slate Blue	12	RL
00-048011-53916-4	8979	Individually Labeled	48mmx54.8m	Olive	24	RL
00-048011-53918-8	8979	Individually Labeled	48mmx54.8m	Black	24	RL
00-021200-56468-0	8979	Individually Labeled	48mmx54.8m	Slate Blue	24	RL

Masking Products, Masking Tapes

3M™ Outdoor Masking Poly Tape 5903

5903 is a poly tape comprised of heavy duty polyethylene film and synthetic rubber adhesive. It is UV weather resistant and removes cleanly for up to a month with little or no adhesive residue on most opaque surfaces without deteriorating or fading. 5903 can be used during construction, remodeling and maintenance jobs. It is used for window and door masking, outdoor holding and protecting surfaces including stucco, concrete, brick, and a variety of construction surfaces where removability is important.



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051115-31842-9	5903	Individually Labeled	48mmx54.8m	Red	24	RL

Masking Products, Masking Tapes, cont'd

3M™ Paper Tape 200

A utility purpose paper tape for holding, bundling, sealing, non-critical masking and a vast number of other jobs where pressure sensitive tape is needed. Should not be subjected to outdoor or UV exposure. Typically used at room temperature but will function up to 200°F (93°C).



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-048011-53467-1	200	Bulk	72mmx55m	Natural	12	RL
00-048011-53466-4	200	Bulk	48mmx55m	Natural	24	RL
00-048011-53470-1	200	Bulk	36mmx55m	Natural	24	RL
00-048011-53465-7	200	Bulk	24mmx55m	Natural	36	RL
00-048011-53464-0	200	Bulk	18mmx55m	Natural	48	RL
00-048011-53469-5	200	Bulk	12mmx55m	Natural	72	RL



Masking Products, Masking Tapes, cont'd

3M™ Paper Masking Tape 2209


A general purpose paper tape for holding, bundling, sealing, non-critical masking and a vast number of other jobs where a pressure-sensitive tape is needed.



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051115-24803-0	2209	Bulk	18mmx55m	Natural	48	RL
00-051115-24804-7	2209	Bulk	24mmx55m	Natural	36	RL
00-051115-24806-1	2209	Bulk	36mmx55m	Natural	24	RL
00-051115-24807-8	2209	Bulk	48mmx55m	Natural	24	RL
00-051115-24808-5	2209	Bulk	72mmx55m	Natural	12	RL
00-051115-24809-2	2209	Bulk	96mmx55m	Natural	8	RL

Scotch® High Performance Masking Tape 232

A high performance paper masking tape to be used in the medium temperature paint bake operation. 250°F (121°C).



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-021200-02853-3	232	Bulk	18mmx55m	Natural	48	RL
00-021200-02854-0	232	Bulk	24mmx55m	Natural	36	RL
00-021200-04240-9	232	Bulk	48mmx55m	Natural	24	RL
00-021200-02858-8	232	Bulk	72mmx55m	Natural	12	RL
00-021200-02855-7	232	Bulk	36mmx55m	Natural	24	RL

Scotch® High Performance Masking Tape 2693

Designed for automotive, truck and bus applications, where very aggressive room temperature and high temperature holding is required. Tan, 8.5 mils (0.21 mm) mini-crepe paper tape with rubber adhesive.




UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-021200-37630-6	2693	Bulk	48mmx55m	Tan	24	RL
00-021200-37629-0	2693	Bulk	24mmx55m	Tan	36	RL
00-021200-42979-8	2693	Bulk	72mmx55m	Tan	12	RL
00-021200-42974-3	2693	Bulk	18mmx55m	Tan	48	RL
00-021200-41121-2	2693	Bulk	36mmx55m	Tan	24	RL

Masking Products, Masking Tapes, cont'd

Scotch® Masking Tape 2308

Natural colored crepe paper. A general purpose masking tape for holding, bundling, sealing, general paint masking and a vast number of other jobs where a pressure sensitive tape is needed. Functions up to 250°F (121°C).



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051131-06546-8	2308	Bulk	24mmx55m	Natural	36	RL
00-051131-06547-5	2308	Bulk	36mmx55m	Natural	24	RL
00-051131-06549-9	2308	Bulk	72mmx55m	Natural	12	RL

Scotch-Blue™ Industrial Advantage Masking Tape 2750


Scotch-Blue™ Industrial Advantage Masking Tape 2750 is a high performance crepe paper masking tape for use in medium temperature paint bake operations. Scotch-Blue masking tape 2750 is designed to have strong holding to most surfaces resulting in sharp paint lines with both solvent and latex based paints.



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051111-07538-8	2750	Bulk	18mmx55m	Blue	48	RL
00-051111-07539-5	2750	Bulk	24mmx55m	Blue	36	RL
00-051111-07540-1	2750	Bulk	36mmx55m	Blue	24	RL
00-051111-07541-8	2750	Bulk	48mmx55m	Blue	24	RL
00-051111-07542-5	2750	Bulk	72mmx55m	Blue	12	RL
00-051111-91726-8	2750	Individually Labeled	24mmx55m	Blue	36	RL
00-051111-91727-5	2750	Individually Labeled	36mmx55m	Blue	24	RL
00-051111-91728-2	2750	Individually Labeled	48mmx55m	Blue	24	RL

Scotch® 60-Day Ultimate Paint Edge Masking Tape 2480S

Scotch® 60-Day Ultimate Paint Edge Masking Tape 2480S uses a thin, yet strong, smooth flatback paper that when used for paint masking gives a sharp paint line with a low paint ridge. The acrylic adhesive holds on contact to many surfaces, yet peels away smoothly and cleanly without residue or fogging even after 60 days of outdoor exposure.



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051111-07549-4	2480S	Bulk	2"x60yd	Green	24	RL



Masking Products, Masking Tapes, cont'd

3M™ General Use Masking Tape 201+

- General use for light and medium-duty applications
- Rubber-based adhesive sticks to a variety of surfaces
- Smooth and conformable crepe paper backing is easy to handle, apply and remove in one piece
- Temperature use range up to 200°F (93°C)
- Good paint lines
- Medium conformability



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051115-64746-8	201+ IW	Individually Labeled	24mm x 55m	Tan	36	RL
00-051115-64747-5	201+ IW	Individually Labeled	36mm x 55m	Tan	24	RL
00-051115-64748-2	201+ IW	Individually Labeled	48mm x 55m	Tan	24	RL

3M™ Performance Yellow Masking Tape 301+

- Industrial-strength performance masking tape used for paint masking, bundling, holding and identifying applications
- 3M proprietary solvent-free adhesive sticks with confidence to most surfaces (including metal, rubber, glass and plastic) while removing cleanly in one piece
- Strong yellow crepe paper backing conforms to irregular surfaces, resists bleed through of most industrial paint systems, and improves visibility during the paint masking process
- Temperature use range up to 225°F (107°C)
- Great paint lines
- Medium-high conformability



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051115-64756-7	301+ IW	Individually Labeled	24mm x 55m	Yellow	36	RL
00-051115-64757-4	301+ IW	Individually Labeled	36mm x 55m	Yellow	24	RL
00-051115-64758-1	301+ IW	Individually Labeled	48mm x 55m	Yellow	24	RL

3M™ High Performance Green Masking Tape 401+

- Industrial-strength high performance masking tape used for critical paint masking applications
- 3M proprietary solvent-free adhesive sticks to most surfaces (including metal, rubber, glass and plastic) while removing cleanly in one piece
- High-strength crepe paper backing conforms to irregular surfaces and resists bleed through from most industrial paint systems for super sharp paint lines
- Great UV resistance
- Temperature use range up to 250°F (121°C) for 30 minutes
- Adhesion to Steel: 38 oz./in. width; Tensile Strength: 25 lbs/in.; Tape Thickness: 6.7 mils



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051115-64767-3	401+	Individually Labeled	24mm x 55m	Green	24	RL
00-051115-64768-0	401+	Individually Labeled	36mm x 55m	Green	16	RL
00-051115-64769-7	401+	Individually Labeled	48mm x 55m	Green	12	RL



Masking Products, Masking Tapes, cont'd

3M™ Specialty High Temperature Masking Tape 501+



- Specialty high-temperature masking tape for super sharp paint lines and critical paint masking applications — Temperature use range up to 300°F (149°C) for 30 minutes
- 3M proprietary high-temperature adhesive quickly sticks with confidence to most surfaces (including metal, rubber, glass and plastic) while removing cleanly in one piece. Adhesion to steel: 35 oz./in. width
- Extra-strong tan crepe paper backing conforms to irregular surfaces and resists bleed through from most industrial paint systems
- Natural rubber adhesive and paper backing is easy to hand tear but is resistant to slivering on removal
- Thickness: 7.4 mils; Tensile Strength: 24 lbs./in. width; Elongation at Break: 9%UPC


UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051115-69105-8	501+ IW	Individually Labeled	24 mm x 55 m	Tan	36	RL
00-051115-69106-5	501+ IW	Individually Labeled	36 mm x 55 m	Tan	24	RL
00-051115-69107-2	501+ IW	Individually Labeled	48 mm x 55 m	Tan	24	RL

Packaging Products, Box Sealing Tapes, Standard

Scotch® Box Sealing Tape 311

General purpose box sealing tape designed specifically for utility type applications on light to medium weight boxes. Offers performance over broad temperature ranges; specifically in cold and damp applications such as refrigerated storage.

UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-021200-69396-0	311	Bulk	72mmx100m	Tan	24	RL
00-021200-88292-0	311	Bulk	48mmx100m	Clear	36	RL
00-021200-69397-7	311	Bulk	72mmx100m	Clear	24	RL
00-051115-68812-6	311	6 Rolls per Labeled Pack	48 mm x 100m	Tan	6	PH
00-051115-68813-3	311	6 Rolls per Labeled Pack	48 mm x 50m	Clear	6	PH
00-051115-68814-0	311	6 Rolls per Labeled Pack	72 mm x 100m	Clear	4	PH
00-051115-68815-7	311	6 Rolls per Labeled Pack	48 mm x 100 m	Clear	6	PH



Scotch® Box Sealing Tape 313

These Scotch® Box Sealing Tapes are made with a polypropylene film tape that resists abrasion, moisture, chemicals and scuffing. Offers a high edge tear and split resistance and also delivers dependable, quality performance.

UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-021200-42366-6	313	Bulk	48mmx100m	Clear	36	RL
00-051115-68816-4	313	6 Rolls per Labeled Pack	72 mm x 50m	Clear	4	PH
00-051115-68817-1	313	6 Rolls per Labeled Pack	72 mm x 100m	Clear	4	PH
00-051115-68818-8	313	6 Rolls per Labeled Pack	48 mm x 100m	Clear	6	PH



Scotch® Box Sealing Tape 371

These Scotch® Box Sealing Tapes are made with a polypropylene film tape that resists abrasion, moisture, chemicals and scuffing. Offers a high edge tear and split resistance and also delivers dependable, quality performance.

- Good performance, good value
- Conformable backing flexes under stress
- Polypropylene backing with a synthetic rubber adhesive
- 1.2 mil backing and 1.9 mil total thickness for medium-duty packaging applications
- Recommended for use on Regular Slotted Containers (RSC) weighing up to 70 lbs.



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-021200-13679-5	371	Bulk	48mmx50m	Clear	36	RL
00-021200-19279-1	371	Bulk	72mmx50m	Clear	24	RL
00-021200-15873-5	371	Bulk	48mmx100m	Clear	36	RL
00-021200-19280-7	371	Bulk	72mmx100m	Clear	24	RL
00-021200-14105-8	371	Bulk	48mmx50m	Tan	36	RL
00-021200-18197-9	371	Bulk	72mmx50m	Tan	24	RL
00-021200-15872-8	371	Bulk	48mmx100m	Tan	36	RL
00-051115-68797-6	371	6 Rolls per Labeled Pack	72 mm x 50 m	Tan	4	PH
00-051115-68798-3	371	6 Rolls per Labeled Pack	48 mm x 100 m	Tan	6	PH
00-051115-68800-3	371	6 Rolls per Labeled Pack	72 mm x 100 m	Tan	4	PH
00-051115-68801-0	371	6 Rolls per Labeled Pack	48 mm x 50 m	Tan	6	PH
00-051115-68802-7	371	6 Rolls per Labeled Pack	48 mm x 50 m	Clear	6	PH
00-051115-68803-4	371	6 Rolls per Labeled Pack	72 mm x 50 m	Clear	4	PH
00-021200-61525-2	371	Bulk	72mmx100m	Tan	24	RL

Scotch® Box Sealing Tape 372

These high performance Scotch® Box Sealing Tapes are made with a polypropylene film that resists abrasion, moisture, chemicals and scuffing. They offer a high edge tear and split resistance and the very best performance in Scotch brand packaging tapes

- High performance, ideal for shipping heavy packages
- Sturdy polypropylene backing with synthetic rubber adhesive resists abrasions, moisture and scuffing for lasting hold
- 1.4 mil backing and 2.2 mil total thickness for heavy-duty packaging applications
- Conformable backing flexes under stress



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-021200-73047-4	372	Bulk	48mmx100m	Clear	36	RL
00-021200-73076-4	372	Bulk	72mmx100m	Clear	24	RL
00-021200-72335-3	372	Bulk	48mmx50m	Tan	36	RL
00-021200-72344-5	372	Bulk	48mmx50m	Clear	36	RL
00-021200-72346-9	372	Bulk	72mmx50m	Clear	24	RL
00-051115-68757-0	372 IW	Individually Labeled	48 mm x 50 m	Clear	36	RL
00-051115-68758-7	372 IW	Individually Labeled	72 mm x 50 m	Clear	24	RL
00-051115-68759-4	372 IW	Individually Labeled	72 mm x 100 m	Clear	24	RL
00-051115-68760-0	372 IW	Individually Labeled	48 mm x 100 m	Clear	36	RL
00-051115-68761-7	372 IW	Individually Labeled	48 mm x 50 m	Tan	36	RL



Scotch® Box Sealing Tape 373

These high performance Scotch® Box Sealing Tapes are made with a polypropylene film that resists abrasion, moisture, chemicals and scuffing. They offer a high edge tear and split resistance and the very best performance in Scotch brand packaging tapes.

- High performance, ideal for shipping heavy packages and double walled boxes
- Sturdy polypropylene backing with synthetic rubber adhesive resists abrasions, moisture and scuffing for lasting hold
- 1.6 mil backing and 2.5 mil total thickness for heavy-duty packaging applications
- Conformable backing flexes under stress



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-021200-72366-7	373	Bulk	36mmx50m	Clear	48	RL
00-021200-72381-0	373	Bulk	48mmx50m	Red	36	RL
00-021200-72385-8	373	Bulk	48mmx50m	Blue	36	RL
00-021200-72389-6	373	Bulk	48mmx50m	White	36	RL
00-021200-72397-1	373	Bulk	48mmx50m	Green	36	RL
00-021200-72399-5	373	Bulk	48mmx50m	Yellow	36	RL
00-021200-69605-3	373	Bulk	72mmx50m	Clear	24	RL
00-021200-72359-9	373	Bulk	48mmx50m	Tan	36	RL
00-021200-72361-2	373	Bulk	72mmx50m	Tan	24	RL
00-021200-72368-1	373	Bulk	48mmx50m	Clear	36	RL
00-021200-73079-5	373	Bulk	48mmx100m	Clear	36	RL
00-021200-73080-1	373	Bulk	72mmx100m	Clear	24	RL
00-021200-73081-8	373	Bulk	48mmx100m	Tan	36	RL
00-021200-73082-5	373	Bulk	72mmx100m	Tan	24	RL
00-051115-68782-2	373 IW	Individually Labeled	36 mm x 50m	Clear	48	RL
00-051115-68786-0	373 IW	Individually Labeled	48 mm x 50 m	Clear	36	RL
00-051115-68791-4	373 IW	Individually Labeled	48 mm x 50 m	White	36	RL
00-051115-68795-2	373 IW	Individually Labeled	48 mm x 50 m	Tan	36	RL
00-051115-68790-7	373 IW	Individually Labeled	48 mm x 50 m	Red	36	RL
00-051115-68789-1	373 IW	Individually Labeled	48 mm x 50 m	Orange	36	RL
00-051115-68794-5	373 IW	Individually Labeled	48 mm x 50 m	Green	36	RL
00-051115-68792-1	373 IW	Individually Labeled	48 mm x 50 m	Blue	36	RL
00-051115-68793-8	373 IW	Individually Labeled	48 mm x 50 m	Yellow	36	RL
00-051115-68783-9	373 IW	Individually Labeled	48 mm x 100 m	Charcoal Gray	36	RL
00-051115-68788-4	373 IW	Individually Labeled	48 mm x 100 m	Tan	36	RL
00-051115-68781-5	373 IW	Individually Labeled	72 mm x 50m	Clear	24	RL
00-051115-68796-9	373 IW	Individually Labeled	72 mm x 50 m	White	24	RL
00-051115-68780-8	373 IW	Individually Labeled	72 mm x 50 m	Tan	24	RL
00-051115-68785-3	373 IW	Individually Labeled	72 mm x 100 m	Clear	24	RL
00-051115-68787-7	373 IW	Individually Labeled	72 mm x 100 m	Tan	24	RL



Packaging Products, Box Sealing Tapes, Standard, cont'd

Scotch® Box Sealing Tape 375

These high performance Scotch® Box Sealing Tapes are made with a polypropylene film that resists abrasion, moisture, chemicals and scuffing. They offer a high edge tear and split resistance and the very best performance in Scotch brand packaging tapes.



- High performance, ideal for shipping heavy packages including overpacked, double or triple-walled boxes
- Sturdy polypropylene backing with synthetic rubber adhesive resists abrasions, moisture and scuffing for lasting hold
- 2.0 mil backing and 3.1 mil total thickness
- Conformable backing flexes under stress

UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-021200-72401-5	375	Bulk	48mmx50m	Tan	36	RL
00-021200-72402-2	375	Bulk	72mmx50m	Tan	24	RL
00-021200-72406-0	375	Bulk	48mmx50m	Clear	36	RL
00-021200-72407-7	375	Bulk	72mmx50m	Clear	24	RL
00-051115-68764-8	375 IW	Individually Labeled	48 mm x 50 m	Clear	36	RL
00-051115-68762-4	375 IW	Individually Labeled	48 mm x 50 m	Tan	36	RL
00-051115-68765-5	375 IW	Individually Labeled	72 mm x 50 m	Clear	24	RL
00-051115-68763-1	375 IW	Individually Labeled	72 mm x 50 m	Tan	24	RL

Tartan™ Box Sealing Tape 369

- Polypropylene backing with a synthetic rubber adhesive for light-duty, general purpose packaging applications
- 1.0 mil backing and 1.6 mil total thickness

UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051115-68805-8	369	6 Rolls per Labeled Pack	72 mm x 100 m	Clear	4	PH
00-051115-68806-5	369	6 Rolls per Labeled Pack	48 mm x 100 m	Clear	6	PH
00-051115-68807-2	369	6 Rolls per Labeled Pack	48 mm x 50 m	Clear	6	PH
00-051115-68808-9	369	6 Rolls per Labeled Pack	72 mm x 100 m	Tan	4	PH
00-051115-68809-6	369	6 Rolls per Labeled Pack	48 mm x 50 m	Tan	6	PH
00-051115-68810-2	369	6 Rolls per Labeled Pack	48 mm x 100 m	Tan	6	PH



Scotch® Recycled Corrugate Tape 3073

These high performance Scotch® Box Sealing Tapes are made with a polypropylene film that resists abrasion, moisture, chemicals and scuffing. They offer a high edge tear and split resistance and the very best performance in Scotch brand packaging tapes. Great seal on recycled corrugate! Bonds instantly with recycled corrugated cartons.

- The strong conformable backing combined with a high performance adhesive holds cartons closed throughout the supply chain.
- High performance, even on hard-to-seal corrugate
- Sturdy polypropylene backing with synthetic rubber adhesive resists abrasions, moisture and scuffing for lasting hold
- Recommended for use on regular slotted containers (RSC) weighing up to 100 lbs.
- 1.6 mil backing and 2.6 mil total thickness for heavy-duty packaging applications
- Made with 10% bio-based materials in the adhesive



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051111-92900-1	3073	Bulk	48mmx100m	Clear	36	RL
00-051111-92901-8	3073	Bulk	72mmx100m	Clear	24	RL
00-051115-68767-9	3073 IW	Individually Labeled	48 mm x 100 m	Clear	36	RL
00-051115-68766-2	3073 IW	Individually Labeled	72 mm x 100 m	Clear	24	RL



Packaging Products, Box Sealing Tapes, Standard, cont'd

Scotch® Recycled Corrugate Box Sealing Tape 3071

Scotch® Recycled Corrugate Box Sealing Tape 3071 is a carton sealing tape that bonds instantly with recycled corrugated cartons. The strong conformable backing combined with a high performance adhesive holds the carton closed throughout the supply chain.




UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051115-64569-3	3071	Bulk	48mmx100m	Clear	36	RL
00-051115-64571-6	3071	Bulk	72mmx100m	Clear	24	RL

Packaging Products, Box Sealing Tapes, Specialty

Scotch® Box Sealing Tape 351

These high tack, high performance Scotch® Box Sealing Tapes are made with an abrasion-resistant, polyester backing that resists moisture and scuffing. Offers a high edge tear and split resistance and 3M's very best performance in packaging tapes.



- High performance, ideal for shipping heavy packages or for use with hard-to-seal surfaces, high humidity environments and double or triple walled boxes
- Meets Federal Spec. PPP-T-60E, Amend. 2 Type III, class 2 (clear), CID A-A-1830B (clear), ASTM D5486 Type 1 & 2
- High tack
- Extra sturdy polyester backing with a synthetic rubber adhesive
- 2.0 mil backing and 3.43 mil total thickness for heavy-duty packaging applications

UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-021200-72318-6	351	Bulk	48mmx50m	Clear	36	RL
00-021200-72319-3	351	Bulk	72mmx50m	Clear	24	RL
00-051115-68748-8	351 IW	Individually Labeled	48 mm x 50m	Clear	36	RL
00-051115-68804-1	351 IW	Individually Labeled	72 mm x 50 m	Clear	24	RL

Packaging Products, Box Sealing Tapes, Specialty, cont'd

Scotch® Box Sealing Tape 353

These high tack, high performance Scotch® Box Sealing Tapes are made with an abrasion-resistant, polyester backing that resists moisture and scuffing. Offers a high edge tear and split resistance and 3M's very best performance in packaging tapes.



- High performance, ideal for shipping medium to heavy packages
- High tack
- Polyester backing with a synthetic rubber adhesive for good abrasion and tear resistance
- 1.0 mil backing and 1.9 mil total thickness for medium- to heavy-duty packaging applications

UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-021200-72324-7	353	Bulk	48mmx50m	Clear	36	RL
00-051115-68749-5	353 IW	Individually Labeled	48 mm x 50 m	Tan	36	RL
00-051115-68750-1	353 IW	Individually Labeled	48 mm x 50 m	Clear	36	RL

Scotch® Box Sealing Tape 355

These high tack, high performance Scotch® Box Sealing Tapes are made with an abrasion-resistant, polyester backing that resists moisture and scuffing. Offers a high edge tear and split resistance and 3M's very best performance in packaging tapes.



- Super strong, super tacky tape great for use on hard-to-seal surfaces, high humidity environments and double or triple walled boxes
- High performance, abrasion-resistant tape ideal for shipping heavy packages
- Extra sturdy polyester backing with a synthetic rubber adhesive
- 2.0 mil backing and 3.43 mil total thickness for heavy-duty packaging applications

UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051131-06651-9	355	Bulk	48mmx50m	Tan	36	RL
00-021200-72330-8	355	Bulk	48mmx50m	Clear	36	RL
00-021200-72331-5	355	Bulk	72mmx50m	Clear	24	RL
00-051115-68752-5	355 IW	Individually Labeled	36 mm x 50m	Clear	48	RL
00-051115-68756-3	355 IW	Individually Labeled	48 mm x 50 m	Clear	36	RL
00-051115-68755-6	355 IW	Individually Labeled	48 mm x 50 m	Tan	36	RL
00-051115-68751-8	355 IW	Individually Labeled	72 mm x 50 m	Clear	24	RL
00-051115-68754-9	355 IW	Individually Labeled	72 mm x 50 m	Tan	24	RL



3M™ Bond Breaker Tape 8891

- Mask joints to control sealant bonding
- For building and construction
- Polypropylene backing with a synthetic rubber resin adhesive
- Resists sealant adhesion for construction seaming applications
- Good dispensing properties for on-site applications
- Recommended in corner joints where movement is anticipated
- Effective for shallow or narrow joints where backer rods are hard to handle



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051125-74944-2	8891	2 Rolls per Labeled Pack	¼"x60yd	Black	72	PH
00-051125-74945-9	8891	2 Rolls per Labeled Pack	½"x60yds	Black	36	PH

Scotch® Specialty Packaging Tape 660

- Designed for splicing applications that require high temperature performance and visible splices
- Rubber resin adhesive construction
- Cellophane backing for high temperature resistance up to 350°F
- Excellent performance over broad temperature range
- Excellent splice detection



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051125-74946-6	660 IW	Individually Labeled	1"x72yd	Red	36	RL

Packaging Products, Box Sealing Tapes, Cold Temperature Tapes

Scotch® Cold Temperature Box Sealing Tape 3723

- Strong hold in refrigerated/cold weather conditions
- Resists abrasion, moisture, chemicals and scuffing
- A conformable polypropylene backing with a modified synthetic rubber adhesive for sealing double/triple walled corrugated boxes
- 1.6 mil backing and 3.0 mil total thickness for heavy-duty packaging applications
- Compliant with ASTM D1974-92 and USDA acceptable



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-021200-72412-1	3723	Bulk	48mmx50m	Clear	36	RL
00-051115-68768-6	3723 IW	Individually Labeled	48mmx50m	Clear	36	RL

Packaging Products, Box Sealing Tapes, Dispensers

Scotch® Box Sealing Tape Dispenser H128

Durable, heavy duty metal dispenser provides a quick and easy method of applying H-seal and center-seam closures of RSCs. The H128 dispenser is of lightweight steel construction and adaptable for a variety of on-the-spot applications.



UPC Number	Product ID	Size	Case Qty	Units
00-021200-06909-3	H128	2"	6	EA

Packaging Products, Box Sealing Tapes, High Tack Tapes

Scotch® High Tack Box Sealing Tape 3743

Polypropylene tape with high initial adhesion for applications involving hard-to-stick surfaces such as recycled corrugated, or coated polyethylene. Tensile strength of 30 lb/in in machine direction; 60 lb/in cross direction.




UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-021200-72421-3	3743	Bulk	48mmx50m	Clear	36	RL
00-021200-72422-0	3743	Bulk	72mmx50m	Clear	24	RL
00-051115-68778-5	3743 IW	Individually Labeled	72 mm x 50 m	Clear	24	RL
00-051115-68779-2	3743 IW	Individually Labeled	48 mm x 50 m	Clear	36	RL



Scotch® Security Tape

- Polypropylene backing with a synthetic rubber adhesive

UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units	Additional Information
00-021200-72458-9	3775	Bulk	48mmx100m	Red/White	36	RL	Message: "Mixed Merchandise Enclosed"
00-021200-46447-8	3779	Bulk	48mmx100m	Clear	36	RL	Message: "Check seal before accepting"
00-021200-46449-2	3779	Bulk	72mmx100m	Clear	24	RL	Message: "Check seal before accepting"
00-051115-68770-9	3732 IW	Individually Labeled	48mmx50m	Tan	36	RL	Message: "If Seal is Broken, Check Contents"
00-051115-68771-6	3734 IW	Individually Labeled	48mmx50m	Tan	36	RL	Message: "Fragile handle with care"
00-051115-68772-3	3772 IW	Individually Labeled	48mmx50m	White	36	RL	Message: "Fragile handle with care"
00-051115-68773-0	3775 IW	Individually Labeled	48mmx100m	White	36	RL	Message: "Mixed Merchandise Enclosed"
00-051115-68774-7	3771 IW	Individually Labeled	48mmx100m	White	36	RL	Message: "If Seal is Broken, Check Contents Before Accepting"
00-051115-68775-4	3779 IW	Individually Labeled	48mmx100m	Clear	36	RL	Message: "Check seal before accepting"
00-051115-68777-8	3779 IW	Individually Labeled	72mmx100m	Clear	24	RL	Message: "Check seal before accepting"



Scotch® Security Tape 3199

- Good adhesion to recycled liner paper and fiberboard
- Suitable for cold temperature applications with easy handling and smooth dispensing
- FDA approved for indirect food contact
- Polypropylene backing with an acrylic adhesive

UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units	Additional Information
00-048011-58528-4	3199	Bulk	48mmx100m		36	RL	Message: "Check seal before accepting"
00-051115-68811-9	3199	6 Rolls per Labeled Pack	48mmx100m	Clear	36	RL	Message: "Check seal before accepting"



Packaging Products, Filament Tapes

Scotch® Filament Tape 893

- Clear polypropylene backing with a synthetic rubber resin adhesive resists nicks, abrasion, moisture and scuffing
- Use for bundling, reinforcing and securing
- Fiberglass reinforced

UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051125-74917-6	893	6 Rolls per Labeled Pack	12 mm x 55 m	Clear	12	PH
00-051125-74918-3	893	4 Rolls per Labeled Pack	18 mm x 55 m	Clear	12	PH
00-051125-74919-0	893	2 Rolls per Labeled Pack	24 mm x 55 m	Clear	18	PH
00-051125-74920-6	893 IW	Individually Labeled	48 mm x 55 m	Clear	24	RL



Scotch® Filament Tape 894

- Black polypropylene backing with a synthetic rubber resin adhesive
- Fiberglass reinforced
- Outdoor use — excellent UV resistance and good for pipe bundling

UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051125-74900-8	894	2 Rolls per Labeled Pack	18 mm x 55 m	Black	24	PH



Scotch® Filament Tape 897

- Polypropylene backing reinforced with a synthetic rubber resin adhesive for light-to-medium duty bundling, reinforcing and securing
- Ideal for L-clip box closures
- Fiberglass reinforced



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051125-74893-3	897	2 Rolls per Labeled Pack	18 mm x 55 m	Clear	4	PH
00-051125-74894-0	897	3 Rolls per Labeled Pack	24 mm x 55 m	Clear	12	PH
00-051125-74895-7	897	2 Rolls per Labeled Pack	48 mm x 55 m	Charcoal Gray	12	PH

Scotch® Filament Tape 898

- Clear polypropylene backing with a synthetic rubber resin adhesive resists abrasions, moisture, scuffing and tearing
- Fiberglass reinforced
- Ideal for L-clip box closures
- High strength bundling and reinforcing, strapping and non-regular slotted container closing



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051131-06898-8	898	Bulk	24mmx55m		36	RL
00-051111-91756-5	898	Bulk	36mmx110m		24	RL
00-021200-39868-1	898	Bulk	36mmx55m		24	RL
00-021200-39869-8	898	Bulk	48mmx55m		24	RL
00-051125-74913-8	898	2 Rolls per Labeled Pack	12 mm x 55 m	Clear	36	PH
00-051125-74914-5	898	2 Rolls per Labeled Pack	18 mm x 55 m	Clear	24	PH
00-051125-74915-2	898 IW	Individually Labeled	24 mm x 55 m	Clear	36	RL
00-051125-74916-9	898 IW	Individually Labeled	48 mm x 55 m	Clear	24	RL
00-051131-06895-7	898	Bulk	24mmx55m		36	RL
00-021200-39871-1	898	Bulk	48mmx55m		24	RL

Tartan™ Filament Tape 8934

Clear polypropylene film backing reinforced with glass yarn filaments. Light duty tensile strength, nick resistance, abrasion resistance and good handling for utility bundling, reinforcing, and pallet unitizing applications. Color: Clear.



UPC Number	Product ID	Extra Desc	Size	Case Qty	Units
00-051115-32143-6	8934	Bulk	48mmx100m	24	RL
00-021200-86519-0	8934	Bulk	18mmx55m	48	RL
00-021200-86520-6	8934	Bulk	24mmx55m	36	RL
00-021200-86521-3	8934	Bulk	48mmx55m	24	RL
00-021200-73999-6	8934	Bulk	36mmx55m	24	RL



3M™ Filament Tape 8934

- Clear polypropylene backing with a synthetic rubber resin adhesive
- Fiberglass reinforced
- Pallet unitizing, light-duty bundling, reinforcing and general use



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051125-74889-6	8934	18 Rolls per Labeled Pack	12 mm x 55 m	Clear	4	PH
00-051125-74890-2	8934	2 Rolls per Labeled Pack	18 mm x 55 m	Clear	4	PH
00-051125-74891-9	8934	9 Rolls per Labeled Pack	24 mm x 55 m	Clear	4	PH
00-051125-74892-6	8934	Individually Labeled	48 mm x 55 m	Clear	24	RL

Scotch® Bi-Directional Filament Tape 8959

- Polypropylene backing reinforced in both directions for added security
- Synthetic rubber resin adhesive
- Fiberglass reinforced
- Extra security for boxes and bundles
- High adhesion



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-021200-88226-5	8959	Bulk	19mmx50m	Translucent	48	RL
00-021200-88227-2	8959	Bulk	25mmx50m	Translucent	36	RL
00-021200-88228-9	8959	Bulk	50mmx50m	Translucent	18	RL
00-051125-74901-5	8959 IW	Individually Labeled	50 mm x 50 m	Transparent	18	RL

Scotch® Filament Tape 890MSR

- Choose a more sustainable tape without compromising performance on oily surfaces
- Solventless adhesive coating process
- High strength, super thick tape is great for metalworking applications like coil tabbing and metal panel splicing
- 600 lbs./in. width of tensile strength



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051125-74942-8	890MSR IW	Individually Labeled	48 mm x 55 m	Black	24	RL
00-051125-74943-5	890MSR IW	Individually Labeled	24 mm x 55 m	Clear	36	RL

Scotch® Filament Tape 8919MSR

- Choose a more sustainable tape without compromising performance on oily surfaces
- Solventless adhesive coating process
- Clear polyester-backed, fiberglass reinforced tape with a modified synthetic rubber adhesive is great for holding metal appliance parts during manufacturing/shipping
- Removes cleanly
- 380 lbs./in. width of tensile strength



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051125-74939-8	8919MSR	2 Rolls per Labeled Pack	24 mm x 55 m	Clear	18	PH
00-051125-74940-4	8919MSR IW	Individually Labeled	48 mm x 55 m	Clear	24	RL
00-051125-74941-1	8919MSR IW	Individually Labeled	72 mm x 55 m	Clear	12	RL



Packaging Products, Filament Tapes, Dispensers

Scotch® Filament Tape Hand Dispenser H12

Features a hand brake in the core that allows operator to add tension for tighter box reinforcement and bundling applications. Made from high-impact, durable plastic. Handles filament tapes up to 1" (24 mm) wide.



UPC Number	Size	Case Qty	Units
00-021200-06953-6	1"	6	EA

Packaging Products, Filament Tapes, Pads

3M™ Carry Handles

Turn virtually any bulky, hard-to-carry package or box into an easy-to-carry item. One-handed carrying versus two! These durable plastic strips, with adhesive at each end, adhere to both sides of a box or package, creating a small loop for easy carrying.

UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units	Additional Information
00-051125-74954-1	8326	16 pads of 25 handles per labeled pack	1"x17"x3"	White	80	PD	Holds up to 10 lbs.
00-051125-74955-8	8326	16 pads of 25 handles per labeled pack	1-3/8"x23"x6"	White	80	PD	Holds up to 15 lbs.
00-051125-74956-5	8328	16 pads of 25 handles per labeled pack	1-3/8"x23"x6"	White	80	PD	Holds up to 30 lbs.



3M™ Bi-Directional Filament Tape Sheets 819

- Pre-cut tape strips, padded for convenient pocket storage, tabbed for easy removal and application
- Polypropylene backing reinforced with glass filaments with a synthetic rubber resin adhesive
- Fiberglass filaments run in a bi-directional pattern for added strength and security
- For convenient and easy, in-the-field repair of damaged packages

UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051125-74909-1	819	20 pads of 25 sheets per labeled pack	2"x6"	Clear	100	PD



Packaging Products, Hang Tabs

3M™ Hang Tab

- Clear plastic with pressure sensitive adhesive
- Allows graphics to show through retail packaging
- Sticks to most product or packaging surfaces for store display applications
- In-store repair of damaged packaging such as torn punches in chipboard header cards


UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051125-74950-3	1075	50 pads of 10 hang tabs per labeled pack	2"x2" (Delta Hanger)	Clear	250	PD
00-051125-74951-0	1076	50 pads of 10 hang tabs per labeled pack	2"x2" (Round Hole)	Clear	250	PD
00-051125-74952-7	1074	100 pads of 10 hang tabs per labeled pack	1"x2" (Round Hole)	Clear	500	PD



Packaging Products, Label Protection Products

Scotch® Label Protection Tape 3565

- Utility grade tape protects labels in non-critical applications
- Easy to read through
- Tear resistant



UPC Number	Product ID	Extra Desc	Size	Case Qty	Units
00-021200-73154-9	3565	Bulk	96mmx100m	18	RL
00-021200-73155-6	3565	Bulk	120mmx100m	12	RL
00-051125-74911-4	3565 IW	Individually Labeled	96mmx100m	18	RL

3M™ Tape Sheets 822

- Pre-cut tape sheets in a pad format for convenient and easy use to repair and seal damaged packages
- Clear polypropylene backing with a rubber resin adhesive
- Portable
- No dispenser required
- Features a removable paper tab



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-021200-61618-1	822	Bulk	4"x6"	Clear	200	PD
00-051125-74953-4	822	20 pads of 25 sheets per labeled pack	4"x6"	Clear	100	PD

3M™ Packaging Tape Pad 3750P

- Pre-cut tape sheets in a pad format for convenient and easy repair of damaged packages in industrial and commercial applications
- Polypropylene backing with a rubber resin adhesive
- Ideal for protecting labels, sealing envelopes, small packages, recoupage repair and other packaging applications
- Features a removable paper tab



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051125-74888-9	3750P	40 pads of 25 sheets per labeled pack	2"x6"	Clear	5	BX

3M™ Label Protection Tape 823

- Easy-to-read-through, bright yellow tape draws attention to critical packaging information
- Dispenses easily



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051125-74910-7	823 IW	Individually Labeled	96 mm x 66 m	Yellow	18	RL

Packaging Products, Label Protection Products, cont'd

Scotch® Film Tape 821

- Easy write-on surface
- Protects address labels and vital shipping information from abrasion and moisture
- Allows bar codes to be easily scanned
- Dispenses well and easily hand-tearable



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051125-74876-6	821	4 Rolls per Labeled Pack	2"x72yd	Pink	6	PH
00-051125-74877-3	821	Individually Wrapped	4"x72yd	Pink	8	RL



Packaging Products, Labeling Products

3M™ Marking and Identification Tags 818

- Facilitates parts identification, marking defects, inventory tracking, routing destinations, sorting, splicing alerts or similar applications
- Non-sticky paper end can be custom printed, up to 4 colors, to help create identification, message or bar code
- Durable, plastic strip laminated with a non-sticky paper at one end and a synthetic rubber resin adhesive on the other end



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051125-74903-9	818	25 pads of 25 tags per labeled pack	1" x 4"	Blue	5	PH
00-051125-74904-6	818	25 pads of 25 tags per labeled pack	1" x 4"	Red	5	PH
00-051125-74905-3	818	25 pads of 25 tags per labeled pack	1" x 4"	Yellow	5	PH

Scotch® Color Coding Tape 690

- Decorative colored film specialty tape with durable backing
- Used for various packaging applications such as color coding, bag sealing, combining and attaching
- High visibility for sealing, holding and tabbing
- Moisture and chemical resistant
- UPVC backing with a rubber resin adhesive



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051125-74881-0	690	4 Rolls per Labeled Pack	12 mm x 66 m	Black	36	PH
00-051125-74882-7	690	4 Rolls per Labeled Pack	12 mm x 66 m	Blue	36	PH
00-051125-74883-4	690	4 Rolls per Labeled Pack	24 mm x 66 m	Red	18	PH
00-051125-74886-5	690	4 Rolls per Labeled Pack	12 mm x 66 m	White	36	PH
00-051125-74887-2	690	4 Rolls per Labeled Pack	12 mm x 66 m	Yellow	36	PH
00-051125-74885-8	690 IW	Individually Labeled	48 mm x 66 m	Red	36	RL

Packaging Products, Packing List Envelopes

3M™ Packaging List Envelopes

- Clear polyethylene envelopes with easy-to-remove liner
- High-tack rubber resin adhesive holds packing slips, invoices, cards and other shipping documents securely to packages
- Custom printing available on select envelopes



UPC Number	Extra Desc	Size	Color	Case Qty	Units	Additional Information
00-021200-73780-0	Bulk	9½"x12"		1000	EA	Side load, non-printable
00-021200-73778-7	Bulk	4½"x6"		1000	EA	Side load, non-printable
00-021200-73708-4	Bulk	7"x5½"		1000	EA	Top load, non-printable
00-021200-73706-0	Bulk	5½"x10"		1000	EA	Side load, non-printable
00-021200-73779-4	Bulk	7"x10"		1000	EA	Side load, non-printable
00-051125-74927-5	100 per Labeled Pack	9½"x12"		10	PH	Side load, non-printable
00-051125-74929-9	250 per Labeled Pack	7"x5½"		4	PH	Top load, non-printable
00-051125-74930-5	250 per Labeled Pack	7"x5½"		4	PH	Side load, non-printable
00-051125-74931-2	250 per Labeled Pack	7"x10"		4	PH	Side load, non-printable
00-048011-58044-9	Bulk	8½"x11½"		500	EA	Side load, non-printable, zipper closure
00-051125-74925-1	100 per Labeled Pack	6¾"x10¾"		10	PH	Side load, non-printable, perforated for easy open
00-021200-73777-0	Bulk	6¾"x10¾"		500	EA	Side load, non-printable, perforated for easy open
00-021200-37589-7	Bulk	7"x6"		1000	EA	Top load, non-printable
00-051125-74928-2	500 per Labeled Pack	4½"x5½"		2	PH	Side load, non-printable
00-021200-73709-1	Bulk	4½"x5½"		1000	EA	Side load, non-printable
00-051125-74926-8	500 per Labeled Pack	4½"x5½"		2	PH	Side load, full face printable, "Packing List/Invoice Enclosed"
00-021200-73809-8	Bulk	4½"x5½"		1000	EA	Side load, full face printable, "Packing List/Invoice Enclosed"
00-021200-73711-4	Bulk	4½"x5½"		1000	EA	Side load, full face printable, "Packing List/Invoice Enclosed"
00-048011-53423-7	Bulk	4½"x5½"		1000	EA	Side load, top printable, "Packing List/Invoice Enclosed"
00-021200-73784-8	Bulk	4½"x6"		1000	EA	Side load, top printable, "Packing List/Invoice Enclosed"



3M™ Packaging List Envelopes (cont.)


UPC Number	Extra Desc	Size	Color	Case Qty	Units	Additional Information
00-021200-73712-1	Bulk	7"x5½"		1000	EA	Top load, top printable, "Packing List/Invoice Enclosed"
00-021200-73785-5	Bulk	5½"x10"		1000	EA	Side load, top printable, "Packing List/Invoice Enclosed"
00-021200-73782-4	Bulk	4½"x5½"		1000	EA	Side load, top printable, "Packing List/Invoice Enclosed"
00-051125-74924-4	500 per Labeled Pack	4½"x5½"		2	PH	Side load, top printable, "Packing List/Invoice Enclosed"
00-051125-74932-9	250 per Labeled Pack	7"x5½"		4	PH	Top load, top printable, "Packing List/Invoice Enclosed"
00-051125-74933-6	250 per Labeled Pack	5½"x10"		4	PH	Side load, top printable, "Packing List/Invoice Enclosed"
00-021200-37593-4	Bulk	4½"x5½"		1000	EA	Side load, top printable, "Packing List/Invoice Enclosed"
00-051115-24817-7	Bulk	10"x12.5"		500	EA	Side load, non-printable, zipper closure
00-051125-74938-1	50 per Labeled Pack	10"x12½"	Clear	10	PH	Side load, non-printable, zipper closure
00-021200-37594-1	Bulk	4½"x5½"		1000	EA	Side load, top printable, "Packing List/Invoice Enclosed"

Packaging Products, Strapping Tapes

Scotch® Film Strapping Tape 8898

- Blue tensilized polypropylene backing with a synthetic rubber resin adhesive
- Parts holding, clean removal
- Great for appliance industry

UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051125-74921-3	8898	12 Rolls per Labeled Pack	18mmx55m	Blue	48	PH
00-051125-74922-0	8898	9 Rolls per Labeled Pack	24mmx55m	Blue	36	PH



Scotch® Reinforced Strapping Tape 8651

- Great clarity for highly graphic packaging
- Tensilized, polypropylene backing with a synthetic rubber resin adhesive
- Reinforced with polypropylene ribs
- Ultra clear for excellent transparency
- Ideal for L-clip closures on highly graphic boxes

UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051125-74923-7	8651	6 Rolls per Labeled Pack	18 mm x 55 m	Clear	8	PH



Tartan™ Strapping Tape 860

- Black tensilized polypropylene backing with a synthetic rubber resin adhesive
- Pallet unitizing
- General strapping

UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051125-74912-1	860	8 Rolls per Labeled Pack	19 mm x 55 m	Black	12	PH



Scotch® Stretchable Tape 8884

- Clear polyethylene backing with a rubber resin adhesive
- Ideal for pallet unitizing and ventilated load stabilizing
- Can reduce pallet packaging waste




UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051125-74902-2	8884	2 Rolls per Labeled Pack	36 mm x 55 m	Clear	12	PH

Specialty Tapes, Adhesive Transfer Tapes

3M™ Adhesive Transfer Tape 465


2.0 mil, high tack acrylic adhesive 400 with 4.0 mil, 60 lb densified kraft paper liner. Medium temperature and solvent resistance, medium HSE and low LSE. Flexible to minus 60°F with excellent adhesion to most paper stocks. Designed for use with easy liner release for manual or hand application.



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-021200-03333-9	465	Bulk	¼"x60yds	Clear	144	RL
00-021200-03335-3	465	Bulk	½"x60yds	Clear	72	RL
00-021200-03336-0	465	Bulk	¾"x60yds	Clear	48	RL
00-021200-03337-7	465	Bulk	1"x60yds	Clear	36	RL
00-021200-03338-4	465	Bulk	1½"x60yds	Clear	24	RL
00-021200-04299-7	465	Bulk	2"x60yds	Clear	24	RL

3M™ Adhesive Transfer Tape 9485PC

Excellent chemical resistance. High bond strength at elevated temperatures. Use to laminate high performance plastics and difficult substrates, and to splice metal coils.



UPC Number	Product ID	Extra Desc	Size	Case Qty	Units
00-021200-63476-5	9485PC	Bulk	½"x60yds	72	RL
00-021200-63477-2	9485PC	Bulk	1"x60yds	36	RL
00-021200-67233-0	9485PC	Bulk	¾"x60yds	48	RL
00-021200-67413-6	9485PC	Bulk	2"x60yds	24	RL

3M™ Adhesive Transfer Tape 950

Attaches gaskets and foams, bonds fabric to window blinds and office panels. This tape can be used to attach vinyl or rubber gaskets and seal pipe insulation. Excellent adhesion to most plastics and has a high tack. Color: Clear.



UPC Number	Product ID	Extra Desc	Size	Case Qty	Units
00-021200-04553-0	950	Bulk	¾"x60yds	48	RL
00-021200-04849-4	950	Bulk	½"x60yds	72	RL
00-021200-04850-0	950	Bulk	1"x60yds	36	RL
00-021200-04851-7	950	Bulk	2"x60yds	24	RL

Specialty Tapes, ATG Products, ATG Adhesive Transfer Tapes

Scotch® ATG Adhesive Transfer Tape 924

Gives excellent adhesion to most paper stocks. No mess or clean up. Bond lines are thin and adhesive flows into surface irregularities. Seal pockets in folders, bond matte board in picture frames, or use it for general purpose bindery attaching. Use with Scotch® ATG Applicators. 2.0 mil. Color: Clear.



UPC Number	Product ID	Extra Desc	Size	Case Qty	Units
00-021200-03331-5	924	Bulk	½"x36yds	72	RL
00-021200-03332-2	924	Bulk	¾"x36yds	48	RL
00-021200-15680-9	924	Bulk	½"x60yds	72	RL
00-021200-38442-4	924	Bulk	¼"x60yds	72	RL

Scotch® ATG Adhesive Transfer Tape 926

Offers high performance in meeting your needs for bonding fabric or trim to window blinds. Splice aluminum coils, bond foam insulation, or mount name plates on award plaques easily and quickly. Excellent temperature and solvent resistance. Use with Scotch® ATG Applicators. 5.0 mil. Color: Clear.



UPC Number	Product ID	Extra Desc	Size	Case Qty	Units
00-021200-62735-4	926	Bulk	½"x36yds	72	RL
00-021200-62736-1	926	Bulk	¾"x36yds	48	RL
00-021200-63101-6	926	Bulk	¾"x18yds	48	RL
00-021200-63102-3	926	Bulk	½"x18yds	72	RL

Scotch® ATG Adhesive Transfer Tape 969

High initial adhesion to a variety of surfaces including many plastics. Heavy adhesive coat weight bonds to textured surfaces. Adhesive is reverse wound on 1" cores for use in Scotch® ATG Applicators. Color: Clear.



UPC Number	Product ID	Extra Desc	Size	Case Qty	Units
00-021200-05671-0	969	Bulk	½"x18yds	72	RL
00-021200-05672-7	969	Bulk	¾"x18yds	48	RL
00-021200-15682-3	969	Bulk	½"x36yds	72	RL
00-021200-15683-0	969	Bulk	¾"x36yds	48	RL



Specialty Tapes, ATG Products, ATG Applicators

Scotch® ATG 700 Adhesive Applicator

Extended roller nose improves sight line for precise adhesive application. Touch of the finger triggers quick, controlled application of tape. No mess or clean-up. Saves time and effort. Applies adhesive transfer tape while simultaneously removing and rewinding the liner. Dedicated ¼" tape width.



UPC Number	Product ID	Case Qty	Units
00-051131-06505-5	700	6	EA

Specialty Tapes, Double Coated Tapes, Film Tapes

3M™ Double Coated Film Tape 415

A medium-firm, acrylic, pressure sensitive adhesive that features an excellent balance of good initial adhesion ("quick stick") and good shear holding power. It is ideal for bonding together a wide variety and dissimilar materials such as metals, glass, wood, paints, and many plastics. Color: Clear.



UPC Number	Product ID	Extra Desc	Size	Case Qty	Units
00-021200-03322-3	415	Bulk	½"x36yds	48	RL
00-021200-03323-0	415	Bulk	1"x36yds	36	RL
00-021200-03764-1	415	Bulk	½"x36yds	72	RL
00-021200-04294-2	415	Bulk	2"x36yds	24	RL

3M™ Double Coated Film Tape 444

A medium-firm, acrylic, pressure sensitive adhesive that features very high initial adhesion and good shear holding power to a wide variety of materials including many plastics. It is a general purpose holding and mounting tape. Color: Clear.




UPC Number	Product ID	Extra Desc	Size	Case Qty	Units
00-021200-04601-8	444	Bulk	1"x36yds	36	RL
00-021200-04721-3	444	Bulk	¾"x36yds	48	RL
00-021200-04841-8	444	Bulk	½"x36yds	72	RL
00-021200-04842-5	444	Bulk	2"x36yds	24	RL
00-021200-11663-6	444	Bulk	1½"x36yds	24	RL

Specialty Tapes, Double Coated Tapes, Film Tapes, cont'd

3M™ Double Coated Tape 9579

9.0 mil, double coated high density polyethylene with rubber adhesive 760 on a 62 lb white densified kraft liner. Color: White.



UPC Number	Product ID	Extra Desc	Size	Case Qty	Units
00-021200-65869-3	9579	Bulk	2"x36yds	24	RL
00-021200-65870-9	9579	Bulk	1½"x36yds	24	RL
00-021200-65871-6	9579	Bulk	1"x36yds	36	RL
00-021200-65872-3	9579	Bulk	¾"x36yds	48	RL
00-021200-65873-0	9579	Bulk	½"x36yds	72	RL

3M™ Double Coated Tape 9500PC

3M™ Double Coated Tapes 9500PC and 3028EK feature a thin polyester film for dimensional stability and improved handling with ease of die-cutting and laminating. The 3M™ Adhesive 350 is a medium-firm acrylic adhesive that provides a combination of high wet grab and initial adhesion and good shear holding power to a wide variety of materials, including many plastics. Color: Clear.




UPC Number	Product ID	Extra Desc	Size	Case Qty	Units
00-021200-67796-0	9500PC	Bulk	1"x36yds	36	RL
00-021200-67794-6	9500PC	Bulk	¾"x36yds	48	RL
00-021200-67795-3	9500PC	Bulk	½"x36yds	72	RL

Specialty Tapes, Double Coated Tapes, Foam Tapes

3M™ Double Coated Urethane Foam Tape 4016

This tape has a firm acrylic, pressure sensitive adhesive system. It features high ultimate bond strength, very good high temperature and solvent resistance and very high shear holding power. Bond strength increases substantially with natural aging. These urethane foams are soft, conformable and have high shear strength which makes them ideal for general purpose lightweight mounting and joining. 4016 short term temperature resistance: 380°F (193°C), long term temperature resistance: 220°F (104°C). Color: Off-White.



UPC Number	Product ID	Extra Desc	Size	Case Qty	Units
00-021200-06454-8	4016	Bulk	¾"x36yds	12	RL
00-021200-06455-5	4016	Bulk	1"x36yds	9	RL



Specialty Tapes, Double Coated Tapes, Paper Tapes

3M™ Double Coated Paper Tape 410M

Utilizes a natural rubber adhesive system that offers good to excellent adhesion to many types of surfaces.



UPC Number	Product ID	Extra Desc	Size	Case Qty	Units
00-051115-31647-0	410M	Bulk	½"x36yds	72	RL
00-051115-31648-7	410M	Bulk	¾"x36yds	48	RL
00-051115-31649-4	410M	Bulk	1"x36yds	36	RL
00-051115-31651-7	410M	Bulk	2"x36yds	24	RL

Specialty Tapes, Mounting Tapes

3M™ Extra-thick Multipurpose Indoor Mounting Tape 4008

Immediately bonds to many indoor textured surfaces, fills gaps between surfaces, and permanently mounts dispensers and signs.



UPC Number	Product ID	Size	Color	Case Qty	Units
00-051115-25525-0	4008	¾"x7yds	Off-White	12	RL

3M™ Multipurpose Indoor Mounting Tape 4016

Replaces screws and liquid adhesives, immediately bonds to many indoor surfaces, and permanently mounts dispensers and signs.



UPC Number	Product ID	Size	Color	Case Qty	Units
00-051115-25524-3	4016	¾"x15yds	Off White	12	RL

3M™ VHB™ Heavy Duty Clear Outdoor/Indoor Mounting Tape 4910

General purpose adhesive bonds to most higher surface energy substrates including metal, glass and high surface energy plastics.



UPC Number	Product ID	Size	Color	Case Qty	Units
00-051115-25523-6	4910	¾"x15yds	Clear	12	RL

Specialty Tapes, Mounting Tapes, cont'd

3M™ VHB™ Heavy Duty Outdoor/Indoor Mounting Tape 5952

A very conformable foam that bonds and seals simultaneously to withstand vibration, impact and weathering.



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051115-25522-9	5952	Bulk	¾"x15yds	Black	12	RL

Specialty Tapes, Foil Tapes Aluminum

3M™ Aluminum Foil Tape 425

3M™ Aluminum Foil Tape 425 Silver, Dead-soft aluminum foil tape with a pressure sensitive acrylic adhesive



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051138-95072-9	425	Bulk, 4.6 mil	2"x60yd	Silver	24	RL
00-051138-95073-6	425	Bulk, 4.6 mil	3"x60yd	Silver	12	RL
00-051138-95223-5	425	Bulk, 4.6 mil	1"x60yd	Silver	36	RL



Specialty Tapes, Foil Tapes Aluminum , cont'd

3M™ Metallized Flexible Duct Tape 3350

3M™ Foil Tape 3350 is a polypropylene tape for use with flexible ducts. UL 181 B-FX Listed. Metallized flexible duct tape. 3.1 mil.

UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051111-07817-4	3350	Individually Labeled	48mm x 109.6m	Silver	12	RL



3M™ Lined Aluminum Foil Tape 3380

3M™ Lined Aluminum Foil Tape 3380, annealed aluminum foil, acrylic pressure sensitive adhesive and easy-release PE coated kraft liner.



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051111-97419-3	3380	Bulk	48mmx45m	Silver	24	RL
00-051111-97421-6	3380	Bulk	72mmx45m	Silver	16	RL

3M™ Foil Tape 3340


3M™ Foil Tape 3340 Silver, aluminum foil backing and a pressure sensitive acrylic adhesive and paper liner. UL181A-P/B-FX Listed.



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051111-07811-2	3340	Bulk	2½"x50yd	Silver	9	RL

3M™ Aluminum Foil Tape 3381

3M™ Aluminum Foil Tape 3381, annealed aluminum foil, acrylics pressure sensitive adhesive. The foil also serves as an excellent barrier against moisture, dust, flame, and certain chemicals.



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051111-07812-9	3381	Bulk	1.88"x50yd	Silver	12	RL

Specialty Tapes, Foil Tapes Aluminum , cont'd

3M™ Roof and Gutter Repair Tape 3382

3M™ Roof and Gutter Repair Tape 3382 is a general purpose Aluminum Foil Tape offering two outer layers of aluminum foil surrounding a polyester film core combined with an acrylic pressure sensitive having an easy release PE coated Kraft liner. 4.1 mil.



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051111-07818-1	3382	Individually Labeled	1.88"x10.9yd	Silver	12	RL

Specialty Tapes, Cloth Tapes, Glass Cloth Tapes

3M™ General Purpose PTFE Glass Cloth Tape 5151

Light Brown, 3.5 mils (0.11 mm) glass cloth impregnated with PTFE and coated with a silicone adhesive.



UPC Number	Product ID	Extra Desc	Size	Case Qty	Units
00-021200-45632-9	5151	Bulk	2"x36yds	24	RL

3M™ Glass Cloth Tape 361

7.5 mil (0.14 mm) thick, glass cloth tape with silicone adhesive. Used for many applications requiring high temperature resistance, high adhesion, and a very strong, abrasion resistant backing such as masking protection in thermal spray operations. Color: White.




UPC Number	Product ID	Extra Desc	Size	Case Qty	Units
00-021200-04275-1	361	Bulk	2"x60yds	24	RL



Specialty Tapes, Film Tapes

3M™ Polyethylene Tape 483


- Used in general sealing of containers, electroplating and printed circuit board masking, silicone chip holding, decorative, safety marking and color coding
- Polyethylene backing with a rubber adhesive
- Solvent resistance
- Low sulfur and halogen content
- Conformable with good flexibility to -20°F (-28.9°C)



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-021200-03771-9	483	Bulk	1"x36yds	Red	36	RL
00-021200-04320-8	483	Bulk	2"x36yds	Red	24	RL
00-021200-04321-5	483	Bulk	2"x36yds	Black	24	RL
00-021200-05153-1	483	Bulk	1"x36yds	Blue	36	RL
00-021200-05163-0	483	Bulk	1"x36yds	White	36	RL
00-021200-05165-4	483	Bulk	2"x36yds	White	24	RL
00-021200-05166-1	483	Bulk	3"x36yds	White	12	RL
00-021200-05167-8	483	Bulk	1"x36yds	Black	36	RL
00-021200-05170-8	483	Bulk	1"x36yds	Transparent	36	RL
00-051115-68831-7	483 IW	Individually Labeled	1"x36yd	Red	36	RL
00-051115-68837-9	483 IW	Individually Labeled	1"x36yd	Yellow	36	RL
00-051115-68841-6	483 IW	Individually Labeled	2"x36yd	Red	24	RL
00-051115-68844-7	483 IW	Individually Labeled	2"x36yd	Black	24	RL
00-051115-68846-1	483 IW	Individually Labeled	1"x36yd	Blue	36	RL
00-051115-68850-8	483 IW	Individually Labeled	2"x36yd	Yellow	24	RL
00-051115-68854-6	483 IW	Individually Labeled	1"x36yd	White	36	RL
00-051115-68857-7	483 IW	Individually Labeled	2"x36yd	White	24	RL
00-051115-68861-4	483 IW	Individually Labeled	3"x36yd	White	12	RL
00-051115-68865-2	483 IW	Individually Labeled	1"x36yd	Black	36	RL
00-051115-68869-0	483 IW	Individually Labeled	1"x36yd	Transparent	36	RL

3M™ Preservation Sealing Tape 4811

The conformability and stain resistant properties of this white polyethylene tape offers excellent performance as an industrial and military preservation tape. Effective for many outdoor applications in hot and cold weather. Used for securing cover films for industrial commercial and marine equipment during storage and transportation. Color: White.



UPC Number	Product ID	Extra Desc	Size	Case Qty	Units
00-021200-62334-9	4811	Bulk	2"x36yds	24	RL
00-021200-62335-6	4811	Bulk	3"x36yds	12	RL
00-021200-42426-7	4811	Bulk	4"x36yds	12	RL

Specialty Tapes, Film Tapes, cont'd

3M™ PTFE Film Tape 5490 Gray


3M™ PTFE Extruded Film Tape 5490, PTFE extruded film with silicone adhesive, provides an exceptionally slick surface when applied and resists curling during unwind. Chemical resistant surface for sealing and masking. Color: Gray.



UPC Number	Product ID	Extra Desc	Size	Case Qty	Units
00-021200-07283-3	5490	Bulk	2"x36yds	6	RL
00-021200-07281-9	5490	Bulk	1"x36yds	9	RL

3M™ PTFE Film Tape 5498

Beige, 4.1 mil (0.10 mm) PTFE extruded film with silicone free rubber adhesive.



UPC Number	Product ID	Extra Desc	Size	Case Qty	Units
00-021200-24965-5	5498	Bulk	2"x36yds	24	RL

3M™ UHMW Film Tape 5423

Transparent, 11.7 mil (0.28 mm) UHMW polyethylene film with rubber adhesive. Thicker version of 5421. Low coefficient of friction combined with abrasion resistance make this tape an effective solution for many noise and vibration problems.



UPC Number	Product ID	Extra Desc	Size	Case Qty	Units
00-021200-14456-1	5423	Bulk	1½"x18yds	6	RL



Specialty Tapes, Film Tapes, cont'd

Scotch® Film Fiber Tape 720


- High tack sticks easily to rough/treated surfaces
- Hand-tearable
- Fiber-reinforced film backing with a rubber resin adhesive



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051125-74880-3	720	2 Rolls per Labeled Pack	1/2"x72yd	Semi Transparent	36	PH

Scotch® Polyester Film Tape 356

Clear tough film tape for use in outdoor applications or in critical applications demanding extra resistance to abrasion. Use for label protection. Guards information from damage from chemicals and water. Holds tight to cartons and containers.



UPC Number	Product ID	Extra Desc	Size	Case Qty	Units
00-021200-03034-5	356	Bulk	4"x72yds	8	RL
00-021200-03035-2	356	Bulk	6"x72yds	8	RL

Scotch® Premium Cellophane Tape 610

For holding, combining, attaching, light-duty carton sealing and in-store use.

- Rubber resin adhesive sticks to many surfaces
- Cellophane backing for high temperature resistance up to 300°F; also abrasion resistant
- Dispenses easily for convenient use
- Ideal for L-clip box closures



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051125-74947-3	610 IW	Individually Labeled	3/4"x72yd	Clear	48	RL
00-051125-74948-0	610 IW	Individually Labeled	1"x72yd	Clear	36	RL
00-051125-74949-7	610 IW	Individually Labeled	1/2"x72yd	Clear	72	RL

Scotch® Premium Transparent Film Tape 600

For holding, combining, attaching, light-duty carton sealing and in-store use.

- Excellent for various inner-pack garment applications
- UPVC backing with an acrylic adhesive for excellent transparency
- Ages without yellowing
- Removes cleanly from fabric without leaving residue



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051125-74896-4	600	4 Rolls per Labeled Pack	1/2"x72yd	Clear	18	PH
00-051125-74897-1	600	4 Rolls per Labeled Pack	3/4"x72yd	Clear	12	PH
00-051125-74898-8	600	4 Rolls per Labeled Pack	1"x72yd	Clear	9	PH
00-051125-74899-5	600	4 Rolls per Labeled Pack	2"x7yd	Clear	6	PH

Specialty Tapes, Film Tapes, cont'd

Scotch® Transparent Film Tape 605

For holding, combining, attaching, light-duty carton sealing and in-store use.

- Fiber-reinforced polypropylene film backing with an acrylic adhesive
- Designed for various light duty packaging applications such as attaching, mending, in-store prescription bottle labeling, holding and L-clip closures



- Good, utility grade performance over broad temperature range
- Ideal for rough/treated surfaces

UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051125-74906-0	605	4 Rolls per Labeled Pack	1/2"x72yd	Clear	18	PH
00-051125-74907-7	605	4 Rolls per Labeled Pack	3/4"x72yd	Clear	12	PH
00-051125-74908-4	605	4 Rolls per Labeled Pack	1"x72yd	Clear	9	PH

Scotch® Transparent Film Tape 681

For holding, combining, attaching, light-duty carton sealing and in-store use.

- Excellent abrasion resistance
- Moisture and chemical resistant
- UPVC backing with a natural rubber adhesive



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051125-74875-9	681 IW	Individually Labeled	3/4"x72yd	Clear	48	RL



Specialty Tapes, Film Tapes, cont'd

Scotch™ Fingerprint Lifting Tape 8004

- Fingerprint lifting tape for crime scene investigation
- Clear polypropylene backing with an acrylic adhesive
- Provides visual clarity for reading fingerprints easily and allows for long aging when archiving fingerprints



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051125-74934-3	8004	12 Rolls per Labeled Pack	1½"x10yd	Clear	21	PH
00-051125-74935-0	8004	6 Rolls per Labeled Pack	2"x10yd	Clear	42	PH
00-051125-74936-7	8004	12 Rolls per Labeled Pack	¾"x10yd	Clear	48	PH
00-051125-74937-4	8004	6 Rolls per Labeled Pack	3"x10yd	Clear	21	PH

Scotch™ Specialty Packaging Tape 5910

For holding, combining, attaching, light-duty carton sealing and in-store use.

- A dependable, clear polypropylene backing with an acrylic adhesive
- Highly durable
- Cold temperature resistant
- Ideal for light-duty packaging and in-store prescription bottle labeling applications




UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051125-74878-0	5910	4 Rolls per Labeled Pack	½"x72yd	Clear	18	PH
00-051125-74879-7	5910	4 Rolls per Labeled Pack	¾"x72yd	Clear	12	PH

Specialty Tapes, Removable Repositionable Tapes

3M™ Removable Repositionable Tape 9415PC

Acrylic adhesive 1000 is ultra low tack allowing removal without residue from many films, foils, papers. Low tack adhesive is ideal for applications where repositioning is desired. Color: Translucent.




UPC Number	Product ID	Extra Desc	Size	Case Qty	Units
00-021200-14538-4	9415PC	Bulk	1"x72yds	36	RL
00-021200-14537-7	9415PC	Bulk	¾"x72yds	48	RL
00-021200-14536-0	9415PC	Bulk	½"x72yds	72	RL

Specialty Tapes, Removable Repositionable Tapes, cont'd

3M™ Removable Repositionable Double Coated Tape 9425

Acrylic adhesive 1050 is a medium tack adhesive that allows for removal from many foils and films without adhesive residue. In many cases, the tape can be reused numerous times. Color: Clear.



UPC Number	Product ID	Extra Desc	Size	Case Qty	Units
00-021200-67708-3	9425	Bulk	1"x72yds	9	RL
00-021200-67709-0	9425	Bulk	½"x72yds	18	RL
00-021200-67710-6	9425	Bulk	¾"x72yds	12	RL

Specialty Tapes, Safety Tapes, Aisle Marking & Identification Tapes

3M™ Hazard Marking Vinyl Tape 766

A general purpose hazard marking vinyl tape for use in non-critical applications. Can be used to mark equipment pinch points, and temporary floor marking around equipment or spills. Color: Black/Yellow.



UPC Number	Product ID	Extra Desc	Size	Case Qty	Units
00-021200-43181-4	766	Bulk	2"x36yds	24	RL
00-021200-43182-1	766	Bulk	3"x36yds	12	RL

3M™ Tekk™ Safety Stripe Tape 766 DC

3M™ TEKK Protection™ Safety Stripe Tape 766 DC Black/Yellow is a bright vinyl backed tape, providing high visibility, promoting safety and resisting water. The rubber adhesive sticks tightly adhering to most surfaces, ideal for straight or curved lines. Mark floors, walls, aisles and traffic areas.



UPC Number	Extra Desc	Size	Case Qty	Units
00-051115-64448-1	Individually Labeled/Display Case	2"x36yds	12	RL



Specialty Tapes, Safety Tapes, Aisle Marking & Identification Tapes, cont'd

3M™ Hazard Marking Vinyl Tape 767

5.0 mil (0.125 mm) vinyl backing with rubber adhesive. Stripes promote employee safety by marking pinch points or gears on equipment. Provides temporary floor marking around equipment or spills. Mark risers on stairways or low-clearance areas. Color: Red/White.



UPC Number	Product ID	Extra Desc	Size	Case Qty	Units
00-021200-43186-9	767	Bulk	2"x36yds	24	RL

3M™ TEKK Protection™ Safety Stripe Tape 767 DC


3M™ TEKK Protection™ Safety Stripe Tape 767 Red/White is a bright vinyl backed tape, providing high visibility, promoting safety and resisting water. The rubber adhesive sticks tightly adhering to most surfaces, ideal for straight or curved lines.



UPC Number	Extra Desc	Size	Case Qty	Units
00-051115-63745-2	Individually Wrapped/Display Case	2"x36yd	12	RL

3M™ Safety Stripe Tape 5700

- Call attention to dangerous work areas, such as traffic lanes or hazardous materials
- 5.4 mil (0.14mm) vinyl backing with a rubber adhesive
- Floor Marking and Safety Identification
- Protecting, masking and sealing
- Resists most common solvents




UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-021200-04367-3	5700	Bulk	2"x36yds	Black/White	24	RL
00-051115-68820-1	5700 IW	Individually Labeled	3"x36yds	Black/White	12	RL

Specialty Tapes, Safety Tapes, Aisle Marking & Identification Tapes, cont'd

3M™ Safety Stripe Tape 5702

- Call attention to dangerous work areas, such as traffic lanes or hazardous materials
- 5.4 mil (0.14mm) vinyl backing with a rubber adhesive
- Floor Marking and Safety Identification
- Protecting, masking and sealing
- Resists most common solvents



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-021200-03951-5	5702	Bulk	3"x36yds	Black/Yellow	12	RL
00-021200-04585-1	5702	Bulk	2"x36yds	Black/Yellow	24	RL
00-021200-42892-0	5702	Bulk	1"x36yds	Black/Yellow	36	RL
00-051115-31402-5	5702	Bulk	2"x36yds	Black/Yellow	12	RL
00-051115-68826-3	5702 IW	Individually Labeled	3"x36yd	Black/Yellow	12	RL
00-051115-68827-0	5702 IW	Individually Labeled	2"x36yd	Black/Yellow	24	RL
00-051115-68829-4	5702 IW	Individually Labeled	1"x36yd	Black/Yellow	36	RL

3M™ Vinyl Tape 471

- Ideal for masking, wrapping or sealing many curved or irregular surfaces
- Excellent for lane and safety marking applications, ideal for color coding, abrasion protection, decoration and splicing applications
- 5.2 mil thick vinyl backing with a rubber adhesive
- Floor marking and safety identification
- Maintains color even when exposed to heavy abrasion
- Conformable, dead stretch properties to provide straighter lines
- Clean removal, good solvent resistance



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-021200-03106-9	471	Bulk	¾"x36yds	Red	48	RL
00-021200-06469-2	471	Bulk	3"x36yds	Red	12	RL
00-021200-03110-6	471	Bulk	4"x36yds	Red	8	RL
00-021200-03114-4	471	Bulk	¾"x36yds	Black	48	RL
00-021200-03118-2	471	Bulk	4"x36yds	Black	8	RL
00-021200-03120-5	471	Bulk	¾"x36yds	Blue	48	RL
00-021200-03122-9	471	Bulk	3"x36yds	Blue	12	RL
00-021200-03127-4	471	Bulk	¾"x36yds	Yellow	48	RL
00-021200-03128-1	471	Bulk	1"x36yds	Yellow	36	RL
00-021200-06470-8	471	Bulk	3"x36yds	Yellow	12	RL
00-021200-03131-1	471	Bulk	4"x36yds	Yellow	8	RL
00-021200-03135-9	471	Bulk	¾"x36yds	White	48	RL
00-021200-06466-1	471	Bulk	3"x36yds	White	12	RL
00-021200-03139-7	471	Bulk	4"x36yds	White	8	RL
00-021200-03144-1	471	Bulk	¾"x36yds	Green	48	RL
00-021200-06468-5	471	Bulk	3"x36yds	Green	12	RL
00-021200-04305-5	471	Bulk	2"x36yds	Red	24	RL
00-021200-04308-6	471	Bulk	2"x36yds	Blue	24	RL
00-021200-04309-3	471	Bulk	2"x36yds	Brown	24	RL
00-021200-04310-9	471	Bulk	2"x36yds	Yellow	24	RL
00-021200-04311-6	471	Bulk	2"x36yds	White	24	RL
00-021200-05112-8	471	Bulk	¾"x36yds	Brown	48	RL



Specialty Tapes, Safety Tapes, Aisle Marking & Identification Tapes, cont'd

3M™ Vinyl Tape 471 (cont.)

UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-021200-05113-5	471	Bulk	3"x36yds	Brown	12	RL
00-021200-61192-6	471	Bulk	¼"x36yds	Blue	144	RL
00-021200-40226-5	471	Bulk	4"x36yds	Blue	8	RL
00-021200-48424-7	471	Bulk	2"x36yds	Purple	24	RL
00-021200-55153-6	471	Bulk	¾"x36yds	Purple	48	RL
00-051115-31401-8	471	Bulk	2"x36yd	Yellow	12	RL
00-051115-68819-5	471 IW	Individually Labeled	¾"x36yds	Red	48	RL
00-051115-68821-8	471 IW	Individually Labeled	1"x36yd	Red	36	RL
00-051115-68822-5	471 IW	Individually Labeled	2"x36yd	Green	24	RL
00-051115-68823-2	471 IW	Individually Labeled	2"x36yd	Transparent	24	RL
00-051115-68824-9	471 IW	Individually Labeled	2"x36yd	Black	24	RL
00-051115-68825-6	471 IW	Individually Labeled	3"x36yd	Red	12	RL
00-051115-68828-7	471 IW	Individually Labeled	4"x36yd	Red	8	RL
00-051115-68834-8	471 IW	Individually Labeled	¾"x36yd	Black	48	RL
00-051115-68835-5	471 IW	Individually Labeled	¾"x36yd	Purple	48	RL
00-051115-68838-6	471 IW	Individually Labeled	2"x36yd	Purple	24	RL
00-051115-68839-3	471 IW	Individually Labeled	4"x36yd	Black	8	RL
00-051115-68842-3	471 IW	Individually Labeled	4"x36yd	Blue	8	RL
00-051115-68843-0	471 IW	Individually Labeled	¾"x36yd	Blue	48	RL
00-051115-68845-4	471 IW	Individually Labeled	1"x36yd	Blue	144	RL
00-051115-68847-8	471 IW	Individually Labeled	1"x36yd	Blue	36	RL
00-051115-68848-5	471 IW	Individually Labeled	3"x36yd	Brown	12	RL
00-051115-68849-2	471 IW	Individually Labeled	3"x36yd	Blue	12	RL
00-051115-68851-5	471 IW	Individually Labeled	¾"x36yd	Brown	48	RL
00-051115-68852-2	471 IW	Individually Labeled	¾"x36yd	Yellow	48	RL
00-051115-68853-9	471 IW	Individually Labeled	2"x36yd	White	24	RL
00-051115-68855-3	471 IW	Individually Labeled	1"x36yd	Yellow	36	RL
00-051115-68856-0	471 IW	Individually Labeled	2"x36yd	Yellow	24	RL
00-051115-68858-4	471 IW	Individually Labeled	2"x36yd	Brown	24	RL
00-051115-68860-7	471 IW	Individually Labeled	3"x36yd	Yellow	12	RL
00-051115-68862-1	471 IW	Individually Labeled	4"x36yd	Yellow	8	RL
00-051115-68863-8	471 IW	Individually Labeled	2"x36yd	Blue	24	RL
00-051115-68864-5	471 IW	Individually Labeled	¾"x36yd	White	48	RL
00-051115-68866-9	471 IW	Individually Labeled	2"x36yd	Red	24	RL
00-051115-68867-6	471 IW	Individually Labeled	1"x36yd	White	36	RL
00-051115-68868-3	471 IW	Individually Labeled	3"x36yd	Green	12	RL
00-051115-68870-6	471 IW	Individually Labeled	3"x36yd	White	12	RL
00-051115-68871-3	471 IW	Individually Labeled	¾"x36yd	Green	48	RL
00-051115-68872-0	471 IW	Individually Labeled	4"x36yd	White	8	RL

Specialty Tapes, Sealing Tapes

3M™ Extreme Sealing Tape 4411G


3M™ Extreme Sealing Tape 4411G is a highly conformable single-side acrylic tape with a high performance ionomer backing. 1.0 mm thick.

UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051115-63195-5	4411G	Bulk	2"x36yd	Gray	6	RL

Specialty Tapes, Sealing Tapes, cont'd

3M™ Extreme Sealing Tape 4412G


3M™ Extreme Sealing Tape 4412G is a highly conformable single-side acrylic tape with a high performance ionomer backing, 2.0 mm thick.



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051115-63197-9	4412G	Bulk	2"x18yd	Gray	6	RL

3M™ Extreme Single Coated Sealing Tape 4412N

2.0 mil acrylic adhesive ionomer film substrate is very flexible and high abrasion resistance. Color: Translucent.



UPC Number	Product ID	Extra Desc	Size	Case Qty	Units
00-051111-92277-4	4412N	Bulk	1"x18yds	9	RL
00-051111-92278-1	4412N	Bulk	2"x18yds	6	RL
00-051111-92279-8	4412N	Bulk	2½"x18yds	3	RL
00-051111-92280-4	4412N	Bulk	3"x18yds	3	RL
00-051111-92281-1	4412N	Bulk	4"x18yds	2	RL

Specialty Tapes, Stripping Tapes

3M™ Impact Stripping Tape 500

Green, 33.0 mil (0.80 mm) specially compounded rubber backing with acrylic adhesive and a silicone easy release liner.



UPC Number	Product ID	Extra Desc	Size	Case Qty	Units
00-021200-60895-7	500	Bulk	2"x10yds	6	RL

Specialty Tapes, Vent Tapes

3M™ Vent Tape 394

- Used in a variety of industrial applications including sealing, holding, reinforcing, identifying, masking, protection and splicing
- 4.0 mil (0.10mm), non-woven, synthetic backing with an acrylic adhesive
- Unique non-woven porous backing with high air/gas permeability, good burst strength and solids barrier for minimal voids and less clean up
- Ideal for appliance sealing and venting



UPC Number	Product ID	Extra Desc	Size	Color	Case Qty	Units
00-051115-68833-1	394 IW	Individually Labeled	¾"x36yds	White	48	RL
00-051115-68836-2	394 IW	Individually Labeled	1"x36yds	White	36	RL
00-051115-68840-9	394 IW	Individually Labeled	2"x36yds	White	24	RL

UPC Number Index

UPC Number.....	Page	UPC Number.....	Page	UPC Number.....	Page
00-021200-02853-3.....	14	00-021200-07281-9.....	33	00-021200-49110-8.....	6
00-021200-02854-0.....	14	00-021200-07283-3.....	33	00-021200-49142-9.....	9
00-021200-02855-7.....	14	00-021200-11663-6.....	30	00-021200-49828-2.....	12
00-021200-02858-8.....	14	00-021200-13679-5.....	17	00-021200-49829-9.....	12
00-021200-03034-5.....	34	00-021200-14105-8.....	17	00-021200-49830-5.....	12
00-021200-03035-2.....	34	00-021200-14456-1.....	33	00-021200-49831-2.....	12
00-021200-03106-9.....	36	00-021200-14536-0.....	35	00-021200-49832-9.....	12
00-021200-03110-6.....	36	00-021200-14537-7.....	35	00-021200-49833-6.....	12
00-021200-03114-4.....	36	00-021200-14538-4.....	35	00-021200-50004-6.....	8
00-021200-03118-2.....	36	00-021200-15680-9.....	29	00-021200-50005-3.....	8
00-021200-03120-5.....	36	00-021200-15682-3.....	29	00-021200-50006-0.....	8
00-021200-03122-9.....	36	00-021200-15683-0.....	29	00-021200-50007-7.....	8
00-021200-03127-4.....	36	00-021200-15872-8.....	17	00-021200-50008-4.....	7
00-021200-03128-1.....	36	00-021200-15873-5.....	17	00-021200-55153-6.....	37
00-021200-03131-1.....	36	00-021200-18197-9.....	17	00-021200-55722-4.....	10
00-021200-03135-9.....	36	00-021200-19279-1.....	17	00-021200-55723-1.....	10
00-021200-03139-7.....	36	00-021200-19280-7.....	17	00-021200-55724-8.....	10
00-021200-03144-1.....	36	00-021200-19718-5.....	3	00-021200-56468-0.....	13
00-021200-03322-3.....	30	00-021200-19808-3.....	3	00-021200-56602-8.....	4
00-021200-03323-0.....	30	00-021200-21182-9.....	3	00-021200-60895-7.....	37
00-021200-03331-5.....	29	00-021200-21210-9.....	2	00-021200-61192-6.....	37
00-021200-03332-2.....	29	00-021200-21305-2.....	9	00-021200-61525-2.....	17
00-021200-03333-9.....	29	00-021200-21354-0.....	4	00-021200-61618-1.....	26
00-021200-03335-3.....	29	00-021200-21791-3.....	8	00-021200-62334-9.....	33
00-021200-03336-0.....	29	00-021200-22648-9.....	1	00-021200-62335-6.....	33
00-021200-03337-7.....	29	00-021200-22773-8.....	13	00-021200-62735-4.....	29
00-021200-03338-4.....	29	00-021200-22780-6.....	13	00-021200-62736-1.....	29
00-021200-03764-1.....	30	00-021200-24965-5.....	33	00-021200-63101-6.....	29
00-021200-03771-9.....	33	00-021200-30023-3.....	2	00-021200-63102-3.....	29
00-021200-03951-5.....	36	00-021200-30025-7.....	2	00-021200-63476-5.....	29
00-021200-04240-9.....	14	00-021200-30067-7.....	2	00-021200-63477-2.....	29
00-021200-04275-1.....	32	00-021200-31310-3.....	6	00-021200-64963-9.....	3
00-021200-04294-2.....	30	00-021200-31381-3.....	7	00-021200-65812-9.....	11
00-021200-04299-7.....	29	00-021200-31385-1.....	8	00-021200-65817-4.....	11
00-021200-04305-5.....	36	00-021200-37589-7.....	27	00-021200-65869-3.....	30
00-021200-04308-6.....	36	00-021200-37593-4.....	28	00-021200-65870-9.....	30
00-021200-04309-3.....	36	00-021200-37594-1.....	28	00-021200-65871-6.....	30
00-021200-04310-9.....	36	00-021200-37629-0.....	14	00-021200-65872-3.....	30
00-021200-04311-6.....	36	00-021200-37630-6.....	14	00-021200-65873-0.....	30
00-021200-04320-8.....	33	00-021200-38442-4.....	29	00-021200-67233-0.....	29
00-021200-04321-5.....	33	00-021200-39200-9.....	7	00-021200-67413-6.....	29
00-021200-04367-3.....	36	00-021200-39868-1.....	23	00-021200-67708-3.....	35
00-021200-04553-0.....	29	00-021200-39869-8.....	23	00-021200-67709-0.....	35
00-021200-04585-1.....	36	00-021200-39871-1.....	23	00-021200-67710-6.....	35
00-021200-04601-8.....	30	00-021200-40226-5.....	37	00-021200-67794-6.....	30
00-021200-04721-3.....	30	00-021200-41121-2.....	14	00-021200-67795-3.....	30
00-021200-04841-8.....	30	00-021200-41593-7.....	2	00-021200-67796-0.....	30
00-021200-04842-5.....	30	00-021200-41594-4.....	5	00-021200-69396-0.....	16
00-021200-04849-4.....	29	00-021200-41595-1.....	5	00-021200-69397-7.....	16
00-021200-04850-0.....	29	00-021200-42366-6.....	16	00-021200-69605-3.....	18
00-021200-04851-7.....	29	00-021200-42426-7.....	33	00-021200-72318-6.....	20
00-021200-05112-8.....	36	00-021200-42892-0.....	36	00-021200-72319-3.....	20
00-021200-05113-5.....	37	00-021200-42974-3.....	14	00-021200-72324-7.....	20
00-021200-05153-1.....	33	00-021200-42979-8.....	14	00-021200-72330-8.....	20
00-021200-05163-0.....	33	00-021200-43181-4.....	35	00-021200-72331-5.....	20
00-021200-05165-4.....	33	00-021200-43182-1.....	35	00-021200-72335-3.....	17
00-021200-05166-1.....	33	00-021200-43186-9.....	36	00-021200-72344-5.....	17
00-021200-05167-8.....	33	00-021200-43670-3.....	1	00-021200-72346-9.....	17
00-021200-05170-8.....	33	00-021200-43671-0.....	1	00-021200-72359-9.....	18
00-021200-05671-0.....	29	00-021200-43672-7.....	1	00-021200-72361-2.....	18
00-021200-05672-7.....	29	00-021200-44883-6.....	11	00-021200-72366-7.....	18
00-021200-06454-8.....	30	00-021200-45075-4.....	11	00-021200-72368-1.....	18
00-021200-06455-5.....	30	00-021200-45632-9.....	32	00-021200-72381-0.....	18
00-021200-06466-1.....	36	00-021200-46447-8.....	22	00-021200-72385-8.....	18
00-021200-06468-5.....	36	00-021200-46449-2.....	22	00-021200-72389-6.....	18
00-021200-06469-2.....	36	00-021200-48424-7.....	37	00-021200-72397-1.....	18
00-021200-06470-8.....	36	00-021200-49048-4.....	9	00-021200-72399-5.....	18
00-021200-06909-3.....	21	00-021200-49054-5.....	5	00-021200-72401-5.....	19
00-021200-06953-6.....	25	00-021200-49077-4.....	6	00-021200-72402-2.....	19

UPC Number Index

UPC Number.....	Page
00-021200-72406-0.....	19
00-021200-72407-7.....	19
00-021200-72412-1.....	21
00-021200-72421-3.....	21
00-021200-72422-0.....	21
00-021200-72458-9.....	22
00-021200-73047-4.....	17
00-021200-73076-4.....	17
00-021200-73079-5.....	18
00-021200-73080-1.....	18
00-021200-73081-8.....	18
00-021200-73082-5.....	18
00-021200-73154-9.....	26
00-021200-73155-6.....	26
00-021200-73706-0.....	27
00-021200-73708-4.....	27
00-021200-73709-1.....	27
00-021200-73711-4.....	27
00-021200-73712-1.....	28
00-021200-73777-0.....	27
00-021200-73778-7.....	27
00-021200-73779-4.....	27
00-021200-73780-0.....	27
00-021200-73782-4.....	28
00-021200-73784-8.....	27
00-021200-73785-5.....	28
00-021200-73809-8.....	27
00-021200-73999-6.....	23
00-021200-74379-5.....	11
00-021200-76394-6.....	9
00-021200-82225-4.....	1
00-021200-82255-1.....	1
00-021200-82596-5.....	4
00-021200-82618-4.....	2
00-021200-83528-5.....	8
00-021200-85562-7.....	12
00-021200-85822-2.....	9
00-021200-86243-4.....	11
00-021200-86244-1.....	11
00-021200-86245-8.....	11
00-021200-86252-6.....	11
00-021200-86253-3.....	11
00-021200-86255-7.....	11
00-021200-86256-4.....	11
00-021200-86282-3.....	11
00-021200-86283-0.....	11
00-021200-86285-4.....	11
00-021200-86286-1.....	11
00-021200-86377-6.....	11
00-021200-86467-4.....	11
00-021200-86519-0.....	23
00-021200-86520-6.....	23
00-021200-86521-3.....	23
00-021200-87195-5.....	1
00-021200-87260-0.....	1
00-021200-87261-7.....	1
00-021200-87264-8.....	1
00-021200-87265-5.....	1
00-021200-87266-2.....	1
00-021200-87277-8.....	11
00-021200-87292-1.....	11
00-021200-87297-6.....	11
00-021200-87381-2.....	11
00-021200-87830-5.....	1
00-021200-87831-2.....	1
00-021200-87977-7.....	8
00-021200-87978-4.....	8
00-021200-87979-1.....	8
00-021200-87981-4.....	8

UPC Number.....	Page
00-021200-87982-1.....	7
00-021200-88226-5.....	24
00-021200-88227-2.....	21
00-021200-88228-9.....	24
00-021200-88292-0.....	16
00-021200-96316-2.....	2
00-021200-96594-4.....	7
00-021200-96596-8.....	4
00-021200-97331-4.....	8
00-048011-53423-7.....	27
00-048011-53464-0.....	13
00-048011-53465-7.....	13
00-048011-53466-4.....	13
00-048011-53467-1.....	13
00-048011-53469-5.....	13
00-048011-53470-1.....	13
00-048011-53851-8.....	13
00-048011-53916-4.....	13
00-048011-53918-8.....	13
00-048011-56742-6.....	1
00-048011-56743-3.....	1
00-048011-56744-0.....	1
00-048011-58044-9.....	27
00-048011-58528-4.....	22
00-048011-61690-2.....	4
00-048011-61703-9.....	4
00-048011-62606-2.....	5
00-048011-62610-9.....	5
00-048011-62631-4.....	5
00-048011-62823-3.....	5
00-051111-07277-6.....	2
00-051111-07278-3.....	2
00-051111-07279-0.....	2
00-051111-07538-8.....	14
00-051111-07539-5.....	14
00-051111-07540-1.....	14
00-051111-07541-8.....	14
00-051111-07542-5.....	14
00-051111-07549-4.....	14
00-051111-07732-0.....	9
00-051111-07800-6.....	12
00-051111-07802-0.....	12
00-051111-07804-4.....	12
00-051111-07808-2.....	12
00-051111-07811-2.....	32
00-051111-07812-9.....	32
00-051111-07817-4.....	32
00-051111-07818-1.....	32
00-051111-07832-7.....	2
00-051111-07861-7.....	1
00-051111-07862-4.....	1
00-051111-91726-8.....	14
00-051111-91727-5.....	14
00-051111-91728-2.....	14
00-051111-91756-5.....	23
00-051111-92007-7.....	11
00-051111-92011-4.....	11
00-051111-92277-4.....	37
00-051111-92278-1.....	37
00-051111-92279-8.....	37
00-051111-92280-4.....	37
00-051111-92281-1.....	37
00-051111-92900-1.....	19
00-051111-92901-8.....	19
00-051111-97419-3.....	32
00-051111-97421-6.....	32
00-051111-97841-2.....	12
00-051111-97848-1.....	5
00-051111-97956-3.....	3

UPC Number.....	Page
00-051111-97957-0.....	3
00-051111-97958-7.....	3
00-051111-97967-9.....	3
00-051111-97974-7.....	9
00-051111-97977-8.....	3
00-051111-97978-5.....	3
00-051115-23421-7.....	12
00-051115-23422-4.....	12
00-051115-24803-0.....	14
00-051115-24804-7.....	14
00-051115-24806-1.....	14
00-051115-24807-8.....	14
00-051115-24808-5.....	14
00-051115-24809-2.....	14
00-051115-24817-7.....	28
00-051115-25138-2.....	5
00-051115-25214-3.....	5
00-051115-25522-9.....	31
00-051115-25523-6.....	31
00-051115-25524-3.....	31
00-051115-25525-0.....	31
00-051115-25567-0.....	7
00-051115-25579-3.....	4
00-051115-25939-5.....	5
00-051115-31401-8.....	37
00-051115-31402-5.....	36
00-051115-31647-0.....	31
00-051115-31648-7.....	31
00-051115-31649-4.....	31
00-051115-31651-7.....	31
00-051115-31842-9.....	13
00-051115-32143-6.....	23
00-051115-63195-5.....	37
00-051115-63197-9.....	37
00-051115-63745-2.....	36
00-051115-64448-1.....	35
00-051115-64569-3.....	20
00-051115-64571-6.....	20
00-051115-64746-8.....	15
00-051115-64747-5.....	15
00-051115-64748-2.....	15
00-051115-64756-7.....	15
00-051115-64757-4.....	15
00-051115-64758-1.....	15
00-051115-64767-3.....	15
00-051115-64768-0.....	15
00-051115-64769-7.....	15
00-051115-68748-8.....	20
00-051115-68749-5.....	20
00-051115-68750-1.....	20
00-051115-68751-8.....	20
00-051115-68752-5.....	20
00-051115-68754-9.....	20
00-051115-68755-6.....	20
00-051115-68756-3.....	20
00-051115-68757-0.....	17
00-051115-68758-7.....	17
00-051115-68759-4.....	17
00-051115-68760-0.....	17
00-051115-68761-7.....	17
00-051115-68762-4.....	19
00-051115-68763-1.....	19
00-051115-68764-8.....	19
00-051115-68765-5.....	19
00-051115-68766-2.....	19
00-051115-68767-9.....	19
00-051115-68768-6.....	21
00-051115-68770-9.....	22
00-051115-68771-6.....	22

UPC Number Index

UPC Number.....	Page	UPC Number.....	Page	UPC Number.....	Page
00-051115-68772-3.....	22	00-051115-68845-4.....	37	00-051125-74914-5.....	23
00-051115-68773-0.....	22	00-051115-68846-1.....	33	00-051125-74915-2.....	23
00-051115-68774-7.....	22	00-051115-68847-8.....	37	00-051125-74916-9.....	23
00-051115-68775-4.....	22	00-051115-68848-5.....	37	00-051125-74917-6.....	22
00-051115-68777-8.....	22	00-051115-68849-2.....	37	00-051125-74918-3.....	22
00-051115-68778-5.....	21	00-051115-68850-8.....	33	00-051125-74919-0.....	22
00-051115-68779-2.....	21	00-051115-68851-5.....	37	00-051125-74920-6.....	22
00-051115-68780-8.....	18	00-051115-68852-2.....	37	00-051125-74921-3.....	28
00-051115-68781-5.....	18	00-051115-68853-9.....	37	00-051125-74922-0.....	28
00-051115-68782-2.....	18	00-051115-68854-6.....	33	00-051125-74923-7.....	28
00-051115-68783-9.....	18	00-051115-68855-3.....	37	00-051125-74924-4.....	28
00-051115-68785-3.....	18	00-051115-68856-0.....	37	00-051125-74925-1.....	27
00-051115-68786-0.....	18	00-051115-68857-7.....	33	00-051125-74926-8.....	27
00-051115-68787-7.....	18	00-051115-68858-4.....	37	00-051125-74927-5.....	27
00-051115-68788-4.....	18	00-051115-68860-7.....	37	00-051125-74928-2.....	27
00-051115-68789-1.....	18	00-051115-68861-4.....	33	00-051125-74929-9.....	27
00-051115-68790-7.....	18	00-051115-68862-1.....	37	00-051125-74930-5.....	27
00-051115-68791-4.....	18	00-051115-68863-8.....	37	00-051125-74931-2.....	27
00-051115-68792-1.....	18	00-051115-68864-5.....	37	00-051125-74932-9.....	28
00-051115-68793-8.....	18	00-051115-68865-2.....	33	00-051125-74933-6.....	28
00-051115-68794-5.....	18	00-051115-68866-9.....	37	00-051125-74934-3.....	35
00-051115-68795-2.....	18	00-051115-68867-6.....	37	00-051125-74935-0.....	35
00-051115-68796-9.....	18	00-051115-68868-3.....	37	00-051125-74936-7.....	35
00-051115-68797-6.....	17	00-051115-68869-0.....	33	00-051125-74937-4.....	35
00-051115-68798-3.....	17	00-051115-68870-6.....	37	00-051125-74938-1.....	28
00-051115-68800-3.....	17	00-051115-68871-3.....	37	00-051125-74939-8.....	24
00-051115-68801-0.....	17	00-051115-68872-0.....	37	00-051125-74940-4.....	24
00-051115-68802-7.....	17	00-051115-69105-8.....	16	00-051125-74941-1.....	24
00-051115-68803-4.....	17	00-051115-69106-5.....	16	00-051125-74942-8.....	24
00-051115-68804-1.....	20	00-051115-69107-2.....	16	00-051125-74943-5.....	24
00-051115-68805-8.....	19	00-051125-74875-9.....	34	00-051125-74944-2.....	21
00-051115-68806-5.....	19	00-051125-74876-6.....	26	00-051125-74945-9.....	21
00-051115-68807-2.....	19	00-051125-74877-3.....	26	00-051125-74946-6.....	21
00-051115-68808-9.....	19	00-051125-74878-0.....	35	00-051125-74947-3.....	34
00-051115-68809-6.....	19	00-051125-74879-7.....	35	00-051125-74948-0.....	34
00-051115-68810-2.....	19	00-051125-74880-3.....	34	00-051125-74949-7.....	34
00-051115-68811-9.....	22	00-051125-74881-0.....	27	00-051125-74950-3.....	25
00-051115-68812-6.....	16	00-051125-74882-7.....	27	00-051125-74951-0.....	25
00-051115-68813-3.....	16	00-051125-74883-4.....	27	00-051125-74952-7.....	25
00-051115-68814-0.....	16	00-051125-74885-8.....	27	00-051125-74953-4.....	26
00-051115-68815-7.....	16	00-051125-74886-5.....	27	00-051125-74954-1.....	25
00-051115-68816-4.....	16	00-051125-74887-2.....	27	00-051125-74955-8.....	25
00-051115-68817-1.....	16	00-051125-74888-9.....	26	00-051125-74956-5.....	25
00-051115-68818-8.....	16	00-051125-74889-6.....	24	00-051131-06505-5.....	30
00-051115-68819-5.....	37	00-051125-74890-2.....	24	00-051131-06546-8.....	14
00-051115-68820-1.....	36	00-051125-74891-9.....	24	00-051131-06547-5.....	14
00-051115-68821-8.....	37	00-051125-74892-6.....	24	00-051131-06549-9.....	14
00-051115-68822-5.....	37	00-051125-74893-3.....	23	00-051131-06651-9.....	20
00-051115-68823-2.....	37	00-051125-74894-0.....	23	00-051131-06895-7.....	23
00-051115-68824-9.....	37	00-051125-74895-7.....	23	00-051131-06898-8.....	23
00-051115-68825-6.....	37	00-051125-74896-4.....	34	00-051131-06969-5.....	13
00-051115-68826-3.....	36	00-051125-74897-1.....	34	00-051131-06975-6.....	12
00-051115-68827-0.....	36	00-051125-74898-8.....	34	00-051131-06976-3.....	12
00-051115-68828-7.....	37	00-051125-74899-5.....	34	00-051138-95072-9.....	31
00-051115-68829-4.....	36	00-051125-74900-8.....	22	00-051138-95073-6.....	31
00-051115-68831-7.....	33	00-051125-74901-5.....	24	00-051138-95223-5.....	31
00-051115-68833-1.....	37	00-051125-74902-2.....	29		
00-051115-68834-8.....	37	00-051125-74903-9.....	27		
00-051115-68835-5.....	37	00-051125-74904-6.....	27		
00-051115-68836-2.....	37	00-051125-74905-3.....	27		
00-051115-68837-9.....	33	00-051125-74906-0.....	34		
00-051115-68838-6.....	37	00-051125-74907-7.....	34		
00-051115-68839-3.....	37	00-051125-74908-4.....	34		
00-051115-68840-9.....	37	00-051125-74909-1.....	25		
00-051115-68841-6.....	33	00-051125-74910-7.....	26		
00-051115-68842-3.....	37	00-051125-74911-4.....	26		
00-051115-68843-0.....	37	00-051125-74912-1.....	28		
00-051115-68844-7.....	33	00-051125-74913-8.....	23		

NOTES



Product Use: Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. Given the variety of factors that can affect the use and performance of a 3M product, user is solely responsible for evaluating the 3M product and determining whether it is fit for a particular purpose and suitable for user's method of application. **Warranty, Limited Remedy, and Disclaimer:** Unless an additional warranty is specifically stated on the applicable 3M product packaging or product literature, 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. If the 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price. **Limitation of Liability:** Except where prohibited by law, 3M will not be liable for any loss or damage arising from the 3M product, whether direct, indirect, special, incidental or consequential, regardless of the legal theory asserted, including warranty, contract, negligence or strict liability.



Authorized Distributor
Industrial Products

3M is a trademark of 3M Company.
© 3M 2013
70-0709-4151-6