



#### **LR Series Downlights**









# Smooth, high-end aperture appearance with a low-profile four-inch design.

The LR4™ architectural downlight features a clean, architectural-grade aperture appearance, with up to 30-degree shield angle. Designed for use with an H4 4" architectural housing and the LT4 trims, the LR4 fixture is suitable for new construction applications. The LR4 downlight provides higher efficacy and longer life than Compact Fluorescent Lamps with the beautiful light quality that you would expect from an incandescent.

#### BENEFITS

- Up to 50 percent more efficient than CFL
- · Reduced maintenance cycles
- · High color quality
- Small 4" aperture

#### FEATURES

- Efficacy up to 51 LPW
- Utilizes Cree TrueWhite® Technology
- Active color management
- Standard 10-year limited warranty
- 50,000-hour rated life
- Dimmable to 20%

#### APPLICATIONS

 Interior architectural, corporate campus, municipal, museum & amusement, restaurant & hospitality, retail & grocery



#### **LR Series Downlights**

#### **Ordering Information**

 $4^{\prime\prime}$  recessed housing, with GU24 base; rated for use with LR4E

#### Example: **LR4E-15 + H4 + LT4-15-A**

PRODUCT	SHIELD	сст	VOLTAGE/BASE
<b>LR4E</b> 4" Light Engine	15 15°, Shallow 30 30°, Deep	Blank 2700K C 3500K	Blank GU24 Base

## HOUSING H4


PRODUCT	SHIELD	REFLECTOR FINISH	
<b>LT4</b> 4" Trim	15°, Shallow 30°, Deep	A Clear Anodized  AW Wheat Anodized  AP Pewter Anodized  AB Black Anodized  WH Flat White  BB Smooth Black (reflector and trim)	

<sup>\*</sup>Ordering information is for reference only. Some product configurations are not available. Please consult spec sheets for specific product availability and for further details.

#### **Accessory Information**



#### Dimensions



### You May Also Be Interested In:



LR SERIES DOWNLIGHTS p.30 Commercial-Upgrade Downlight Solutions



CS SERIES LINEAR p.58 Commercial Linear Solutions



CR SERIES TROFFERS p.40 High-Efficiency, Affordable Troffers





