
ACCESSORIES REFER TO ACCESSORY INDEX TO MATCH ACCESSORY WITH PRODUCT. ILLUSTRATIONS SHOWN ARE TYPICAL REPRESENTATIONS. See following Accessory pages for dimension drawings and descriptions.

LEGEND: /////// = Accessory can be used.

INDEX	PRODUCT														be used.
INDEX		M-250A2		M-250R2		M-400A	JUUCI	M-400	Cianlit	or		Tunnel		Powr/	
OrderingNumber	M-250A2	Cutoff	M-250R2	Cutoff	M-400A	Cutoff	M-400	Cutoff	Signlit V2FN		Turnpike	Guard	High Mast	Bracket	201 SA
BOTTOM VISOR	11 230/12	Cuton	TT ESONE	Cuton	11 400/1	Cuton	11 400	Cuton	VEIN	VEIJ	rumpine	Oddid	riigirriust	Didenet	2013/1
BVAL-V2FS										/////					
BVDB-V2FS										/////					
CORNER MOUNTING A	DAPTER									,,,,,					
CMA-PB														/////////	
CROSS ARM ADAPTER	See Floodlight	Accessorie	es												
CAA-001											/////////				
AUXILIARY CROSS ARM	See Floodlight	Accessor	ies												
CAB-001	ISOD (CDAN)		75								/////////				
EXTERNAL "CUTOFF" V	ISOR (GRAY) Se	e Page 30)5								111111111				
ECVGR-RPF															
EXTERNAL LIGHT SHIEL		11111111111	11111111111	111111111											
ELS-M250-360	1111111111	111111111111		1111111111	1111111111	111111111	11111111	11111111	\vdash						
ELS-M400-360															
ELSHS-M4R	· Caa Flaadiiab	1 A				/////////									
FLOODLIGHT BRACKET	See Floodlight	Accessor	ies								////////				
FBSFA2-TTPP											1111111111				
FK1-M24	111111111	1111111111	//////////	111111111	1111111111	111111111	11111111	11111111							
	1111111111	111111111111	1//////////////////////////////////////	1111111111	111111111111	1111111111									
FK2-M24 HAIL SHIELD	1111111111	111111111111		1111111111		1111111111	111111111								
HMAA-HS													//////////		
INTERNAL LIGHT SHIEL	<u> </u>												11111111111		
ILS-M2	.U 		//////////												
ILS-M4	1111111111		11111111111		//////////		////////								
ILS-M4RL			-		///////////////////////////////////////		/////////								
ILS-PBP			-		11111111111		111111111							/////////	
ILS-PBS			1											1111111111	111111
LINE SURGE PROTECTO	ND EVELLICION	TVDE													
35-411749R01	DR, EXPULSION	NIYPE	//////////	111111111	11111111111	111111111	11111111	11111111			////////		///////////////////////////////////////		
MOUNTING BRACKET	1111111111	11111111111		1111111111	11111111111	1111111111	111111111	111111111			1111111111		111111111111		
MB-PECTL	1111111111	11111111111		111111111	11111111111	111111111	11111111	11111111							
PHOTOELECTRIC CONT	ROI	11111111111		1111111111]		111111111	111111111							
PECOTL PECOTL		111111111111111111111111111111111111111		1111111111	1 1111111111	///////////////////////////////////////	11111111	11111111	/////	/////	111111111			////////	111111
PEC1TL	1////////	111111111111	11111111111	1111111111	111111111111111111111111111111111111111	1111111111	11111111	11111111	11111	11111	1////////			1111111111	111111
PEC5TL PEC5TL	111111111	11111111111	11111111111	111111111	11111111111	1111111111	11111111	11111111	11111	11111	111111111			///////////////////////////////////////	1111111
POLE TOP ADAPTER	1111111111	11111111111		1111111111	<u> </u>	11111111111	111111111	111111111	11111	11111	1111111111			1111111111	
PTA-PECTL														////////	
POLYCARBONATE VANI	DAL SHIFLD Se	e Floodlia	ht Access	ories										111111111	
LVS-P4F	34C 3HIGG 3C	looding		5,105					/////						
SHORTING CAP									11111						
SCCL-PECTL	/////////	1//////////////////////////////////////		/////////	1//////////////////////////////////////	////////	////////		////	/////			/////////	1////////	//////
TOP VISOR See Area Ac		11111111111	11111111111	1111111111			11111111	11111111	11111	11/11			11111111111	711111111	1111111
TVDB-V2F									/////						
WALL MOUNTING ADA	PTER								11111						
WMA-PB														//////////	
WIRE GUARD See Floor	dlight Accesso	ries													
WG-P4F									/////						
- **									,						

ACCESSORIES

REFER TO ACCESSORY INDEX TO MATCH ACCESSORY WITH PRODUCT. ILLUSTRATIONS SHOWN ARE TYPICAL REPRESENTATIONS.



BOTTOM VISOR

- BVAL-V2FS Aluminum
- BVDB-V2FS Dark Bronze

CORNER MOUNTING ADAPTER

• CMA-PB

4500n (114mm) CMA-PB


EXTERNAL LIGHT SHIELD

- ELS-M250-360
- For M-250A2 and M-250R2 (360° shield)
- ELS-M400-360

For M400 and M400A (360° shield)

• ELSHS-M4R

House side light shield for M400 and M400A non-cutoff, house or street side light shield for MSRL/MSCL/MDRA/MDCA



ELS-M250-360 / ELS-M400-360

ELSHS-M4R 6.000 in. (152mm)


FUSE KITS (LESS FUSE[S])

• FK1-M24 • FK2-M24 Single Double

HAIL SHIELD

• HMAA-HS

Hail shield for high mast luminaire





INTERNAL LIGHT SHIELD

• ILS-M2


House or street side light shield for M-250A and M-250R non-Cutoff $\,$

• ILS-M4

House or street side light shield for M-400A and M-400 non-cutoff or refractor type units $\,$

• ILS-M4RL

House or street side light shield for MSRL/MDRL non-cutoff or refractor type units



ACCESSORIES

REFER TO ACCESSORY INDEX TO MATCH ACCESSORY WITH PRODUCT. ILLUSTRATIONS SHOWN ARE TYPICAL REPRESENTATIONS.

INTERNAL LIGHT SHIELD

• ILS-PBP

For large **PBP** Open Opticals

• ILS-PBS

For small **PBS** Open Opticals and 201 SA (Optical not included)

LINE SURGE PROTECTOR, EXPULSION TYPE

•35-411749R01

Can be added to most fixture terminal boards. See Roadway Data Section.

ILS-PBS

35-411749R01

MOUNTING BRACKET AND LOCKING-TYPE RECEPTACLE

• MB-PECTL

For use with photoelectric control (remove bracket to use with conduit)

PHOTOELECTRIC CONTROL

PEC0TL

120, 208, 240, 277V Multivolt Turn and Lock


PEC1TL

ROADWAL

120V Turn and Lock

∮•PEC5TL

480V Turn and Lock




PEC*TL

ACCESSORIES

REFER TO ACCESSORY INDEX TO MATCH ACCESSORY WITH PRODUCT. ILLUSTRATIONS SHOWN ARE TYPICAL REPRESENTATIONS.

POLE TOP ADAPTER


• PTA-PECTL
For use with locking-type photoelectric controls mounted on pole tops with an OD of from 3-1/2 to 4-1/2 inches (89 to 114mm)



- 2.562 in. (65mm) DIA -

SHORTING CAP

• SCCL-PECTL With standard three-prong plug



WALL MOUNTING ADAPTER

• WMA-PB

For Powr/Bracket® luminaire

