# Courtyard 11" 1 Light Wall Rubbed Bronze™

9032RZ (Rubbed Bronze)

| Project Name: |  |  |  |
|---------------|--|--|--|
| Location:     |  |  |  |
| Type:         |  |  |  |
| Qty:          |  |  |  |
| Comments:     |  |  |  |



### **Certifications/Qualifications**

| Location Rating                                 | CSA UL Listed Wet        |
|---|--------------------------|
|   | www.kichler.com/warranty |
| Dimensions                                      |                          |
| Base Backplate                                  | 4.50 X 8.00              |
| Extension                                       | 7.00"                    |
| Weight  | 2.20 LBS                 |
| Height from center of Wall opening (Spec Sheet) | 3.50"                    |
| Height  | 11.00"                   |
| Width   | 6.25"                    |

#### Mounting/Installation

| Interior/Exterior | Exterior   |
|-------------------|------------|
| Mounting Style    | Wall Mount |
| Mounting Weight   | 2.20 LBS   |

#### **Primary Lamping**

| Lamp Included          | NotIncluded |
|------------------------|-------------|
| Lamp Type              | A19         |
| Light Source           | Incadescent |
| Max or Nominal Watt    | 100W        |
| # of Bulbs/LED Modules | 1           |
| Socket Type            | Medium      |
| Socket Wire            | 150         |

#### **Product/Ordering Information**

| SKU    | 9032RZ       |  |
|--------|--------------|--|
| Finish | Bronze       |  |
| Style  | Traditional  |  |
| UPC    | 783927225113 |  |

#### **Specifications**

| •                    |              |  |
|----------------------|--------------|--|
| Diffuser Description | Clear Seeded |  |
| Material             | ALUMINUM     |  |

#### **Additional Finishes**



Rubbed Bronze



Textured Black

**Kichler** 7711 East Pleasant Valley Road Cleveland, Ohio 44131-8010 Toll free: 866.558.5706 or kichler.com

## Notes:

I) Information provided is subject to change without notice.
All values are design or typical values when measured under laboratory conditions.
2) Incandescent Equivalent: The incandescent equivalent as

presented is an approximate number and is for reference

