



P&S Tamper-Resistant Receptacles — the full line to meet the National Electrical Code® and enhance child safety.

Little kids experiment and

explore — and sometimes electrical receptacles draw their attention.

Nobody can watch a child every second.

But P&S Tamper-Resistant Receptacles protect children by letting plugs in, but keeping keys and other objects out with automatic shutters that block access.

This proven safety solution provides a simple way to prevent painful injuries

NOBODY OFFERS MORE TAMPER-RESISTANT CHOICES. that are traumatic for children and parents alike. It's far safer and more convenient than plastic outlet caps — which young kids can easily remove.

Because tamper-resistant receptacles provide a real solution to a real problem, they're required by the 2008 *National Electrical Code*®.

You'll find everything you're looking for in the broad P&S Tamper-Resistant Receptacle line. Protection and traditional style in our 3232 TradeMaster® Duplex Receptacle. Unique models like the P&S Nightlight/GFCI Combination. Weather-Resistant models for damp or wet locations. And much more!

For more information visit http://tools.passandseymour.com/pstr.









For all their added safety, P&S Tamper-Resistant Receptacles provide the same fast, easy installation as our standard receptacles.

*GFCI shown with optional screwless wall plate.





Patented internal shutter system — lets plugs in, but keeps keys and other objects out with automatic shutters that block access

Proven safety — our residential Tamper-Resistant Receptacles offer the same protection as our Hospital-Grade Tamper-Resistant Receptacles, used in healthcare-facility pediatric wards, where they've been required by the *National Electrical Code*® for years.

Models for every home location and purpose — whatever you're looking for, you'll find it in the complete P&S Tamper-Resistant line with the same features and easy installation that you've come to expect from Legrand/Pass & Seymour.





Sealed LED nightlight adds safety — for added convenience, this redesigned P&S Nightlight/GFCI Combination provides a duplex receptacle instead of the single receptacle in the previous version.

WHY THEY'RE NEEDED.



More than 24,000 children in the U.S. under the age of 10 were treated in emergency rooms for injuries related to electrical receptacles — approximately 7 children per day.*
In most of these cases:

- The victims were younger than 4 years old and suffered firstor second-degree burns.
- Children were injured when sticking common objects such as hairpins or keys into receptacles.
- The injuries occurred at home.

Required for years in healthcare facilities' pediatric-care areas, P&S Tamper-Resistant Receptacles are easily affordable for homeowners. The National Electrical Manufacturers Association (NEMA) estimated an incremental cost for installing tamperresistant receptacles throughout a typical new home at less than the average cost of a single child safety car seat!

*Based on a National Electrical Manufacturers Association analysis of U.S. Consumer Product Safety Commission data.

*GFCI shown with optional screwless wall plate.



Weather-resistance that meets all the requirements.

The 2008 NEC® requires that Weather-Resistant Receptacles be installed in wet or damp locations such as porches, decks, and other outdoor locations where challenging conditions can cause premature failure due to cracked covers and corrosion. All Weather-Resistant Receptacles must meet stringent UL listing requirements, including:

- Ultraviolet light exposure
- Cold impact
- Accelerated aging
- Proper materials for currentcarrying parts, wire binding screws, and mounting straps to ensure superior corrosion resistance

Pass & Seymour Weather-Resistant Receptacles have you covered, with a variety of duplex, Decorator, and specification grade receptacles in commercial versions and in residential versions which are also tamper-resistant. So you can be assured that in tough environments, Legrand/Pass & Seymour is up the challenge.

P&S Weather-Resistant Receptacles and GFCIs are built to last in wet locations like decks, porches, and patios. Their tamper-resistant design meets the latest code requirements.







Tamper-Resistant Receptacles For Residential Applications

Ratings

Colors

NEMA

Config.



Catalog Number

Description

3232TRW



TR5351W



TM818TRWCC6



1595TRWCC4



** GFCIs and receptacles listed under FSUL WC596

3232TR*	TradeMaster® Duplex Receptacle	15	125	BK, Brown, I, LA, W	5-15R			
3232TRS*	TradeMaster Self-Grounding Duplex Receptacle	15	125	Brown, I, LA, W	5-15R			
TR5251*	Specification Grade Single Receptacle**	15	125	Brown, I, LA, W	5-15R			
TR5351*		20	125	Brown, I, LA, W	5-20R			
885TR*	TradeMaster Decorator Receptacle	15	125	BK, Brown, GRY, I, LA, W	5-15R			
885TRS*	TradeMaster Self-Grounding Decorator Receptacle	15	125	I, LA, W	5-15R			
691TR*	Combination Single-Pole Switch/Single Receptacle, Grounding, Side-Wire	15	120/125	Brown, I, LA, W	5-15R			
671TR*		20	120		5-20R			
S3713TR*	Clock Hanger Receptacle**	15	125	BK, GRY, I, LA, W	5-15R			
TM8HWLTR*CC	Decorator Hallway Light Single Receptacles	15	125	BK, Brown, I, LA, W	5-15R			
TM8118TR*	TradeMaster Decorator Combination Two Single-Pole Switches/Single Receptacle	15	120/125	Brown, BK, I, LA, W	5-15R			
TM818TR*	TradeMaster Decorator Combination Single-Pole Switch/Single Receptacle	15	120/125	BK, I, LA, W	5-15R			
TM838TR*	TradeMaster Decorator Combination Three-Way Switch/Single Receptacle	15	120/125	BK, I, LA, W	5-15R			
S885TR*CC14	Signature Decorator Receptacles	15	125	BK, LA, W	5-15R			
S1595TR*CC8	Signature GFCI Receptacles**	15	125	BK, LA, W	5-15R			
S1595NTLTR*CC8	Signature Combination Nightlight/ GFCI Receptacles**	15	125	BK, LA, W	5-15R			
1595TR*	TradeMaster Specification Grade GFCI Receptacle**	15	125	BK, Brown, GRY, I, LA, W	5-15R			
2095TR*	Specification Grade GFCI Receptacle**	20	125	BK, Brown, GRY, RED, W, I, LA	5-20R			
1595SWTTR*CC4	Decorator Combination Single-Pole Switch/ GFCI Receptacles	15	120/125	BK, I, LA, W	5-15R			
1595NTLTR*CC4	Decorator Combination Nightlight GFCI Receptacles**	15	125	BK, I, LA, W	5-15R			
1595TRS*	TradeMaster Specification Grade Self-Grounding GFCI Receptacle**	15	125	I, W, LA	5-15R			
2095TRS*		20	125		5-20R			
TR20*	Specification Grade Duplex Receptacle	20	125	BK, Brown, GRY, I, LA, W	5-20R			
TR26261*	Specification Grade	15	125	BK, Brown, GRY, I, W	5-15R			
TR26361*	Single Decorator Receptacle**		125	BK, Brown, GRY, I, LA, W	5-20R			
TR26362*	Specification Grade Decorator Receptacle**	20	125	BK, Brown, GRY, I, LA, RED, W	5-20R			
TR5362*	Commercial Grade Duplex Receptacle**	20	125	BK, Brown, GRY, I, LA, RED, W	5-20R			

* Color Designation ВК Black Brown GRY Gray Ivory Light Almond LA

RED Red White



Weather-Resistant Receptacles



3232TRWR*



1595TRWR*



WR20TR*

Catalog Number	Description	Ratings A. V.		Colors	Listed to FSUL WC596				
Weather-Resistant and Tamper-Resistant									
3232TRWR*	TradeMaster® Duplex Receptacle	15	125	Brown, I, LA, W					
885TRWR*	TradeMaster Decorator Receptacle	15	125	Brown, I, LA, W					
1595TRWR*	TradeMaster Specification Grade GFCI Receptacle	15	125	Brown, I, LA, W	•				
WR20TR*	Commercial Grade Duplex Receptacle	20	125	Brown, GRY, I, LA, W					
2095TRWR*	Specification Grade GFCI Receptacle	20	125	Brown, GRY, I, LA, W	•				
Weather-Resistant only (Not Tamper-Resistant)									
1595DSWRBKCC4		15	125	DI.					
2095DSWRBK	DuraShield™ GFCI Receptacles	20	125	BK					
WR5262*	Straight Blade Duplex Receptacle	15	125						
WR5362*		20	125	GRY, I, W					
WR5662*	Triaight blade buplex Neceptacle	15	250	- OIXI, I, W					
WR5862*			250						



1595DSWRBKCC4

* Color Designation

BK Black
— Brown
GRY Gray
I Ivory
LA Light Almond
W White

For additional technical or application-specific information, call 800-223-4185 or visit our website at www.legrand.us/PassandSeymour. We're eager to put our expertise to work for you.

Distributed by:



Pass & Seymour

P.O. Box 4822 Syracuse, NY 13221-4822 800-776-4035 www.legrand.us/PassandSeymour

Legrand Canada 570 Applewood Crescent

Vaughan, ON, L4K 4B4 Phone: 905.738.9195, Fax: 905.738.9721 www.legrand.ca