

Rittal – The System.

Faster – better – everywhere.

► Wall mounting bracket For KL, EB, BG, and wall-mounted housing EL – KL 1580.000

Date : May 25, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Wall mounting bracket For KL, EB, BG, and wall-mounted housing EL – KL 1580.000

created: 25.05.2018 build on www.rittal.com/us-en



Product description

Material: Brass, nickel-plated

Surface finish: Nickel-plated

Protection category NEMA: NEMA 12

Supply includes: Assembly components for mounting on the enclosure.

Note: For hygiene reasons, and in view of the protection category, the stainless steel housings do not have any drilled holes for the wall mounting brackets.

Product features

Wall distance: 8 mm (0.31 ")

Packaging unit: 4 pc(s).

Weight/packaging unit: 0.14 kg (0.3 lb.)

EAN: 4028177010864

Customs tariff number: 85389099

ETIM 6.0: EC002625

ETIM 5.0: EC002625

eCl@ss 8.0/8.1: 27189234

eCl@ss 7.0/7.1: 27182405

eCl@ss 6.0/6.1: 27182405

eCl@ss 5.1/5.1.4: 27189234

Product description (long): KL Wall mounting bracket, brass, nickel-plated, Wall distance 8 mm

Approvals

Certificates: EAC