

Rittal – The System.

Faster – better – everywhere.

► Leveling Feet for TS, SE, PC in stainless steel – SO 2859.000

Date : May 29, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Leveling Feet for TS, SE, PC in stainless steel – SO 2859.000

created: 29.05.2018 build on www.rittal.com/us-en



Product description

Benefits:	Unimpeded access for floor cleaning, for example
Applications:	Compensates for floor irregularities of max. 15 mm at installation location
Material:	Stainless steel 1.4301 (AISI 304)
Supply includes:	Assembly components

Product features

Suitable for:	Enclosure type: TS Enclosure type: SE Enclosure type: PC
Leveling range:	85 mm - 115 mm
Load capacity:	static (max. per component): 350 kg (771.6 lb.)
Packaging unit:	4 pc(s).
Weight/packaging unit:	3.6 kg (7.9 lb.)
EAN:	4028177033535
Customs tariff number:	73181900

ETIM 6.0:	EC000721
ETIM 5.0:	EC000721
eCl@ss 8.0/8.1:	27182003
eCl@ss 7.0/7.1:	27182003
eCl@ss 6.0/6.1:	27182003
eCl@ss 5.1/5.1.4:	27189235
Product description (long):	SO Levelling foot, for TS, SE, PC, H: 85 - 115 mm, Stainless steel 1.4301
Approvals	
Certificates:	EAC