Rittal - The System.

Faster - better - everywhere.

SE 8 free-standing enclosure system IP 66/NEMA 4X − SE 5853.580

Date: May 29, 2018



SE 8 free-standing enclosure system IP 66/NEMA 4X – SE 5853.580

created: 29.05.2018 build on www.rittal.com/us-en



Product description	1
Description:	The free-standing enclosure system is based on the TS 8 platform. Fully compatible with TS 8 system accessories for interior installation.
Material:	Housing: Stainless steel 1.4301 (AISI 304), 1.5 mm, exterior brushed Door: Stainless steel 1.4301 (AISI 304), 2.0 mm, exterior brushed Rear panel: Stainless steel 1.4301 (AISI 304), 1.5 mm, exterior brushed Base: Stainless steel 1.4301 (AISI 304), 3.0 mm Mounting plate: Carbon steel, 3.0 mm
Surface finish:	Housing, rear panel and door: Brushed, grain 400 Mounting plate: Zinc-plated Base: Uncoated
Protection category IP to IEC 60 529:	IP 66
Protection category NEMA:	NEMA 4X NEMA 3R
Supply includes:	Housing, solid top and sides Door(s) Door catch on right, may be swapped to the left Rear panel, detachable Mounting plate Base, solid Lock: 3 mm double-bit 2 TS punched rails, 18 x 38 mm
Product modification:	Starting March 2017, external fitting and lock components will be manufactured from stainless steel so that they can handle even the harshest operating conditions.

© Rittal 2018

Note: Due to the hardness of the material, we recommend using metal multi-tooth screws for the

interior installation.

Stainless steel Base material:

Product features

Dimensions: Height: 2000 mm (79 ")

Width: 800 mm (31 ") Depth: 600 mm (24 ")

Height: 1896 mm (75 ") Mounting plate:

Width: 699 mm (28 ")

Packaging unit: 1 pc(s).

Weight/packaging unit:

152 kg (335.1 lb.)

EAN: 4028177696761

Customs tariff number:

94032080

ETIM 6.0: EC000261

ETIM 5.0: EC000261

27180101 eCl@ss 8.0/8.1:

27180101 eCl@ss 7.0/7.1:

eCl@ss 6.0/6.1: 27180101

27180101 eCl@ss 5.1/5.1.4:

Product description (long):

SE Free-standing enclosure system, WHD: 800x2000x600 mm, Stainless steel 1.4301, IP 66 /

NEMA 4X, with mounting plate, single door at the front

Approvals

UL + C-UL Approvals:

Declarations: Declaration of conformity

© Rittal 2018 2