Rittal - The System.

Faster – better – everywhere.

Pedestals – TP 6705.500

Date: May 24, 2018



ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

Pedestals - TP 6705.500

created: 24.05.2018 build on www.rittal.com/us-en



			4.
Drad	IIIAT A	ACCE	ntian
FIUU	սեւս	lescri	DUOH

Material: Housing: Carbon steel, 1.5 mm

Door and console lid: Carbon steel, 2.0 mm, all-round foamed-in PU seal

Mounting plate: Carbon steel, 2.5 mm

Surface finish: dipcoat-primed, powder-coated on the outside, textured paint

Mounting plate: Zinc-plated

Color: RAL 7035

Protection category IP to IEC 60 529:

IP 55 provided suitable base plates are selected

Protection category NEMA:

NEMA 12 with selection of the appropriate base plate or trim panel

IK code:

IK08

Supply includes:

Housing open at top Door, front and rear

Mounting plate, depth-adjustable Open base for individual cable entry

Base material: Carbon steel

Product features

Dimensions: Height: 675 mm (27 ")

Width: 800 mm (31 ") Depth: 500 mm (20 ")

Mounting plate: Height: 571 mm

© Rittal 2018

Width: 699 mm

Number of doors:	1
Packaging unit:	1 pc(s).
Weight/packaging unit:	50 kg (110.2 lb.)
EAN:	4028177554122
Customs tariff number:	94032080
ETIM 6.0:	EC000784
ETIM 5.0:	EC000784
e CI@ss 8.0/8.1:	27180504
e Cl@ss 7.0/7.1:	27180504
e Cl@ss 6.0/6.1:	27180504
eCl@ss 5.1/5.1.4:	27180504
Product description (long):	TP TopConsole system, pedestal, WHD: 800x675x500 mm, Sheet steel
Approvals	
Approvals:	RRR UL + C-UL
Certificates:	IK-Code
Declarations:	Declaration of conformity

© Rittal 2018

2