## Rittal – The System.

Faster – better – everywhere.

## Wallmounted enclosure stainless steel, with Roof Slope – WM 8018.696

Date : May 24, 2018



ENCLOSURES

POWER DISTRIBUTION >>>> CLIMATE CONTROL

IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

## Wallmounted enclosure stainless steel, with Roof Slope – WM 8018.696 - WMS202008N4

created: 24.05.2018 build on www.rittal.com/us-en



## **Product description**

| Material:                                | Door: Stainless steel, all-round foamed-in PU seal<br>Housing and door: Stainless steel 1.4301 (AISI 304)<br>Mounting plate: Carbon steel, zinc-plated |
|--|--|
| Surface finish:                          | Brushed  |
| Protection category<br>IP to IEC 60 529: | IP 66  |
| Protection category<br>NEMA:             | NEMA 4X  |
| Supply includes:                         | Housing with door<br>Left hand hinge<br>Mounting plate<br>Wall mounting blind-nuts<br>20° overhanging slope top  |
| Product features                         |  |
| Dimensions:                              | Height: 495 mm (19 ″)<br>Width: 500 mm (20 ″)<br>Depth: 210 mm (8.3 ″)   |
| Material thickness::                     | Housing: 1.5 mm (0.06 ″)<br>Door: 2 mm (0.08 ″)<br>Mounting plate: 1.5 mm (0.06 ″)   |
| Mounting plate:                          | Height: 475 mm (19 ″)<br>Width: 449 mm (18 ″)  |

| Lock version:             | Quarter turn     |
|---------------------------|------------------|
| Packaging unit:           | 1 pc(s).         |
| Weight/packaging<br>unit: | 19 kg (41.9 lb.) |
| EAN:                      | 84043            |