

Rittal – The System.

Faster – better – everywhere.

► Base tray infill for RiLine busbar systems – SV 9341.140

Date : May 29, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Base tray infill for RiLine busbar systems – SV 9341.140

created: 29.05.2018 build on www.rittal.com/us-en



Product description

Description: For rear contact hazard protection when connecting the busbars from enclosure to enclosure.

Material: Thermally modified hard PVC.
Fire protection corresponding to UL 94-V0

Color: RAL 7035

Supply includes: Assembly components

Product features

Suitable for busbar system: PLS 800

Number of poles: 3-pole

Dimensions: Length: 100 mm (3.9 ")

Connection type: Baying connection from enclosure to enclosure

Packaging unit: 2 pc(s).

Weight/packaging unit: 0.26 kg (0.6 lb.)

EAN: 4028177502833

Customs tariff number:	85472000
ETIM 6.0:	EC002498
ETIM 5.0:	EC002498
eCl@ss 8.0/8.1:	27379201
eCl@ss 7.0/7.1:	27142414
eCl@ss 6.0/6.1:	27142414
eCl@ss 5.1/5.1.4:	27370302
Product description (long):	SV Base tray infill, L: 100 mm (PLS 800)
Approvals	
Approvals:	C-UL UL + C-UL