

Rittal – The System.

Faster – better – everywhere.

Connection Brackets for circuit-breaker component adapters – SV 9342.570

Date : May 24, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Connection Brackets for circuit-breaker component adapters – SV 9342.570

created: 24.05.2018 build on www.rittal.com/us-en



Product description

Description:	Pre-assembled, laminated flat copper for connecting standard, commercially available molded case circuit-breakers (MCCB).
Material:	Electrolytic copper
Note:	Universal application for switchgear with a dimensional difference between the mounting level and the upper edge of the contact level of 20 ± 5 mm.

Product features

Suitable for:	Model No.: 9342.500 Model No.: 9342.510 Model No.: 9342.540 Model No.: 9342.550
Laminated flat copper version:	Number of lamina: 6 Lamina thickness: 0.8 mm (0.03 ") Lamina width: 9 mm (0.35 ")
To fit manufacturer (model):	ABB (T1, T1 UL, T2, T2 UL) Eaton (NZM1, NZM1 UL, BZM B1) Schneider Electric (NSC100, NSE75, NSE100)
Packaging unit:	3 pc(s).
Weight/packaging unit:	0.1 kg (0.2 lb.)
EAN:	4028177551947

Customs tariff number:	85446010
ETIM 6.0:	EC002270
ETIM 5.0:	EC002270
eCl@ss 8.0/8.1:	27409221
eCl@ss 7.0/7.1:	27409221
eCl@ss 6.0/6.1:	27409221
eCl@ss 5.1/5.1.4:	27370302
Product description (long):	SV Connection bracket E-Cu, for circuit-breaker component adaptor, SV 9342500/510/540/550
Approvals	
Certificates:	EAC
Declarations:	Declaration of conformity