


# SATCO

general lighting products



New York, Florida, Texas, California,  
Washington & Puerto Rico



SATCO Corporate Headquarters, Brentwood, NY

## General Lighting Products—

We are pleased to present our General Lighting Products catalog. This edition now incorporates several product categories into one useful reference tool.

The first 100 pages of this book feature our newly expanded bulk lighting hardware product assortment. Many new items such as ballasts, fluorescent sockets and finials have been added. Other categories of lighting hardware have been expanded and now make our selection one of the most complete in the industry.

Our Electrical Accessories section features many new items as well. Numerous LED products, night lights and extension cords are now part of this offering.

Towards the rear the catalog we present many new desk lamps and our vastly expanded fixture and track lighting product segments.

We look forward to servicing you with these products in conjunction with our large lamp offering through our vast distribution network which totals nearly one million square feet.

## Locations –

- ① Brentwood, New York  
(Corporate Headquarters)
- ② Seattle, Washington
- ③ San Francisco, California
- ④ Dallas, Texas
- ⑤ Miami, Florida
- ⑥ Puerto Rico



## The Complete Satco Product Line



### **The Light Bulb Source Book**

An easy to use catalog sorted by lamp type.



### **The Lamp Specification Catalog**

A technical guide to our lamp selection.



### **General Lighting Products**

Featuring:

- OEM & Consumer Hardware
- Electrical Accessories
- Glassware
- Track & Lighting Fixtures
- Portable Lamps



### **Nuvo Lighting**

Satco's Decorative Lighting Brand



NATIONAL TOLL-FREE  
1-800-43-SATCO (1-800-437-2826)

**NEW YORK EXECUTIVE OFFICES & WAREHOUSE:**  
110 Heartland Blvd.  
Brentwood, N.Y. 11717  
800-437-2826  
(631) 243-2022  
FAX:(631) 243-2027

**TEXAS**  
2000 Valwood Parkway  
Farmers Branch,  
Texas 75234  
800-437-2826  
(972) 247-2437  
FAX:(972) 247-5408

**WASHINGTON**  
4710 116th St. S.W.  
Mukilteo,  
Washington 98275  
800-437-2826  
(425) 789-3300  
FAX:(425) 789-3310

**FLORIDA**  
900 N.W. 159th Drive  
Miami, Florida 33169  
800-437-2826  
(305) 624-2044  
FAX:(305) 623-0286

**CALIFORNIA**  
31288 San Benito St.  
Hayward, California 94544  
800-437-2826  
(510) 487-4822  
FAX:(510) 487-8955

**PUERTO RICO**  
Bldg 3, Compeche St. 22  
Julio N. Matos Industrial Park  
Bo Martin Gonzales  
Carolina, PR 00984  
800-437-2826  
(787) 757-3510  
FAX:(787) 757-3540

www.satco.com

the  
**SATCO**  
advantage

### **Six fully inventoried distribution centers.**

Each Satco facility features the latest warehouse management systems ensuring that each order is addressed in a timely and efficient manner.

### **Comprehensive product selection we have what you need.**

Our unique product offering positions us as a "One Shop" vendor. Satco has compiled a variety products through various industry relationships which makes us the primary choice for selection and service.

### **Products produced to the highest industry standards.**

Quality products – An adage we've built our company by. Every item we sell has been designed, produced and tested to meet or exceed industry benchmarks for quality and testing. Quality assurance is controlled on all levels from production to shipping.

### **Innovative technology.**

Satco owns numerous patents on lamp and lighting technology. As a leader we have introduced many new concepts that have been embraced by the lighting community.

### **Retail packaging and merchandising programs.**

Satco's product assortment includes many retail point of purchase items packaged for the consumer market. These product programs are supported by eye-catching easy to use merchandisers

### **Forty years of performance.**

A proven history of service, quality and relationships are the integral part of who we are. We value our long term associations and looking forward to many more successful years together.

### **Exceptional customer service.**

The backbone of any company is their customer service. Each of our distribution centers are staffed with highly experienced knowledgeable personnel ready to assist. If you can't locate an item you are looking for, just ask – chances are we have it!

# table of Contents



table of contents

## BULK LIGHTING HARDWARE



### Sockets

|                               |       |
|-------------------------------|-------|
| Aluminum & Brass Shell .....  | 10-15 |
| Phenolic/Medium Base.....     | 16-17 |
| Phenolic Clusters .....       | 18-19 |
| Porcelain Sockets .....       | 20-21 |
| Ceiling Receptacles .....     | 22-23 |
| Candelabra Sockets .....      | 24-27 |
| Mogul Base Sockets .....      | 28    |
| Halogen Sockets .....         | 29    |
| Sign Receptacles .....        | 30    |
| "S" Arm Socket Clusters ..... | 31    |
| Fluorescent Lampholders ..    | 32-34 |



### Ballasts

|                                 |       |
|---------------------------------|-------|
| Electronic Socket Ballast ..... | 35    |
| Electronic Ballasts .....       | 36-38 |
| Magnetic Ballasts .....         | 39-40 |



### Switches & Dimmers

|                            |    |
|----------------------------|----|
| Ceiling Fan Switches ..... | 41 |
| Rotary Switches .....      | 42 |
| Push Switches .....        | 43 |
| Rocker/Toggle/Hi-Lo .....  | 44 |
| Dimmer Switches .....      | 45 |



### Socket Adapters

|                              |    |
|------------------------------|----|
| Screw Plugs .....            | 46 |
| Cube Tap .....               | 46 |
| Triple Tap .....             | 46 |
| Single to Twin Lampholder .. | 46 |
| Socket Reducers & Extenders  | 47 |
| Screw Plugs .....            | 46 |



### Plugs & Cord Switches

|                              |    |
|------------------------------|----|
| Attachment Plugs .....       | 48 |
| On/Off Line Cord Switch..... | 49 |
| Hi/Lo Line Cord Switch.....  | 49 |
| Rocker Line Cord Switch..... | 49 |



### Wire & Accessories

|                           |       |
|---------------------------|-------|
| Spool Wire .....          | 50-53 |
| Cord Sets .....           | 54-57 |
| Wirenuts & Bushings ..... | 58    |



### Canopies & Holders

|                                |       |
|--------------------------------|-------|
| Canopy Kits .....              | 52-62 |
| Deep Canopies & Extensions ... | 63    |
| Specialty Canopies .....       | 64    |
| Blank Up Kits .....            | 65    |
| Fixture Holders & Ceiling Pans | 66-67 |
| Wall Brackets .....            | 71    |
| Neckless Ball & Glass Holders  | 72-73 |



### Chain

|                  |       |
|------------------|-------|
| Bulk Chain ..... | 74-75 |
| Reel Chain ..... | 76-77 |



### Fixture Hardware

|                             |       |
|-----------------------------|-------|
| Cross Bars .....            | 78-79 |
| Nipples .....               | 80    |
| Locknuts/Washers/Checkrings | 81-85 |
| Loops .....                 | 86-88 |
| Screws .....                | 89    |
| Lock-Up Caps .....          | 90    |
| Couplings/Balls/Armbacs ..  | 91-92 |
| Swivels .....               | 93    |
| Necks/Spindles/Spacers .... | 94-96 |



### Harps & Accessories

|                            |         |
|----------------------------|---------|
| Harps .....                | 97-99   |
| Finials .....              | 100-103 |
| Candle Covers .....        | 104-105 |
| Crystal .....              | 106     |
| Beaded Chain/"S" Hooks ... | 107     |
| Swag Hooks .....           | 108     |



# table of Contents

table of contents

## GLASSWARE



|                             |         |
|-----------------------------|---------|
| Glass Globes.....           | 112-113 |
| Schoolhouse Globes .....    | 114     |
| Lexan & Poly Globes .....   | 115     |
| Screwfitter Glassware ..... | 116     |
| Hall & Porch Glass .....    | 117     |



|                      |         |
|----------------------|---------|
| Cased Glass .....    | 118     |
| IES. Glass .....     | 119     |
| Bent Glass .....     | 120-121 |
| Drum Glass .....     | 122     |
| Clip On Shades ..... | 123-124 |

## ELECTRICAL ACCESSORIES



|                             |         |
|-----------------------------|---------|
| Emergency Lights .....      | 128     |
| LED Night Lights .....      | 129-130 |
| Standard Night Lights ..... | 131-132 |
| Surge Suppressors .....     | 133-134 |
| Cord Covers .....           | 135     |



|                                |     |
|--------------------------------|-----|
| Coiled Extension Cords .....   | 136 |
| Standard Extension Cords ..    | 137 |
| Outdoor & Appliance Ext. Cords | 138 |
| Bulb Changers .....            | 139 |
| Socket Adapters .....          | 140 |

## CARDER LIGHTING HARDWARE



|                           |         |
|---------------------------|---------|
| Canopy Kits .....         | 144-146 |
| Fixture Chain .....       | 147     |
| Swag Kits .....           | 148     |
| Swag Hooks .....          | 149     |
| Fixture Holders .....     | 150-151 |
| Ceiling Receptacles ..... | 152     |
| Candle Covers .....       | 153     |



|                             |         |
|-----------------------------|---------|
| Crystal Prisms .....        | 154     |
| Sockets .....               | 155-158 |
| Switches & Plugs .....      | 159-160 |
| Accessories .....           | 161-162 |
| Cord Sets .....             | 163     |
| Lamp Kits & Dimmers .....   | 164-166 |
| Assorted Fixture Hardware . | 167-176 |

## DESK LAMPS & SPECIALTY LIGHTING



|                            |         |
|----------------------------|---------|
| Floor & Desk Lamps .....   | 180-194 |
| Portable Spot Lights ..... | 195     |
| Banker & Piano Lamps ....  | 196     |



|                       |         |
|-----------------------|---------|
| Swing Arm Lamps ..... | 197     |
| Accent Lite .....     | 198-199 |
| Picture Lights .....  | 200-204 |

# table of Contents



table of contents

## LIGHTING FIXTURES



Chandeliers & Pendants ... 208-211  
 Alabaster Flush & Semi-Flush 212-215  
 Flush & Semi-Flush  
 Dome Fixtures ..... 216-224  
 Energy Efficient Domes ..... 225-226  
 Energy Efficient  
 Mushroom Fixtures ..... 231-232  
 Ball Fixtures ..... 233-235  
 Drum/Hall &  
 Bent Glass Fixtures ..... 236-238  
 1/2/3 Light Spot Fixtures ... 239-241



Vanity & Wall Fixtures ..... 242-249  
 Outdoor Poly Lanterns ..... 250-251  
 Industrial Style Fixtures ..... 252-253  
 Carport & Utility Fixtures .... 254-255  
 Porch Wall Fixtures ..... 256-258  
 Exterior Flood Lights ..... 259-263  
 Landscape Flood Lights .... 264-265  
 Pathway Lighting ..... 266  
 Mounting Posts ..... 267  
 Outdoor Globe Fixtures ..... 268-270

## TRACK LIGHTING



Step Cylinder ..... 274  
 Soft Square ..... 274  
 Straight Cylinder ..... 275  
 Bullet Cylinder ..... 275  
 PAR Gimbal Ring ..... 276  
 PAR Short Bullet..... 276  
 12 Volt MR16 ..... 277  
 12 Volt PAR36 ..... 277  
 120 Volt MR16/GU10 ..... 278



R40 Cylinders ..... 279  
 Halogen Power Flood..... 279  
 Flexible Snake..... 279  
 Universals ..... 280  
 Power Feeds & Connectors 281  
 Extensions & Mono Points 282  
 Tracks ..... 282  
 Track Kits ..... 283-284  
 Flexible Track Kits ..... 285-286

### NATIONAL TOLL-FREE 1-800-43-SATCO (1-800-437-2826)

**NEW YORK EXECUTIVE OFFICES & WAREHOUSE:**  
 110 Heartland Blvd.  
 Brentwood, N.Y. 11717  
 800-437-2826  
 (631) 243-2022  
 FAX:(631) 243-2027

**TEXAS**  
 2000 Valwood Parkway  
 Farmers Branch,  
 Texas 75234  
 800-437-2826  
 (972) 247-2437  
 FAX:(972) 247-5408

**WASHINGTON**  
 4710 116th St. S.W.  
 Mukilteo,  
 Washington 98275  
 800-437-2826  
 (425) 789-3300  
 FAX:(425) 789-3310

**FLORIDA**  
 900 N.W. 159th Drive  
 Miami, Florida 33169  
 800-437-2826  
 (305) 624-2044  
 FAX:(305) 623-0286

**CALIFORNIA**  
 31288 San Benito St.  
 Hayward, California 94544  
 800-437-2826  
 (510) 487-4822  
 FAX:(510) 487-8955

**PUERTO RICO**  
 Bldg 3, Compeche St. 22  
 Julio N. Matos Industrial Park  
 Bo Martin Gonzales  
 Carolina, PR 00984  
 800-437-2826  
 (787) 757-3510  
 FAX:(787) 757-3540

# aluminum Medium Base Sockets



bulk lighting hardware



90-410 Brite Gilt  
80-1001 Nickel  
Push-Thru  
660W-250V



90-411 Brite Gilt  
80-1007 Nickel  
Pull-Chain  
660W-250V



90-412 Brite Gilt  
80-1003 Nickel  
3-Way Turn Knob  
250W-250V



90-413 Brite Gilt  
80-1013 Nickel  
On-Off Turn Knob  
250W-250V



90-420 Brite Gilt  
80-1011 Nickel  
Short Keyless  
660W-250V



90-421 Brite Gilt  
80-1009 Nickel  
3 Terminal 2 Circuit Turn Knob  
250W-250V



90-418 Brite Gilt  
Push-Thru with  
Wire Way  
660W-250V



90-4310 Brite Gilt  
3-Way Pull-Chain  
w/Set Screw  
250W-250V



90-1314 Brite Gilt  
80-1021 Nickel  
Keyless 3 Terminal w/Set Screw  
Requires 3-Way Switch  
660W-250V

Finishes:



Brite Gilt



Nickel



# aluminum Medium Base Sockets



**80-1004** Brite Gilt  
**80-1005** Nickel  
3-Way Turn Knob  
1/4 IP Cap  
250W-250V



**80-1014** Brite Gilt  
**80-1015** Nickel  
Full Range Dimmer Socket w/Ivory Knob  
1/8 IP Cap w/Set Screw  
150W Max-120V



**80-1016** Brite Gilt  
**80-1017** Nickel  
Hi-Low Dimmer Socket w/Brown Knob  
1/8 IP Cap w/Set Screw  
250W-250V

## Aluminum Medium Base Sockets with Uno Thread



**90-1408**  
Push-Thru  
1/8 IP Cap w/Set Screw  
660W-250V



**90-1409**  
Pull-Chain  
1/8 IP Cap w/Set Screw  
660W-250V



**90-1410**  
3-Way-Turn Knob  
1/8 IP Cap w/Set Screw  
250W-250V

### Socket Key



**90-020**  
4/36  
Brass Finish

### Socket Key Extenders



**90-1657**  
1/2" x 4/36

**90-1658**  
5/8" x 4/36

**90-181**  
3/4" x 4/36

**90-182**  
1" x 4/36

**90-183**  
1 1/4" x 4/36

### Socket Knob



**90-021**  
4/36



**90-1411**  
On-Off Turn Knob  
1/8 IP Cap w/Set Screw  
250W-250V



**90-1412**  
Short Keyless  
1/8 IP Cap w/Set Screw  
660W-250V

Finishes:



Brite Gilt



Nickel

bulk lighting hardware



# stamped brass



# Medium Base Sockets



1/8 IP Cap with Set Screw



bulk lighting hardware



90-870 Brass  
90-1667 Nickel  
Push-Thru  
660W-250V



90-867 Brass  
90-1669 Nickel  
3-Way Turn Knob  
250W-250V



90-868 Brass  
90-1670 Nickel  
On-Off Turn Knob  
250W-250V



90-869 Brass  
90-1668 Nickel  
On-Off Pull Chain  
660W-250V



90-871 Brass  
90-1671 Nickel  
Short Keyless  
660W-250V



90-1672 Brass  
90-1673 Nickel  
3 Terminal 2 Circuit Turn Knob  
250W-250V

Finishes:



Brass



Nickel



cast brass

# Medium Base Sockets

4 Piece Socket Set ( Shell, Cap, Interior & Ring)  
1/8 IP Cap with Set Screw



80-1432 Polished Brass  
80-1433 Polished Nickel  
Push-Thru  
660W-250V



80-1052 Polished Brass  
80-1053 Polished Nickel  
On-Off Pull Chain  
660W-250V



80-1046 Polished Brass  
80-1047 Polished Nickel  
3-Way w/Metal Turn Knob  
250W-250V



80-1058 Polished Brass  
80-1059 Polished Nickel  
On-Off Metal Turn Knob  
250W-250V



80-1054 Polished Brass  
80-1055 Polished Nickel  
Short Keyless  
660W-250V



80-1430 Polished Brass  
80-1431 Polished Nickel  
3 Terminal 2 Circuit w/Metal Turn Knob  
250W-250V

Available Finishes:



Polished Brass



Polished Nickel



80-1064 Polished Brass  
80-1065 Polished Nickel  
Full Range Dimmer  
w/Metal Turn Knob  
150W Max-120V

bulk lighting hardware



phenolic

SATCO®

# Medium Base Sockets



1/8 IP Cap

bulk lighting hardware



**80-1110**  
Push-Thru  
with Metal Bushing  
660W-250V



**80-1108**  
On-Off Metal Pull Chain  
with Metal Bushing  
660W-250V



**80-1109**  
3-Way Turn Knob  
with Metal Bushing  
250W-250V



**80-1112**  
On-Off Turn Knob  
with Metal Bushing  
250W-250V



**90-458**  
Short Keyless  
1/8 IP Cap w/Set Screw  
660W-250V



**90-459**  
3-Way Pull Chain w/Cord  
1/8 IP Cap w/Set Screw  
250W-250V



**80-1266**  
3 Terminal 2 Circuit  
with Metal Bushing  
250W-250V

## Phenolic Sockets with Uno Thread and Ring



**80-1071**  
Push-Thru  
with Metal Bushing  
660W-250V



**80-1068**  
On-Off Metal Pull Chain  
with Metal Bushing  
660W-250V



**80-1265**  
3-Way Turn Knob  
with Metal Bushing  
250W-250V



**80-1070**  
On-Off Turn Knob  
with Metal Bushing  
250W-250V



**80-1072**  
Short Keyless  
660W-250V



**80-1069**  
3 Terminal 2 Circuit  
with Metal Bushing  
250W-250V



**80-1267**  
1/4 IP Cap  
with Metal Bushing



**80-1389**  
Uno Ring



# socket interiors, *Shells & Caps*



**90-1138**  
Push-Thru  
660W-250V



**90-1140**  
3-Way Turn Knob  
250W-250V



**90-1141**  
On-Off Turn Knob  
250W-250V



**90-1143**  
3 Terminal 2 Circuit Turn Knob  
250W-250V



**90-1139**  
Pull-Chain Interior  
660W-250V



**90-1142**  
Short Keyless  
660W-250V



**90-1144**  
Push-Thru Shell



**90-1145**  
Pull-Chain & Turn Knob Shell



**90-1146**  
Short Keyless Shell



**90-1147**  
1/8 IP Cap



**80-1242**  
1/8 IP Cap w/Set Screw



**80-1210**  
1/4 IP Cap

bulk lighting hardware

phenolic  
**Medium Base Sockets**



bulk lighting hardware



**90-407**  
 1/8 IP Hickey  
 Screw Terminals  
 660W-250V



**90-1151**  
 10" AWM  
 B/W Leads 105°C  
 1/8 IP Hickey  
 660W-250V



**80-1077**  
 Threaded Socket w/Ring  
 1/8 IP Hickey  
 Screw Terminals  
 660W-250V



**90-541 Snap-In Socket**  
 for 3 1/4" - 4" Holders  
 8" AWM  
 B/W Leads 105°C  
 660W-250V



**90-595 Snap-In Socket**  
 Bracket Extends 3/4" from  
 End of Socket  
 7" AWM  
 B/W Leads 105°C  
 660W-250V



**90-543 Snap-In Socket**  
 for 6" Pans Bracket Extends  
 1" from End of Socket  
 8" AWM  
 B/W Leads 105°C  
 660W-250V



**90-542 Snap-In Socket**  
 for 8" & 10" Pans Bracket Extends  
 1 1/4" from End of Socket  
 8" AWM  
 B/W Leads 105°C  
 660W-250V



**90-540 Snap-In Socket**  
 6" AWM  
 B/W Leads  
 105°C  
 660W-250V



**90-4300**  
 Bottom Turn Knob  
 Screw Terminals 1/8 IP  
 250W-250V



**80-1326**  
 Bottom Turn Knob  
 w/Removable Husk  
 Screw Terminals 1/8 IP  
 250W-250V



# medium base Sockets



**90-1153**  
2"  
Three Way Turn Knob  
Screw Terminals  
1/8 IP Inside Extrusion  
with Paper Liner  
250W-250V



**90-1152**  
2"  
On-Off Turn Knob  
Screw Terminals  
1/8 IP Inside Extrusion  
with Paper Liner  
250W-250V



**90-424**  
4" to 5 1/2" Adjustable  
On-Off Turn Knob  
Screw Terminals  
with Paper Liner  
1/8 IP Inside Extrusion  
250W-250V



**90-405**  
2" Keyless  
Screw Terminals - 1/8IP  
with Paper Liner  
660W-250V



**80-1337**  
3" Keyless  
Screw Terminals - 1/8IP  
with Paper Liner  
660W-250V



**90-404**  
4" to 5 1/2" Keyless - 1/8IP  
Screw Terminals  
with Paper Liner  
660W-250V

bulk lighting hardware



phenolic



# Twin Cluster Medium Base Sockets

bulk lighting hardware



**90-432** Snap-On Top

- 2<sup>3</sup>/<sub>8</sub>" Top Bracket + Snap
- 1<sup>3</sup>/<sub>4</sub>" 1/8 IP Threaded Bottom Bracket w/3/8" Nipple
- 8" AWM B/W Leads 105°C
- 660W-250V



**80-1379** Snap-On Top

- 2<sup>3</sup>/<sub>8</sub>" Top Bracket + Snap
- 1<sup>3</sup>/<sub>4</sub>" 1/8 IP Threaded Bottom Bracket w/1/2" Nipple
- 8" AWM B/W Leads 105°C w/Ground Wire
- 660W-250V



**90-465**

- 1<sup>1</sup>/<sub>2</sub>" 1/8 IP Threaded Top Bracket w/3/8" Nipple
- 2<sup>1</sup>/<sub>8</sub>" 1/8 IP Threaded Bottom Bracket w/1/2" Nipple
- 8" AWM B/W Leads 105°C
- 660W-250V



**80-1380**

- 1<sup>3</sup>/<sub>4</sub>" 1/8 IP Threaded Top Bracket w/1/2" Nipple
- 1<sup>3</sup>/<sub>4</sub>" 1/8 IP Threaded Bottom Bracket w/1/2" Nipple
- 7" AWM B/W Leads 105°C
- Ground Wire
- 660W-250V



**90-414** Twin Offset

- 1<sup>1</sup>/<sub>2</sub>" 1/8 IP Female Top & Bottom Bracket w/Set Screw
- 8" AWM B/W Leads 105°C
- 660W-250V



**90-415** On-Off Brass Finish Pull Chain

- 1<sup>1</sup>/<sub>2</sub>" 1/8 IP Threaded Top Bracket w/3/8" Nipple
- 1<sup>3</sup>/<sub>4</sub>" 1/8 IP Threaded Bottom Bracket
- 7" AWM B/W Leads 105°C
- 660W-250V



**90-416** On-Off Brass Finish Turn Knob

- 1" 1/8 IP Threaded Top Bracket w/1/4" Nipple
- 1<sup>3</sup>/<sub>4</sub>" 1/8 IP Threaded Bottom Bracket
- 6" AWM B/W Leads 105°C
- 660W-250V



phenolic

# 3 & 4 Light Cluster Medium Base Sockets



90-463

- 3 Light Cluster Socket
- 1 3/4" 1/8 IP Threaded Top and Bottom Bracket w/5/8" Nipple
- 8" AWM B/W Leads 105°C
- 660W-250V



90-1587

- 3 Light Cluster Socket On-Off Nickel Pull Chain
- 1 3/4" 1/8 IP Threaded Top Bracket w/5/8" Nipple
- 1 3/4" 1/8 IP Threaded Bottom Bracket
- 7" AWM B/W Leads 105°C
- 660W-250V



90-464

- 4 Light Cluster Socket
- 1 3/4" 1/8 IP Threaded Top and Bottom Bracket w/1/2" Nipple
- 7" AWM B/W Leads 105°C
- 660W-250V



90-1588

- 4 Light Cluster Socket On-Off Nickel Pull Chain
- 1 3/4" 1/8 IP Threaded Top Bracket w/1/2" Nipple
- 1 3/4" 1/8 IP Threaded Bottom Bracket
- 6" AWM B/W Leads 105°C
- 660W-250V

bulk lighting hardware



porcelain



Medium Base Sockets



bulk lighting hardware



**90-419**  
Screw Terminals  
1/8 IP Hickey  
660W-250V



**90-409**  
Screw Terminals  
1/8 IP Metal Cap w/Set Screw  
660W-250V




**90-760** 10" Leads  
**90-466** 16" Leads  
**90-759** 24" Leads  
1/8 IP Hickey Wire Pulled Thru  
AWM B/W Leads 105°C  
660W-250V



**90-1107** Snap In Socket  
8" AWM B/W Leads 105°C  
660W-250V



**90-1074**  
Threaded Socket with Ring  
Screw Terminals  
1/8 IP Cap w/Set Screw  
660W-250V



**80-1076**  
Metal Ring  
For Threaded Socket



**80-1074**  
White Die Cast Ring  
For Threaded Socket



**90-1150**  
48" 18/2 SPT-1 105°C  
Clear Gold Leads w/Ground Wire  
1 1/4" 1/8 IP Nipple  
660W-250V



**90-417**  
Screw Terminals  
1/8 IP Phenolic Cap  
660W-250V



**90-1706**  
Screw Terminals  
1/4 IP Metal Cap w/Set Screw  
660W-250V



**90-1707**  
3 Terminal Socket  
w/Screw Terminals  
1/8 IP Metal Cap w/Set Screw  
660W-250V



**80-1157**  
Bottom Turn Knob Socket  
w/Porcelain  
Removable Husk  
Screw Terminals  
250W-250V



# porcelain Medium Base Sockets


bulk lighting hardware



**90-1108**  
Side Angle Mount 1/8 IP  
Screw Terminals  
660W-250V



**90-1109**  
Twin Lamp Holder  
Screw Terminals  
1/8 IP Cap  
660W-250V



**90-1110**  
Twin Lamp Holder  
Screw Terminals  
1/8 IP Top Bracket  
660W-250V



**90-1708**  
Twin Lamp Holder  
Screw Terminals  
1/8 IP Double Bracket  
660W-250V



**80-1313**  
Porcelain Socket w/1/8 IP Cap  
9" AWM B/W Leads 150°C  
Pulled Thru Cap - 660W-250V




**80-1330**  
Side Angle Mount  
1/8 IP  
9" AWM B/W Leads 150°C  
Pulled Thru Bushing - 660W-250V



**80-1314**  
Twin Lampholder  
1/8 IP Cap  
10" AWM B/W Leads 150°C  
Pulled Thru Cap - 660W-250V



**80-2652**  
Snap-In Socket  
Bracket Extends 3/8" from  
End of Socket  
12" AWM B/W Leads 150°C  
660W-250V



**80-1220**  
Snap-In Socket  
Bracket Extends 1" from  
End of Socket  
12" AWM B/W Leads 150°C  
660W-250V



**90-1563 White**  
**90-1564 Black**  
Porcelain Socket w/1/8 IP  
U-Bracket Hickey w/Strain  
Relief & Fiber Sleeving  
8Ft. 18/3 SVT 105°C  
660W-250V

# porcelain Medium Base Receptacles



bulk lighting hardware



**90-445**  
Keyless Glazed Porcelain  
Ceiling Receptacle  
Screw Terminals  
660W-250V




**90-443**  
Glazed Porcelain  
On-Off Pull Chain Ceiling Receptacle  
Screw Terminals  
250W-250V



**90-444**  
Glazed Porcelain  
Ceiling Receptacle  
On-Off Pull Chain w/Grounded  
Convenience Outlet  
Screw Terminals  
15A-250W-125V



**90-1310**  
Brass Finish Light Bulb Cage  
Height: 5 1/4"



# phenolic Medium Base Receptacles

bulk lighting hardware



**90-480**  
Keyless White Phenolic  
Ceiling Receptacle  
Screw Terminals  
660W-250V




**90-481**  
White Phenolic  
On-Off Pull-Chain Ceiling Receptacle  
Screw Terminals  
250W-250V

## Phenolic Receptacles with Leads



**90-1502**  
Keyless White Phenolic  
Ceiling Receptacle  
6" AWM B/W Leads 105°C  
660W-250V



**90-1503**  
White Phenolic  
On-Off Pull-Chain Ceiling Receptacle  
6" AWM B/W Leads 105°C  
250W-250V

# phenolic

## Candelabra Base Sockets



### Phenolic Candelabra Sockets with Paper Liner



**90-422** 1½"

Screw Terminals-Double Leg  
1/8 IP-Outside Extrusion  
75W-125V



**90-403** 2"

Screw Terminals-Double Leg  
1/8 IP-Outside Extrusion  
75W-125V



**80-1347** 2½"

Screw Terminals-Double Leg  
1/8 IP-Inside Extrusion  
75W-125V



**80-1088** 3"

Screw Terminals-Double Leg  
1/8 IP-Inside Extrusion  
75W-125V




**80-1087** 3½"

Screw Terminals-Double Leg  
1/8 IP-Inside Extrusion  
75W-125V



**80-1327** 4"

Screw Terminals-Double Leg  
1/8 IP-Inside Extrusion  
75W-125V



**90-402** 3¼"-4¼"

Screw Terminals-Adjustable Leg  
1/8 IP-Inside Extrusion  
75W-125V



**80-1089** 5¾"-6¾"

Screw Terminals-Adjustable Leg  
1/8 IP-Inside Extrusion  
75W-125V



**90-1709**

Paper Liner  
for Candelabra Sockets



**90-548**

Pin Socket  
Pressure Fit  
75W-125V



**80-1274** 2¾"

Screw Terminals  
1/8 IP Slip Round Hole Bracket  
75W-125V

### Push-in Terminals



**80-1312** 2"

Flange Type-Single Leg  
1/8 IP-Inside Extrusion  
75W-125V

bulk lighting hardware



# phenolic Candelabra Base Sockets

## Phenolic Candelabra Sockets with Leads



**90-738** 1 5/8" Smooth  
6" AWM B/W Leads 105°C  
1/8 IP-Inside Extrusion  
Single Leg, 75W-125V



**90-739** 1 5/8" Smooth  
6" AWM B/W Leads 105°C  
1/8 IP Nipple  
Single Leg, 75W-125V



**80-1145** 1 5/8" Flange  
12" AWM B/W Leads 105°C  
1/8 IP-Inside Extrusion  
Single Leg, 75W-125V



**80-1146** 1 5/8" Flange  
24" AWM B/W Leads 105°C  
1/8 IP-Inside Extrusion  
Single Leg, 75W-125V



**80-1300** 1 3/4" Flange  
26" #18 UL 1430  
B/W Leads 105°C  
1/8 IP-Inside Extrusion  
Double Leg  
75W-125V



**80-1301** 3" Flange  
26" #18 UL 1430  
B/W Leads 105°C  
1/8 IP-Inside Extrusion  
Double Leg  
75W-125V



**80-1148** 3" Flange  
24" 18/2 SPT-2 105°C  
Clear Silver Leads  
1/8 IP-Inside Extrusion  
Single Leg  
75W-125V



**80-1302** 4" Flange  
26" #18 UL 1430  
B/W Leads 105°C  
1/8 IP-Inside Extrusion  
Double Leg  
75W-125V

## Candelabra Base Phenolic Sockets with Spring Clip



**80-1198** Ivory  
6" AWM B/W Leads 105°C  
75W-125V



**80-1275** Brown  
14" AWM B/W Leads 105°C  
75W-125V



**80-1093** Brown  
24" AWM B/W Leads 105°C  
75W-125V

## Candelabra European Style Sockets



**80-1094** 4 Piece  
Full Uno Thread and Ring  
1/8 IP  
Screw Terminals  
75W-125V



**80-1095** 4 Piece  
1/2 Uno Thread and Ring  
w/Shoulder 1/8 IP  
Screw Terminals  
75W-125V



**80-1311** 3 Piece  
Smooth  
1/8 IP  
Screw Terminals  
75W-125V

bulk lighting hardware

# phenolic

## Candelabra Base Sockets



### Phenolic Threaded Candelabra Sockets with Leads



**90-1556** 1 1/4"  
with Shoulder and Phenolic Ring  
8" AWM B/W Leads 105°C  
75W-125V



**80-1473** 1 1/4"  
with Shoulder and Phenolic Ring  
24" 18/2 SPT-1 Brown Leads 105°C  
75W-125V



**90-1557** 1 3/4"  
with Shoulder and Phenolic Ring  
8" AWM B/W Leads 105°C Pulled Thru  
1/8 IP Inside Extrusion  
75W-125V

### 3 Light Phenolic Threaded Candelabra Harness Sets



**80-1912** 1 1/4"  
with Shoulder and Phenolic Ring  
9" Centers 18" Tail  
AWM B/W Leads 150°C  
75W-125V



**80-1474** 1 1/4"  
with Shoulder and Phenolic Ring  
6" Centers 18" Tail  
18/2 SPT-1 105°C Brown  
75W-125V

### Rings for Threaded Candelabra Sockets



**80-1485**  
Brass Finish



**80-1486**  
Chrome Finish Ring



**80-1977**  
Phenolic Ring

bulk lighting hardware

# phenolic

## Candelabra Base Sockets



### Phenolic Threaded Candelabra Sockets with Leads



**90-1556** 1 1/4"  
with Shoulder and Phenolic Ring  
8" AWM B/W Leads 105°C  
75W-125V



**80-1473** 1 1/4"  
with Shoulder and Phenolic Ring  
24" 18/2 SPT-1 Brown Leads 105°C  
75W-125V



**90-1557** 1 3/4"  
with Shoulder and Phenolic Ring  
8" AWM B/W Leads 105°C Pulled Thru  
1/8 IP Inside Extrusion  
75W-125V

### 3 Light Phenolic Threaded Candelabra Harness Sets



**80-1912** 1 1/4"  
with Shoulder and Phenolic Ring  
9" Centers 18" Tail  
AWM B/W Leads 150°C  
75W-125V



**80-1474** 1 1/4"  
with Shoulder and Phenolic Ring  
6" Centers 18" Tail  
18/2 SPT-1 105°C Brown  
75W-125V

### Rings for Threaded Candelabra Sockets



**80-1485**  
Brass Finish



**80-1486**  
Chrome Finish Ring



**80-1977**  
Phenolic Ring

bulk lighting hardware





specialty  
Sockets

*Candelabra Base Porcelain Sockets w/Paper Liner*



**80-1090** 1 3/4"  
Screw Terminals  
1/8 IP Inside Extrusion  
Double Leg  
75W-125V



**80-1091** 2"  
Screw Terminals  
1/8 IP Inside Extrusion  
Double Leg  
75W-125V



**80-1092**  
Adjustable Leg 3 1/2" - 4 5/8"  
Screw Terminals  
1/8 IP Outside Extrusion  
Double Leg  
75W-125V

*Intermediate Base Porcelain Sockets*



**90-1554** 1 3/4"  
Screw Terminals  
1/8 IP Inside Extrusion  
Single Leg  
75W-250V



**90-1555** 1 3/4"  
1/8 IP Inside Extrusion  
8" AWM B/W 105°C Leads  
Pulled Thru Single Leg  
75W-250V

*Bayonet Base Double Contact Sockets*



**90-1558**  
1/8 IP Nipple  
8" AWM B/W Leads 105°C Pulled Thru  
150W-125V



**90-1559**  
1/8 IP Nipple  
Angle Bracket  
8" AWM B/W Leads 105°C Pulled Thru  
150W-125V



**90-1560**  
Flat Mounting Bracket  
Screw Holes 1 1/4" CC  
8" AWM B/W Leads 105°C  
150W-125V

bulk lighting hardware

# porcelain Mogul Base Sockets



bulk lighting hardware



4KV



4KV



**90-428**  
Three Way Turn Knob  
Mogul Base Socket  
Screw Terminals  
1/4 IP Hickey  
750W-250V

**90-429**  
Keyless  
Mogul Base Socket  
Screw Terminals  
1/4 IP Cap  
1500W-600V  
4KV Pulse Rated

**80-1378**  
Keyless  
Mogul Base Socket  
with Wireway  
Screw Terminals  
1/4 IP Cap  
1500W-600V  
4KV Pulse Rated



4KV



5KV

**80-1376**  
Keyless  
Mogul Base Socket  
w/2 Mounting Screws  
10"-SF-2 B/W Leads 200°C  
with Wireway  
1500W-600V  
4KV Pulse Rated

**80-1377**  
Keyless  
Mogul Base Socket  
w/2 Mounting Screws  
16"-SF-2 B/W Leads 200°C  
with Wireway  
1500W-600V  
5KV Pulse Rated



# Halogen Sockets

## Porcelain Halogen Sockets



**90-475**

MR16 Socket  
GX5.3 Base  
6" SF-1 200°C Leads  
75W-125V




**90-1590**

Round Halogen Socket  
G4-GX5.3-GY6.35 Base  
6" SF-1 200°C Leads  
75W-125V




**90-1553**

Round Halogen Socket  
1/8 IP Hickey  
G4-GX5.3-GY6.35 Base  
8" SF-1 200°C Leads  
75W-125V




**90-1080**

Mini Can Halogen Socket  
Screw Mount Bracket  
E11 Base  
6" SF-1 200°C Leads  
1,000W-250V



**90-1078**

78mm Double Ended  
Halogen Socket  
R7S Base, 6" SF-1  
200°C Leads  
1000W-250V




**90-1077**

118mm Double Ended  
Halogen Socket  
R7S Base, 6" SF-1  
200°C Leads  
1,000W-250V



**90-1561**

Halogen Socket  
R7S Base, 6" SF-1  
200°C Leads  
1,000W-250V



**90-474**

Double Ended  
Halogen Socket Set  
R7S Base, 12" SF-1  
200°C Leads  
1,000W-250V



**90-1552**

GU10 Socket  
w/Mounting Holes  
6" SF-1 200°C Leads  
1,000W-250V



**80-1500**

G9 Threaded Bi-Pin Socket  
1/8 IP  
20" UL1430 B/W Leads 250°C



**90-1081**

Porcelain 4 Terminal  
Wire Connector  
1,000W-250V

## Porcelain Wire Connectors High Heat 300V



**90-1311**

Small  
Rated Up to  
2 #18



**90-1312**

Medium  
Rated Up to  
4 #18



**90-1313**

Large  
Rated Up to  
6 #18

See pg. 58 for  
Additional Wire  
Connectors

bulk lighting hardware

# sign receptacles & Socket Accessories



bulk lighting hardware



**90-1112**

Two Piece Medium Base  
Porcelain Sign Receptacle  
Screw Terminals  
660W-250V



**90-425**

Two Piece Medium Base  
Porcelain Sign Receptacle  
Screw Terminals  
660W-250V



**90-1111**

Two Piece Medium Base  
Porcelain Sign Receptacle  
8" AWM B/W Leads 105°C  
660W-250V



**90-449**

Medium Base, Snap-In  
Phenolic Sign Receptacle  
Lay-In Wiring-Twist Top  
660W-250V




**90-1113**

Medium Base  
Phenolic Receptacle  
w/Mounting Holes  
Screw Terminals  
660W-250V




**90-1097**

Rubber Coated  
Pigtail with 6" Leads  
660W-600V



**90-1076**

Miniature Base  
Plastic Receptacle  
75W-125V



**90-532**

Candelabra Base  
Plastic Receptacle  
75W-125V



**90-446**

Medium Base  
Pull-Chain Current Tap  
660W-125V



# socket Clusters

## Steel "S" Clusters



**80-1189**

Twin Keyless-Brite Gilt  
with 14" 18/2 SPT-2 105°C  
Clear Gold Wire  
Internal Wire-18 AWM 105°C  
7" Centers 1/8 IP Top and  
1/8 IP Bottom 660W-250V



**80-1272**

Twin Keyless-Nickel  
with 14" 18/2 SPT-2 105°C  
Clear Silver Wire  
Internal Wire-18 AWM 105°C  
7" Centers 1/8 IP Top and  
1/8 IP Bottom 660W-250V



**80-1271**

Twin Keyless-Satin Nickel  
with 14" 18/2 SPT-2 105°C  
Clear Silver Wire  
Internal Wire-18 AWM 105°C  
7" Centers 1/8 IP Top and  
1/8 IP Bottom 660W-250V



**80-1268**

Twin Pull Chain-Brite Gilt  
Brite Gilt Chain and End Ball  
with 14" 18/2 SPT-2 105°C  
Clear Gold Wire  
Internal Wire-18 AWM 105°C  
7" Centers 1/8 IP Top and  
1/8 IP Bottom 660W-250V



**80-1270**

Twin Pull Chain-Nickel  
Nickel Chain and End Ball  
with 14" 18/2 SPT-2 105°C  
Clear Silver Wire  
Internal Wire-18 AWM 105°C  
7" Centers 1/8 IP Top and  
1/8 IP Bottom 660W-250V



**80-1269**

Twin Pull Chain-Satin Nickel  
Satin Nickel Chain and  
End Ball with 14" 18/2 SPT-2 105°C  
Clear Silver Wire  
7" Centers 1/8 IP Top and  
1/8 IP Bottom 660W-250V



**80-1161**

Unfinished-No Wire  
7" Centers  
1/8 IP Top and 1/4 IP Bottom



**80-1162**

Brite Gilt-No Wire  
7" Centers  
1/8 IP Top and 1/4 IP Bottom

## Stamped Brass Cluster Body



**80-1523** Polished Brass  
**80-1524** Polished Chrome  
**80-1532** Antique Brass

1/8 IP Nipple & Locknut Top-1/4IP Bottom  
250W-250V

bulk lighting hardware

# fluorescent Lampholders



## Medium Profile

*Rotary Locking T8-T12  
Used in Troffers  
and Wrap Fixtures  
for Retro Fit Kits  
and Replacement  
Snap Wing Mounting  
Made from Urea  
660W-600V*



**80-1252** *Shunted for Instant Start  
Ballast Applications*  
**80-1253** *Rapid Start Applications*



*Standard Twist -In  
Used in Troffers  
and Wrap Fixtures  
Slide-On Mounting  
Made from Urea  
660W-600V*

**80-1254** *Rapid Start Applications,  
Slide-On Mounting  
20 Gauge Slots Upper and Lower*  
**80-1255** *Shunted for Instant Start Ballast Applications  
Slide-On Mounting, 20 Gauge Slots Upper  
and 18 Gauge Lower*

*Twist -In T12 Shunted  
Dedicated T8 Lampholder  
w/T12 Stop  
Used in Troffers  
and Wrap Fixtures  
Slide-On Mounting  
20 Gauge Slots Upper  
and 18 Gauge Slots Lower  
Made from Urea  
660W-600V*



**80-1256** *Shunted for Instant Start  
Ballast Applications*



*U-Bend Straight In  
Used for 2x2 Troffers  
Slide-On Mounting  
20 Gauge Slots  
Upper and Lower  
Made from Urea  
660W-600V*

**80-1257** *Rapid Start Applications,*  
**80-1258** *Shunted for Instant Start  
Ballast Applications*

## Tall Profile



**80-1245** *Shunted for Instant Start  
Ballast Applications*  
**80-1246** *Rapid Start Applications  
Tall Rotary Locking T8/T12  
Used in Troffers and Wrap Fixtures  
for Retro Fit Kits/Replacements  
Snap Wing Mounting  
Made from Urea 660W-600V*



**80-1247** *Tall Standard  
Twist-In  
Used in Strip Fixtures  
for Rapid Start Applications  
Slide-On Mounting  
20 Gauge Slots Upper and Lower  
Made from Urea 660W-600V*



**80-1248** *Tall Standard Twist-In  
Externally Shunted  
Used in Strip Fixtures  
for Instant Start Ballasts  
Slide-On Mounting  
20 Gauge Slots Upper  
and 18 Gauge Lower  
Made from Urea 660W-600V*

bulk lighting hardware



# fluorescent Lampholders

## T12 Slimline Single Pin Fluorescent Sockets



**80-1496**  
Plunger



**80-1497**  
Fixed

Shallow Base  
Slide-On Quick Wire for  
Wet and Damp Locations  
Rapid Start for 20 Gauge Panels  
Strip 3/8"-1/2"  
660W-600V

## T12(HO) High Output Fluorescent Sockets – Recessed Double Contact



**80-1498**  
Plunger



**80-1499**  
Fixed

Quickwire Terminals Accept  
Up to 18 Gauge  
Solid Or Tinned Leads  
Slide-On Shallow Base  
Rapid Start  
Strip 3/8"-1/2"  
660W-600V



**80-1249**  
Butt-On Mounting  
Lampholder  
Rapid Start Applications  
660W-600V



**80-1250**  
Fluorescent Starter Holder  
Snap-In Mounting Spring  
660W-250V



**80-1251**  
T5 Lampholder with 9" Leads  
for Retro Fit and Replacement  
Tall Right Angle Bracket  
120W-600V



**80-1490**  
Circle Connector-Quickwire  
Used with High Voltage  
Instant Starting Transformers  
Accepts 18AWG Leads  
Solid or Stranded w/Brass  
Alloy Contact  
660W-600V

bulk lighting hardware

# fluorescent Lampholders



## Compact Fluorescent Lampholders – CFL

Rated 75W–600V

### 2 Pin Lamps



**90-1540**

Horizontal Snap-In  
G23–G23-2 Base

For: CF5, 7, 9DS and CF9DD



**90-1541**

Horizontal Screw Down  
G23–G23-2 Base

For: CF5, 7, 9DS and CF9DD



**90-1542**

Vertical Screw Down  
G23–G23-2 Base

For: CF5, 7, 9DS and CF9D



**90-1543**

Horizontal Snap-In  
GX23 and GX23-2 Base

For: CF13DS and CF13DD



**90-1544**

Horizontal Screw Down  
GX23 and GX23-2 Base

For: CF13DS and CF13DD



**90-1545**

Vertical Screw Down  
GX23 and GX23-2 Base

For: CF13DS and CF13DD



**90-1547**

18W Two-Pin Bottom Screw Down  
G24D-2 and GX24D-2 Base

For: CF18DD and CF18DT



**90-1548**

26W Two-Pin Bottom Screw Down  
G24D-3 and GX24D-3 Base

For: CF26DD and CF26DT

### 4 Pin Lamps



**90-1549**

13W Four-Pin Bottom Screw Down  
G24Q-1 and GX24Q-1 Base

For: CF13DD/E and CF13DT/E



**90-1550**

18W Four-Pin Bottom Screw Down  
G24Q-2 and GX24Q-2 Base

For: CF18DD/E and CF18DT/E



**90-1551**

26W Four-Pin Bottom Screw Down  
G24Q-3 and GX24Q-3 Base

For: CF26DD/E and CF26DT/E

bulk lighting hardware





electronic  
**Socket Ballasts**  
Twist-Lock

4-Pin CFL Sockets



80-1325 13W  
80-1324 18W  
80-1383 26W  
1/8 IP Hickey



Uno Ring  
80-1335 13W  
80-1336 18W  
80-1382 26W  
1/8 IP Hickey



26/32/42W Multi  
80-1323  
1/8 IP Hickey



26/32W Dimmer w/Knob  
80-1331  
• 1/8 IP Hickey  
• Integral Harp Saddle  
• Integral Dimmer  
• Indoor Only



Low Profile  
80-1384 13W  
80-1385 18W  
80-1386 26W  
1/8 IP Hickey



80-1405 13W  
80-1406 18W  
Snap-In Bracket

- Rating: 120V/60HZ
- Rated: Indoor / Outdoor  
Minus 20 Degrees
- Replaceable Ballast
- Detachable:  
Twist Lock Socket

| Primary Lamp Type | Satco OrderNo. | Finish | Terminal       | Cap | Hickey          | Wire   | Pkd |
|-------------------|----------------|--------|----------------|-----|-----------------|--------|-----|
| 13W               | 80/1325        | Ivory  | With 24" Leads | Cap | Hickey          | UL1015 | 200 |
| 18W               | 80/1324        | Ivory  | With 24" Leads | Cap | Hickey          | UL1015 | 200 |
| 26W               | 80/1383        | Ivory  | With 24" Leads | Cap | Hickey          | UL1015 | 200 |
| 13W Uno / Ring    | 80/1335        | Ivory  | With 24" Leads | Cap | Hickey          | UL1015 | 200 |
| 18W Uno / Ring    | 80/1336        | Ivory  | With 24" Leads | Cap | Hickey          | UL1015 | 200 |
| 26W Uno / Ring    | 80/1382        | Ivory  | With 24" Leads | Cap | Hickey          | UL1015 | 200 |
| 26/32/42 W        | 80/1323        | Ivory  | With 24" Leads | Cap | Hickey          | UL1015 | 200 |
| 26/32 Dimmer      | 80/1331        | Ivory  | With 36" Leads | Cap | Hickey          | UL1015 | 200 |
| 13W Low Profile   | 80/1384        | Ivory  | With 24" Leads | Cap | Hickey          | UL1015 | 200 |
| 18W Low Profile   | 80/1385        | Ivory  | With 24" Leads | Cap | Hickey          | UL1015 | 200 |
| 26W Low Profile   | 80/1386        | Ivory  | With 24" Leads | Cap | Hickey          | UL1015 | 200 |
| 13W               | 80/1405        | Ivory  | With 24" Leads | Cap | Snap-In Bracket | UL1015 | 200 |
| 18W               | 80/1406        | Ivory  | With 24" Leads | Cap | Snap-In Bracket | UL1015 | 200 |

bulk lighting hardware

# electronic Ballasts



## T8 Instant Start – Dedicated Voltage



### <20% THD Electronic T8 Fluorescent Ballasts

| Primary Lamp Type   | Number of Lamps | Voltage | Satco Order No. | Ballast Number     | Case |
|---|-----------------|---------|-----------------|--------------------|------|
| F32T8   | 1               | 120     | S6623           | QT1X32T8120/ISN/SC | 10   |
| F32T8   | 1               | 277     | S6633           | QT1X32T8277/ISN/SC | 10   |
| F32T8   | 2               | 120     | S6624           | QT2X32T8120/ISN/SC | 10   |
| F32T8   | 2               | 277     | S6634           | QT2X32T8277/ISN/SC | 10   |
| F32T8   | 3               | 120     | S6625           | QT3X32T8120/ISN/SC | 10   |
| F32T8   | 3               | 277     | S6635           | QT3X32T8277/ISN/SC | 10   |
| F32T8   | 4               | 120     | S6626           | QT4X32T8120/ISN/SC | 10   |
| F32T8   | 4               | 277     | S6636           | QT4X32T8277/ISN/SC | 10   |
| Also operates F17T8 • F25T8 • F28T8/SS • F30T8/SS • F40T8 • FB016 • FB024 • FB031 • FB032                   |                 |         |                 |                    |      |
| For F40T8 operation, use 2 lamp ballast for 1 lamp, 3 lamp ballast for 2 lamps, 4 lamp ballast for 3 lamps. |                 |         |                 |                    |      |
| F96T8   | 1/2             | 120     | S5211           | QT2X59120/IS       | 10   |
| F96T8   | 1/2             | 277     | S5212           | QT2X59277/IS       | 10   |

Also Operates: FB032, F025, FB024, F017, FB016, F030/SS, FB030/SS, (30W Lamps) & F028/SS (28W Lamps)

## T8 Instant Start – Universal Voltage



### <10% THD Electronic T8 Fluorescent Ballasts

| Primary Lamp Type   | Number of Lamps | Voltage | Satco Order No. | Ballast Number       | Case |
|---|-----------------|---------|-----------------|----------------------|------|
| F32T8   | 1               | 120/277 | S5207           | QTP1X32T8/UNV/ISN/SC | 10   |
| F32T8   | 2               | 120/277 | S5208           | QTP2X32T8/UNV/ISN/SC | 10   |
| F32T8   | 3               | 120/277 | S5209           | QTP3X32T8/UNV/ISN/SC | 10   |
| F32T8   | 4               | 120/277 | S5210           | QTP4X32T8/UNV/ISN/SC | 10   |
| Also operates F17T8 • F25T8 • F28T8/SS • F30T8/SS • F40T8 • FB016 • FB024 • FB031 • FB032                   |                 |         |                 |                      |      |
| For F40T8 operation, use 2 lamp ballast for 1 lamp, 3 lamp ballast for 2 lamps, 4 lamp ballast for 3 lamps. |                 |         |                 |                      |      |
| F96T8   | 2               | 120/277 | S5213           | QTP2X59T8/UNV/ISN/SC | 10   |

Also Operates: FB032, FB031, F025, FB024, F017, FB016, F030/SS, FB030/SS (30W Lamps) & F028/SS (28W Lamps)

## T8 4 Foot Programmed Start Universal Voltage



### < 10% THD Electronic T8 Fluorescent Ballasts

| Primary Lamp Type | Number of Lamps | Voltage | Satco Order No. | Ballast Number      | Case |
|-------------------|-----------------|---------|-----------------|---------------------|------|
| F32T8             | 1               | 120/277 | S5286           | QTP1X32T8/UNV/PSNTC | 10   |
| F32T8             | 2               | 120/277 | S5287           | QTP2X32T8/UNV/PSNTC | 10   |
| F32T8             | 3               | 120/277 | S5288           | QTP3X32T8/UNV/PSNTC | 10   |
| F32T8             | 4               | 120/277 | S5289           | QTP4X32T8/UNV/PSNTC | 10   |

Also operates F17T8 • F25T8 • F28T8/SS • F30T8/SS • FB016 • FB024 • FB031 • FB032

Also Operates: F096T8/SS (55W Lamp)



# electronic Ballasts

## T5 Programmed Start Universal Voltage

### T5 Programmed Start

| Primary Lamp Type | Number of Lamps | Voltage | Satco Order No. | Ballast Number  | Case |
|-------------------|-----------------|---------|-----------------|-----------------|------|
| F28T5             | 1               | 120/277 | <b>S5221</b>    | QTP1X28UNVPSNLL | 20   |
| F28T5             | 2               | 120/277 | <b>S5222</b>    | QTP2X28UNVPSNLL | 20   |

Also operates F14T5 • F21T5 • F35T5



### T5 HO Programmed Start

| Primary Lamp Type | Number of Lamps | Voltage | Satco Order No. | Ballast Number         | Case |
|-------------------|-----------------|---------|-----------------|------------------------|------|
| F39T5/HO          | 1               | 120/277 | <b>S5214</b>    | QTP1X39/24T5HOUNVPSNLL | 20   |
| F39T5/HO          | 2               | 120/277 | <b>S5215</b>    | QTP2X39/24T5HOUNVPSNLL | 20   |

Also operates F24T5/HO • FPC22 • FPC40 • FT24DL • CF24DF • FT36DL • CF36DF

|          |   |         |              |                     |    |
|----------|---|---------|--------------|---------------------|----|
| F54T5/HO | 1 | 120/277 | <b>S5218</b> | QTP1X54T5HOUNVPSNLL | 20 |
| F54T5/HO | 2 | 120/277 | <b>S5219</b> | QTP2X54T5HOUNVPSNLL | 20 |

Also operates FT55DL • FPC55

|          |   |         |              |                     |    |
|----------|---|---------|--------------|---------------------|----|
| F80T5/HO | 1 | 120/277 | <b>S5220</b> | QTP1X80T5HOUNVPSNLL | 20 |
|----------|---|---------|--------------|---------------------|----|

Also operates FT80DL



## 40 T12 Rapid Start

### T12 F40T12 Rapid Start

| Primary Lamp Type | Number of Lamps | Voltage | Satco Order No. | Ballast Number       | Case |
|-------------------|-----------------|---------|-----------------|----------------------|------|
| F40T12            | 1               | 120     | <b>S5258</b>    | QTP1X40T12/120/RSN/B | 20   |
| F40T12            | 1               | 277     | <b>S5259</b>    | QTP1X40T12/277/RSN/B | 20   |
| F40T12            | 2               | 120     | <b>S5260</b>    | QTP2X40T12/120/RSN/B | 20   |
| F40T12            | 2               | 277     | <b>S5261</b>    | QTP2X40T12/277/RSN/B | 20   |
| F40T12            | 3               | 120     | <b>S5262</b>    | QTP3X40T12/120/RSN/B | 20   |
| F40T12            | 3               | 277     | <b>S5263</b>    | QTP3X40T12/277/RSN/B | 20   |



bulk lighting hardware

# electronic Ballasts



bulk lighting hardware

## TT5 Instant Start



### TT5 FT40DL Instant Start

| Primary Lamp Type | Number of Lamps | Voltage | Satco Order No. | Ballast Number | Case |
|-------------------|-----------------|---------|-----------------|----------------|------|
| FT40              | 1               | 120     | S5240           | QT1x40/120/DL  | 10   |
| FT40              | 1               | 277     | S5241           | QT1x40/277/DL  | 10   |
| FT40              | 2               | 120     | S5242           | QT2x40/120/DL  | 10   |
| FT40              | 2               | 277     | S5243           | QT2x40/277/DL  | 10   |
| FT40              | 3               | 120     | S5244           | QT3x40/120/DL  | 10   |
| FT40              | 3               | 277     | S5245           | QT3x40/277/DL  | 10   |

## Compact Fluorescent



| Primary Lamp Type  | Number of Lamps | Voltage | Satco Order No. | Ballast Number         | Case |
|--|-----------------|---------|-----------------|------------------------|------|
| CF13   | 1/2             | 120/277 | S5223           | QTP1/2X13CF/UNV/BS     | 20   |
| CF13   | 1/2             | 120/277 | S5225           | QTP1/2X13CF/UNV/TS     | 20   |
| Operates 1 or 2 each CF13DT/E • CF13DD/E                                     |                 |         |                 |                        |      |
| CF18   | 1/2             | 120/277 | S5226           | QTP1/2X18CF/UNV/BS     | 20   |
| CF18   | 1/2             | 120/277 | S5228           | QTP1/2X18CF/UNV/TS     | 20   |
| Operates 1 or 2 each CF18DT/E • CF18DD/E                                     |                 |         |                 |                        |      |
| CF26   | 1/2             | 120/277 | S5229           | QTP1/2X26CF/UNV/BS     | 20   |
| CF26   | 1/2             | 120/277 | S5231           | QTP1/2X26CF/UNV/TS     | 20   |
| Operates 1 or 2 each CF26DT/E • CF26DD/E Operates 1 each CF32DT/E • CF42DT/E |                 |         |                 |                        |      |
| CF26   | 1/2             | 120/277 | S5232           | QTP1/2XCF/UNV/BM       | 20   |
| CF26   | 1/2             | 120/277 | S5233           | QTP1/2XCF/UNV/PM       | 18   |
| CF26   | 1/2             | 120/277 | S5234           | QTP1/2XCF/UNV/TM       | 18   |
| Operates 1 or 2 each CF26DT/E • CF26DD/E Operates 1 each CF32DT/E • CF42DT/E |                 |         |                 |                        |      |
| CF26   | 2               | 120/277 | S5235           | QTP2X26/32/42CF/UNV/BM | 20   |
| CF26   | 2               | 120/277 | S5236           | QTP2X26/32/42CF/UNV/PM | 18   |
| CF26   | 2               | 120/277 | S5237           | QTP2X26/32/42CF/UNV/TM | 18   |
| Operates 2 each CF26DT/E • CF32DT/E • CF42DT/E                               |                 |         |                 |                        |      |
| CF57   | 1               | 120/277 | S5238           | QTP1X57CF/UNV/BM       | 20   |
| CF57   | 1               | 120/277 | S5239           | QTP1X57CF/UNV/PM       | 18   |
| Operates 1 each CF57DT/E • CF70DT/E  |                 |         |                 |                        |      |


- BS = Bottom Mount / Plastic Case
- TS = Top Mount / Plastic Case
- BM = Bottom Mount / Metal Case
- PM = PEM Stud Mount / Metal Case
- TM = Top Mount / Metal Case

## T2 Universal Voltage



### T2 Subminiature

| Primary Lamp Type                       | Number of Lamps | Voltage | Satco Order No. | Ballast Number | Case |
|---|-----------------|---------|-----------------|----------------|------|
| FM13                                    | 1/2             | 120/277 | S5246           | QT-FM          | 50   |
| Operates 1 or 2 FM6 • FM8 • FM11 • FM13 |                 |         |                 |                |      |



# magnetic Ballasts

## Rapid Start

### F40T12 & F34T12 Rapid Start

| Primary Lamp Type   | Number of Lamps | Voltage | Satco Order No. | Ballast Number | Case |
|---|-----------------|---------|-----------------|----------------|------|
| F34T12  | 1               | 120     | S5274           | MB1X40/120RS   | 10   |
| F34T12  | 1               | 277     | S5275           | MB1X40/277RS   | 10   |
| Also operates F40T12 • F40T10 • FB40T12 • FB34T12/SS • F30T12 • F25T12/SS |                 |         |                 |                |      |
| F34T12  | 2               | 120     | S6620           | MB2X40/120RS   | 10   |
| F34T12  | 2               | 277     | S6622           | MB2X40/277RS   | 10   |
| Also operates F40T12 • F40T10 • FB40T12 • FB34T12/SS                      |                 |         |                 |                |      |
| F40T12  | 1               | 120     | S5276           | MB1X40/120RES  | 16   |
| Operates F40T12 FULL WATTAGE LAMPS ONLY - Not for use for F34T12 lamps    |                 |         |                 |                |      |
| F30T12  | 2               | 120     | S5171           | MB2X30/120RS   | 10   |
| F30T12  | 2               | 277     | S5170           | MB2X30/277RS   | 10   |
| Operates F30T12 and F25T12/SS Lamps                                       |                 |         |                 |                |      |



## Instant Start Slimline

### T12 Slimline Instant Start

| Primary Lamp Type   | Number of Lamps | Voltage | Satco Order No. | Ballast Number | Case |
|---|-----------------|---------|-----------------|----------------|------|
| F48T12  | 2               | 120     | S5277           | MB2X48/120IS   | 6    |
| F48T12  | 2               | 277     | S5278           | MB2X48/277IS   | 6    |
| Also operates F48T12/SS                                     |                 |         |                 |                |      |
| F96T12  | 1               | 120     | S5279           | MB1X96/120IS   | 6    |
| F96T12  | 1               | 277     | S5280           | MB1X96/277IS   | 6    |
| F96T12  | 2               | 120     | S6621           | MB2X96/120IS   | 6    |
| F96T12  | 2               | 277     | S5281           | MB2X96/277IS   | 6    |
| Also operates F60T12 • F64T12 • F72T12 • F84T12 • F96T12/SS |                 |         |                 |                |      |



## Preheat/Trigger Start

### T8 / T12 PreHeat and Trigger Start

| Primary Lamp Type                             | Number of Lamps | Voltage | Satco Order No. | Ballast Number  | Case |
|---|-----------------|---------|-----------------|-----------------|------|
| F15T12  | 1               | 120     | S5268           | MB1X15/120PH/TP | 16   |
| F20T12  | 1               | 120     | S5269           | MB1X20/120PH/TP | 40   |
| F20T12  | 1               | 120     | S5270           | MB1X20/120PH/TP | 40   |
| F20T12  | 2               | 120     | S5271           | MB2X20/120PH/TP | 16   |
| Also operates F14T8 • F14T12 • F15T8 • F15T12 |                 |         |                 |                 |      |



bulk lighting hardware

# magnetic Ballasts



bulk lighting hardware

## Circline



### T9 Circline Rapid Start

| Primary Lamp Type | Number of Lamps | Voltage | Satco Order No. | Ballast Number | Case |
|-------------------|-----------------|---------|-----------------|----------------|------|
| FC8T9             | 1               | 120     | S5273           | MB1X22/120CIRC | 16   |
| FC12T9            | 1               | 120     | S5272           | MB1X32/120CIRC | 16   |

Also operates FC16T9

## Rapid Start HO



### T12 HO Rapid Start

| Primary Lamp Type | Number of Lamps | Voltage | Satco Order No. | Ballast Number | Case |
|-------------------|-----------------|---------|-----------------|----------------|------|
| F96T12/HO         | 1               | 120     | S5282           | MB1X96HO/120RS | 4    |
| F96T12/HO         | 1               | 277     | S5283           | MB1X96HO/277RS | 4    |
| F96T12/HO         | 2               | 120     | S5284           | MB2X96HO/120RS | 4    |
| F96T12/HO         | 2               | 277     | S5285           | MB2X96HO/277RS | 4    |

Also operates F24HO • F36HO • F42HO • F48HO • F60HO • F72HO • F84HO • F96HO/SS



### T12 VHO Rapid Start

| Primary Lamp Type | Number of Lamps | Voltage | Satco Order No. | Ballast Number   | Case |
|-------------------|-----------------|---------|-----------------|------------------|------|
| F96T12/VHO        | 1               | 120     | S5264           | MB1X96/VHO/120RS | 4    |
| F96T12/VHO        | 1               | 277     | S5265           | MB1X96/VHO/277RS | 4    |

Also operates F48/VHO • F60/VHO • F72/VHO • F96/VHO/SS

|            |   |     |       |                  |   |
|------------|---|-----|-------|------------------|---|
| F96T12/VHO | 2 | 120 | S5266 | MB2X96/VHO/120RS | 4 |
| F96T12/VHO | 2 | 277 | S5267 | MB2X96/VHO/277RS | 4 |

Also operates F72/VHO • F96/VHO/SS



# switches & Dimmer Controls


## Canopy & Ceiling Fan Pull Chain Switches



90-704 Brass Finish  
90-505 Nickel Finish

Single Circuit Canopy Switch:  
On-Off


Rated: 6A-125V, 3-A 250V  
W/6" AWM 105 Wire, Strip 3/4"  
w/Metal Chain, White Cord & Bell



90-2260 Brass Finish  
90-2261 Nickel Finish

Two Circuit Canopy Switch:  
4 Position

Rated: 6A-125V, 3-A 250V  
Brass Chain & Bell Nut  
W/6" AWM 105 Wire, Strip 3/4"  
w/Metal Chain, White Cord & Bell



90-689

Two Circuit Ceiling Fan Switch  
Rated: 6A-125V, 3-A 250V  
Nickel Chain & Bell Nut  
W/6" AWM 105 Wire, Strip 1/2"  
w/Nickel Chain, White Cord & Bell



90-690

Two Speed 4 Position  
Ceiling Fan Switch  
Rated: 6A-125V, 3-A 250V  
Nickel Chain & Bell Nut  
W/6" AWM 105 Wire, Strip 1/2"  
w/Brass Chain, White Cord & Bell

## Dimmer Controls

### Slide - Floor Lamp Dimmers



90-1069 White  
90-1070 Black

Full Range Floor Slide Dimmer  
Rated 500W-120V-4.3A  
Indicator Light & Positive Off  
Female Polarized Receptacle  
7 ft. # 18/2 SPT-2 105°  
cord with molded plug

### Step on Switches.



80-1466 White  
80-1163 Black

Step On Switch - On-Off  
Rated 1A-250V 2A-125V 3A-125V  
Button Type Floor Switch  
Switch is for SPT-1 & SPT-2  
Fully Assembled

### Slide - Table Lamp Dimmers



93-5011 White  
93-5012 Black

Full Range Table-Top Slide Dimmer  
Rated 300W-120V  
Indicator Light & Positive Off  
8 ft. # 18/2 SPT-2 105° Cord Set  
Female & Male Plug

bulk lighting hardware

# rotary Switches



*On-Off Metal Rotary Switches with Metal Bushings.  
Single Circuit: On-Off – 6" leads 3/4" Strip. 3A–250V, 6A–125V.*



**90-501** Brass Finish  
**90-507** Nickel Finish  
3/8" Bushing



**80-1134** Brass Finish  
**80-1135** Nickel Finish  
5/8" Bushing




**80-1363** Brass Finish  
**80-1364** Nickel Finish  
1" Bushing




**80-1413** Brass Finish  
**80-1414** Nickel Finish  
1 1/2" Bushing

*3-Way Metal Rotary Switches with Metal Bushings  
Two Circuit – Four Position: L-1, L-2, L1-2, Off. 6" Leads – 3/4" Strip  
3A–250V, 6A–125V.*



**90-504** Brass Finish  
**90-590** Nickel Finish  
3/8" Bushing



**80-1138** Brass Finish  
**80-1139** Nickel Finish  
5/8" Bushing



**80-1365** Brass Finish  
**80-1366** Nickel Finish  
1" Bushing




**80-1415** Brass Finish  
**80-1416** Nickel Finish  
1 1/2" Bushing

## Lighted Switches

*On-Off Lighted  
Rotary Switch  
with Plastic Bushing  
Single Circuit  
3A-250V, 6A-125V.  
6" Leads – 3/4" Strip*



**80-1359** Brass Finish  
**80-1360** Nickel Finish



**80-1361** Brass Finish  
**80-1362** Nickel Finish

*3- Way Lighted  
Rotary Switch  
with Plastic Bushing  
Two Circuit –  
Four Position:  
L-1, L-2, L1-2, Off  
6" Leads – 3/4" Strip*

*Phenolic On-Off  
Rotary Switch  
6" Leads – 3/4" Strip  
1A-125V 3A-125V  
1.5A-250V*



**90-502** Black  
3/8" Bushing



**90-703** White  
3/8" Bushing

bulk lighting hardware





# push Switches

## On-Off Metal Push Switches with Metal Bushings. Single Circuit: 3A-250V 6A-125V 6" Leads 3/4" Strip




90-508 Brass Finish  
90-1676 Nickel Finish  
3/8" Bushing



80-1126 Brass Finish  
80-1127 Nickel Finish  
5/8" Bushing




80-1367 Brass Finish  
80-1368 Nickel Finish  
1/2" Bushing




80-1409 Brass Finish  
80-1410 Nickel Finish  
1/4" Bushing


## 3-Way Metal Push Switches with Metal Bushings Two Circuit - Four Position: L-1, L-2, L1-2, Off 3A-250V 6A-125V 6" Leads - 3/4" Strip




90-1678 Brass Finish  
90-1679 Nickel Finish  
3/8" Bushing



80-1130 Brass Finish  
80-1131 Nickel Finish  
5/8" Bushing




80-1369 Brass Finish  
80-1370 Nickel Finish  
1/2" Bushing




80-1411 Brass Finish  
80-1412 Nickel Finish  
1/4" Bushing

## Lighted Switches

### On-Off Lighted Push Switch with Plastic Bushing Single Circuit 3A-250V, 6A-125V 6" Leads - 3/4" Strip



80-1355 Brass Finish  
80-1356 Nickel Finish



80-1357 Brass Finish  
80-1358 Nickel Finish

### 3-Way Lighted Push Switch with Plastic Bushing Two Circuit - Four Position: L-1, L-2, L1-2, Off 6" Leads - 3/4" Strip

bulk lighting hardware

# switches & Outlets



## Rocker, Toggle & Hi-Lo Switches




**80-1141**

*Black Rocker Switch w/White Dot*  
Sequence: On-Off  
Rated: 15A-125V, 10-A 250V  
6" AWM 105°C Leads Strip 3/4"



**80-1371**

*Round Black Hi-Low Rocker Switch*  
Sequence: Hi-Low  
Rated: 6A-125V, 3A 250V  
6" AWM 105°C Leads Strip 3/4"



**80-1140**

*Two Circuit Hi-Low Rotary Switch w/Diode*  
Rated: 6A-125V, 3-A 250V  
Brass Knob-3/8" Bushing  
6" AWM 105°C Leads Strip 3/4"



**90-1106**

*Single Circuit On-Off Toggle Switch*  
Rated: 6A-125V, 3-A 250V  
Nickel Bat-3/8" Bushing  
6" AWM 105°C Leads Strip 3/4"

## 3 Wire Receptacle



**80-1408** White  
**80-1142** Black

Function: 2-Pole, 3-Wire  
Metal Snap-In Receptacle  
Opening Size: 1" x 1" x 1"  
Rated 15A-125V  
6" #16 GA AWM 105°C  
Black, White & Green Leads Strip 3/4"

## 2 Wire Receptacle



**90-545** Black

Function: Flat Head, 2-Wire  
Metal Snap-In Receptacle  
Opening Size: 1 1/8" x 1/2" x 7/8"  
Rated 15A-125V  
6" #14 GA AWM 105°C  
Black White Leads Strip 3/4"

bulk lighting hardware



# dimmer switches

## Full Range Dimmer Switches



**80-1166**

Full Range Table Lamp Dimmer Switch  
Phenolic Housing  
Black 300W Dimmer  
12" AWM 105°C Black Leads Strip 1/2"  
w/Two Knobs: Black & Brass  
300W-120V



**80-1293**

Full Range Table Lamp Dimmer Switch  
Paper Housing  
300W Leads  
12" AWM 105°C Black Leads Strip 1/2"  
w/Two Knobs: Black & Brass  
60-300W-120V



**80-1241**

Full Range Table Lamp Dimmer Switch  
Phenolic Housing  
Black 300W Dimmer  
12" AWM 105°C Black Leads Strip 1/2"  
w/One Knob: Black  
300W-120V

bulk lighting hardware




**90-1082**

Full Range Pole Lamp Dimmer Switch  
Paper Housing  
500W Pole or Post Lamp Dimmer  
w/One End 2 Foot Leads SPT-1 Black  
Other End 7" SPT-1, Strip 1/2"  
w/One Brass Knob  
500W-120V



**80-1481** Brown  
**80-1482** Ivory

Full Range Lamp Cord  
Rotary Dimmer Switch  
Phenolic - 200W-120V



**80-1167**

Full Range Socket Dimmer  
Medium Base  
Candle Socket w/Paper Liner  
150W Full Range  
w/Removable Black Knob  
1/8 IP Bushing w/Set Screw  
5 1/2" AWM B/W150°C Leads Strip 1/2"  
150W-120V

## Plastic Dimmer Knobs



**90-798**

Brass Finish Knob



**90-799**

Chrome Finish Knob



**90-2315**

Black Knob

# socket & outlet Adaptors




bulk lighting hardware



**90-546** Ivory  
Medium Base – Polarized  
Socket Outlet Adapter  
660W-125V



**90-547** Brown  
Medium Base – Polarized  
Socket Outlet Adapter  
660W-125V



**90-438** Ivory  
Medium Base – Polarized  
Socket Outlet Adapter  
660W-125V



**90-437** Brown  
Medium Base – Polarized  
Socket Outlet Adapter  
660W-125V



**90-1120** Ivory  
Triple Cube Tap  
Polarized  
15A-125V



**90-1119** Brown  
Triple Cube Tap  
Polarized  
15A-125V



**90-1118** Ivory  
Single to Triple Adapter  
Polarized  
15A-125V



**90-1117** Brown  
Single to Triple Adapter  
Polarized  
15A-125V



**90-806**  
Three to Two Adapter  
Polarized  
15A-125V



**90-1404** White  
**90-1405** Brown  
Add-On Outlet



**90-1121**  
Single to Twin Lamp Holder  
660W Max. Total-250V



socket

# Reducers & Extenders



**92-400**  
Medium to Candelabra Reducer  
75W-250V



**92-321**  
Medium to French Reducer  
75W-250V



**92-322**  
Medium to Intermediate Reducer  
75W-250V



**92-401**  
French to Candelabra Reducer



**92-403**  
Intermediate to Candelabra Reducer



**92-406**  
Mogul to Medium Reducer  
660W-250V



**92-405**  
Candelabra to Intermediate Extender



**90-1519**  
Candelabra to Medium Extender



**92-407**  
French to Intermediate Extender



**92-414**  
Medium to Mogul Extender  
Overall Ext. 1 3/4"  
660W-250V



**92-323**  
Medium to Medium Phenolic Extender  
Overall Ext. 1"



**92-324**  
Medium to Medium Porcelain Extender  
Overall Ext. 1"  
660W-250V

bulk lighting hardware

# attachment Plugs



bulk lighting hardware

## Plugs for 18/2 SPT-1 Wire



**Slide Plug-Polarized**  
18/2-SPT 1 8A-125V

- 90-715 Brown
- 90-716 Ivory
- 90-719 Black
- 90-2041 Gold
- 90-2245 Silver



**Quick Connect Plug**  
Non Polarized  
18/2-SPT 1

- 90-631 White
- 90-632 Brown




**Quick Connect Plug**  
Polarized  
18/2-SPT 1

- 90-1520 White
- 90-1521 Brown
- 90-1522 Black



**Attachment Plug-Polarized**  
18/2-SPT 1

- 90-393 Ivory
- 90-394 Brown



**Female Slide Plug-Polarized**  
18/2-SPT 1

- 90-793 Brown
- 90-794 Ivory

## Plugs for 18/2 SPT-2 Wire



**Slide Plug-Polarized**  
18/2-SPT 2 8A-125V


- 90-695 Brown
- 90-696 Ivory
- 90-697 Black
- 90-2040 Gold
- 90-2244 Silver



**Quick Connect Flat Plug**  
Non Polarized  
18/2-SPT 2

- 90-1083 White
- 90-1084 Brown

## Plugs for 18/2 SVT Round Wire



**Attachment Plug**  
with Terminal Screws

- 90-1114 Brown
- 90-1115 White
- 90-1116 Black



# cord Switches

bulk lighting hardware



**On-Off Cord Switch  
for 18/2 SPT 1  
6A-125V 3A-250V 3A-125V**

- 90-500 White
- 90-506 Brown
- 90-814 Black



**On-Off Cord Switch  
for 18/2 SPT 2  
6A-125V 3A-250V 3A-125V**

- 90-573 White
- 90-574 Brown
- 90-825 Black



**200 Watt Hi-Low Dimmer  
for 18/2 SPT 1  
200W-120V**

- 90-436 White
- 90-435 Brown



**200 Watt Hi-Low Dimmer  
for 18/2 SPT 2  
200W-120V**

- 90-820 White
- 90-821 Brown



**Heavy Duty Rocker Switch  
for 18/2, 16/2 SPT1 & SPT 2 &  
18/2 SVT  
3A-125V 1/2HP-125V**

- 90-434 Ivory
- 90-433 Brown



**Feed Thru Rocker Switch  
for 18/2 SPT 2  
3A-120V**

- 90-2368 Black
- 90-2369 White
- 90-2370 Brown
- 90-2371 Silver
- 90-2372 Gold

# bulk Spool Wire



bulk lighting hardware



**18/2 SPT-1 105°C 250 Ft./Spool**

- 93-130 White
- 93-132 Black
- 93-131 Brown
- 93-138 Clear Silver
- 93-139 Clear Gold
- 93-140 Metallic Gold

Packing: 8 Spools/Master



**18/2 SPT-2 105°C 250 Ft./Spool**

- 93-127 Black
- 93-168 Clear Silver
- 93-129 Clear Gold
- 93-126 White
- 93-128 Brown

Packing: 4 Spools/Master



**16/2 SPT-2 105°C 250 Ft./Spool**

- 93-141 White
- 93-142 Brown
- 93-165 Clear Gold
- 93-166 Black
- 93-167 Clear Silver

Packing: 4 Spools/Master



**18/2 SVT 105°C Pulley Cord 250 Ft./Spool**

- 93-183 Black
- 93-150 White

Packing: 4 Spools/Master



**18/3 SVT 105°C Pulley Cord 250 Ft./Spool**

- 93-182 Black
- 93-144 White

Packing: 4 Spools/Master







# bulk Spool Wire

18/2 SJT 105°C Pulley Cord  
250 Ft./Spool



93-311 Black  
93-312 White

Packing: 2 Spools/Master



18/3 SJT 105°C Pulley Cord  
250 Ft./Spool



93-313 Black  
93-314 White

Packing: 2 Spools/Master



18/1 AWM 105°C UL 1015 Wire  
500 Ft./Spool



93-315 Black  
93-316 White  
93-317 Green

Packing: 4 Spools/Master



18/1 Solid 105°C TFN-PVC Nylon  
Wire 500 Ft./Spool

93-203 White  
93-204 Black



18/1 Stranded 200°C SF-1 Wire  
250 Ft./Spool

93-205 White  
93-206 Black



18/1 Rayon Braided 90°C Wire  
500 Ft./Spool

93-207 Gold  
93-208 Gold with  
Red Marker



# bulk Spool Wire



bulk lighting hardware



### 18/2 Rayon Wire 250 Ft./Spool

- 93-209 White
- 93-210 Brown
- 93-211 Black
- 93-212 Gold



### 20/2 Wire 250 Ft./Spool

- 93-134 Clear Gold
- 93-186 Black
- 93-187 Clear Silver



### 22/2 Wire 250 Ft./Spool

- 93-133 Clear Gold
- 93-184 Black
- 93-185 Clear Silver



### Grounding Wire 500 Ft./Spool

- 93-115 Tinned Copper
- 93-110 Bare Copper





# bulk wire 2500 ft. Spools

### 18/2 SPT-1 105°C Wire 2500 Ft./Reel

93-300 Clear Gold

93-301 Clear silver

93-302 Black

Packing: 1 Spool/Master



### 18/2 SPT-1.5 105°C Wire 2500 Ft./Reel

93-303 Clear Gold

93-304 Clear Silver

93-305 Black

Packing: 1 Spool/Master



### 18/2 SPT-2 105°C Wire 2500 Ft./Reel

93-306 Clear Gold

93-307 Clear silver

93-308 Black

93-309 White

93-310 Brown

Packing: 1 Spool/Master



bulk lighting hardware

# cord Sets



## SPT-1 Cord Sets – 18/2 SPT-1-105°C

Colors Available:



White    Black    Brown    Clear Silver    Clear Gold

All Cord Sets – Molded Plug – Tinned Tips 3/4" Strip with 2" Slit

**8 Ft.**

36" Hank – 200 Ctn.

- 90-1523 White
- 90-1524 Brown
- 90-1525 Black
- 90-1526 Clear Gold
- 90-1527 Clear Silver

**12 Ft.**

72" Hank – 150 Ctn.

- 90-2033 White
- 90-2034 Black
- 90-2035 Brown
- 90-2036 Clear Gold
- 90-2037 Clear Silver

**15 Ft.**

100 Ctn.

- 90-1528 White
- 90-1529 Brown
- 90-1530 Black
- 90-1531 Clear Gold
- 90-1532 Clear Silver

**20 Ft.**

100 Ctn.

- 90-1534 White
- 90-1535 Brown
- 90-1536 Black
- 90-1537 Clear Gold
- 90-1538 Clear Silver



90-1566  
Plug Cover

bulk lighting hardware



cord  
Sets

SPT-2 Cord Sets – 18/2 SPT-2-105°C

All Cord Sets – Molded Plug – Tinned Tips 3/4" Strip with 2" Slit

Colors Available:



White Black Brown Clear Silver Clear Gold

**8 Ft.**

36" Hank – 200 Ctn.

- 90-100 White
- 90-101 Brown
- 90-102 Black
- 90-105 Clear Gold
- 90-967 Clear Silver

**9 Ft.**

36" Hank – 150 Ctn.

- 90-2038 Clear Gold
- 90-2039 Brown
- 90-2042 Black
- 90-2101 Clear Silver

**10 Ft.**

36" Hank – 150 Ctn.

- 90-2183 Clear Gold
- 90-2184 Clear Silver
- 90-2185 Black

**12 Ft.**

72" Hank – 150 Ctn.

- 90-1413 White
- 90-1414 Brown
- 90-1415 Black
- 90-1416 Clear Gold
- 90-1417 Clear Silver

**15 Ft.**

100 Ctn.

- 90-103 Clear Gold
- 90-490 Brown
- 90-491 White
- 90-492 Black
- 90-493 Clear Silver

**20 Ft.**

100 Ctn.

- 90-496 Brown
- 90-497 White
- 90-498 Black
- 90-460 Clear Silver
- 90-462 Clear Gold



90-1566  
Plug Cover



bulk lighting hardware

# cord Sets



bulk lighting hardware



**Flat Plug Cord Set**  
18/2 SPT-2 105°C  
Molded Plug Tinned Tips  
3/4" Strip with 2" Slit  
36" Hank

- 90-2320 – 8ft. Clear Gold – 200 Ctn
- 90-2321 – 8ft. Black – 200 Ctn
- 90-2322 – 8ft. Clear Silver – 200 Ctn
- 90-2323 – 8ft. White – 200 Ctn
- 90-2324 – 8ft. Brown – 200 Ctn



**Heavy Duty Cord Set**  
18/3 SVT – 105°C  
3 Prong Molded Plug  
Stripped & Slit

- 90-2085 – 8ft. Black – 100 Ctn
- 90-2086 – 10ft. Black – 100 Ctn
- 90-2210 – 12ft. Black – 50 Ctn
- 90-2243 – 15ft. Black – 50 Ctn



**Heavy Duty Cord Set**  
18/3 SJT – 105°C  
3 Prong Molded Plug  
Stripped & Slit

- 90-2208 – 6ft. Black – 100 Ctn
- 90-2209 – 8ft. Black – 50 Ctn
- 90-2325 – 10ft. Black – 50 Ctn

Colors Available:



White Black Brown Clear Silver Clear Gold



cord  
Sets

## 8 Ft. Cord Sets with Line Switches

Colors Available:



White Black Brown Clear Silver Clear Gold

All Cord Sets – Molded Plug – Tinned tips 3/4" Strip with 2" Slit

### SPT-1

18/2 SPT-1 105°C

- 90-1581 White
- 90-1582 Brown Switch 24"
- 90-1583 Black From Free End
- 90-1584 Clear Gold 36" Hank – 200 Ctn.
- 90-1585 Clear Silver

### SPT-2

18/2 SPT-2 105°C

- 90-106 White
- 90-107 Brown Switch 24"
- 90-723 Clear Gold From Free End
- 90-968 Clear Silver 36" Hank – 200 Ctn
- 90-1425 Black



## 8Ft. Cord Sets w/Hi-Low Switch – 18/2 SPT-2 105°

### SPT-2

18/2 SPT-2 105°C

- 90-2309 Clear Gold Switch 24"
- 90-2310 Clear Silver From Free End
- 36" Hank – 100 Ctn



90-1566  
Plug Cover

bulk lighting hardware

# bulk Accessories



**UL** Plastic Wirenuts for 105°C Supply Wire 300V



**90-396**  
Ext. Small  
2 #18 Max.

**90-469**  
Small  
4 #18 Max.

**90-470**  
Medium  
5 #18 Max.

Porcelain Wirenuts High Heat 300V



**90-1311**  
Small  
2 #18 Max.

**90-1312**  
Medium  
4 #18 Max.

**90-1313**  
Large  
6 #18 Max.

**UL** Wire Connectors with Spring Inserts for 105°C Supply Wire 300V



**90-1418**  
High Heat  
Black  
2 #18 Max.

**90-1419**  
Medium  
Orange  
5 #18 Max.

**90-1440**  
Large  
Yellow  
6 #18 Max.

**90-1421**  
Extra Large  
Red  
8 #18 Max.

**UL** Wing Nut Wire Connectors with Spring Inserts for 105°C Supply Wire 600V



**90-2237**  
Yellow  
4 #18 Max.

**90-2238**  
Tan  
9 #18 Max.

**90-2239**  
Red  
5 #16 Max.

**90-2240**  
Grey  
4 #12 Max.

**90-2241**  
Blue  
4 #10 Max.

Plastic Pipe Bushings



**90-1422**  
1/8 IP

**90-1423**  
1/4 IP

Nylon Snap-In Bushings



**90-157**  
for 5/16"  
Hole Black

**90-158**  
for 3/8"  
Hole Black

**90-161**  
for 7/16"  
Hole Black

**90-180**  
for 7/16"  
Hole Gold

Metal Strain Reliefs



**90-1158**  
Small

**90-998**  
Small  
with Tab

**90-1159**  
Large  
with Tab

Plastic Bushings



**90-327**  
1/8 IP  
Male / White

**90-328**  
1/8 IP  
Male / Black

**90-321**  
1/8 IP  
Female / White

**90-322**  
1/8 IP  
Female / Black

**90-325**  
1/4 IP  
Male / White

**90-326**  
1/4 IP  
Male / Black

**90-323**  
1/4 IP  
Female / White

**90-324**  
1/4 IP  
Female / Black

bulk lighting hardware





canopy  
Kits

**Ribbed Canopy Kit**

- 90-052 Brass Finish
- 90-053 Ant. Brass Finish
- 90-054 Ant. Copper Finish
- 90-055 Black Finish
- 90-056 White Finish
- 90-058 Chrome Finish

Shown: antique brass finish

Dimensions:  
 Diameter 5"  
 Center Hole 7/16"  
 Bar Holes 2 -8/32

Packing: 25/Master



Includes  
Hardware



**Ribbed Canopy Kit**

- 90-192 Brass Finish
- 90-193 Ant. Brass Finish
- 90-196 Chrome
- 90-197 White Finish
- 90-198 Black Finish

Shown: brass finish

Dimensions:  
 Diameter 5"  
 Center Hole 1 1/8"

Packing: 25/Master



Includes  
Hardware



**Standard Canopy Kit**

- 90-062 Brass Finish
- 90-063 Ant. Brass Finish
- 90-065 Black Finish
- 90-066 White Finish
- 90-068 Chrome Finish

Shown: black finish

Dimensions:  
 Diameter 5"  
 Center Hole 7/16"  
 Bar Holes 2 -8/32

Packing: 25/Master



Includes  
Hardware



bulk lighting hardware

# canopy Kits



bulk lighting hardware



Includes Hardware

## Contemporary Canopy Kit

- 90-890 Brass Finish
- 90-891 Chrome Finish
- 90-892 Ant. Brass Finish
- 90-893 Black Finish
- 90-894 White Finish

Shown: chrome finish

Dimensions:  
 Diameter 5"  
 Center Hole 7/16"  
 Bar Holes 2-8/32

Packing: 25/Master



Includes Hardware

## Ribbed Canopy Hanger Kit

- 90-1098 Brass Finish
- 90-1099 Ant. Brass Finish
- 90-1100 Black Finish
- 90-1101 White Finish
- 90-1102 Chrome Finish

Shown: brass finish

Dimensions:  
 Diameter 5"  
 Center Hole 1 1/8"  
 with 1yd. 8 gauge chain

Packing: 25/Master



Includes Hardware

## Bath Swag Canopy Kit

- 90-194 Brass Finish
- 90-191 Ant. Brass Finish
- 90-195 Black Finish
- 90-199 White Finish

Shown: White finish

Dimensions:  
 Diameter 5"  
 3- 7/16" Holes

Packing: 25/Master



# canopy & Fan Kits

## Deep Canopy Kit

90-057 Brass Finish

90-1697 Chrome Finish

Shown: brass finish

Dimensions:

Diameter 5"  
Center Hole 1 1/8"  
Depth 1 1/4"

Packing: 25/Master



Includes Hardware

## Canopy Kit with Convenience Outlet

90-040 Black Finish

90-041 Brass Finish


90-1072 White Finish

Shown: brass finish

Dimensions:

Diameter 5"  
Center Hole 7/16"  
Bar Holes 2-8/32

Packing: 25/Master



Includes Hardware

## 4" Wired Fan Light Holder w/On-Off Pull Chain

SF77-461 White Finish

SF77-462 Brass Finish

SF77-466 Ant. Brass Finish

Shown: antique brass finish



bulk lighting hardware

# canopies & Parts Bags



Canopy Only



**Ribbed Canopy**

- 90-1674 Brass Finish
- 90-1675 Ant. Brass Finish
- 90-1677 Black Finish
- 90-1680 White Finish
- 90-1681 Chrome Finish

Shown: antique brass finish

**Dimensions:**

- Diameter 5"
- Center Hole 7/16"
- Bar Holes 2 - 8/32

Packing: 200/Master

Canopy Only



**Ribbed Canopy**

- 90-1682 Brass Finish
- 90-1683 Ant. Brass Finish
- 90-1684 Chrome Finish
- 90-1685 White Finish
- 90-1686 Black Finish

Shown: brass finish

**Dimensions:**

- Diameter 5"
- Center Hole 1 1/16"

Packing: 200/Master



1" Loop Parts Bag

- 90-1687 Brass Finish
- 90-1688 Ant. Brass Finish
- 90-1689 Black
- 90-1690 White
- 90-1691 Chrome Finish



Screw Collar Loop Parts Bag

- 90-1692 Brass Finish
- 90-1693 Ant. Brass Finish
- 90-1694 Chrome Finish
- 90-1695 White
- 90-1696 Black

bulk lighting hardware



# canopies & Canopy Extensions

### Plain Deep Fixture Canopy (Canopy Only)

90-047 Brass Finish

90-050 Chrome Finish

Shown: chrome finish

**Dimensions:**

Diameter 5"  
Center Hole 1 1/16"  
Depth 1 1/4"



### Plain Deep Fixture Canopy (Canopy Only)

90-051 Brass Finish

90-061 Chrome Finish

Shown: brass finish

**Dimensions:**

Diameter 5"  
Center Hole 7/16"  
Depth 1 1/4"



### Plain Shallow Fixture Canopy (Canopy Only)

90-048 Brass Finish

**Dimensions:**

Diameter 5"  
Center Hole 1 1/16"



### Canopy Extension

90-242 Brass Finish

90-108 White Finish

90-1518 Chrome Finish

**Dimensions:**

Diameter 5 1/4"  
Fits 5" canopy  
Extension 1 1/2"



bulk lighting hardware

canopies  
**Cast Brass** Canopy Only



bulk lighting hardware



**Cast Brass Canopy**

**90-2381** French Gold Finish

Dimensions:  
 Diameter 6 1/4"  
 Center Hole 1 1/8"  
 Height 2"  
 Packing: 25/Master



**Cast Brass Canopy**

**90-2382** Ant. Brass Finish

Dimensions:  
 Diameter 5 1/2"  
 Center Hole 1 1/8"  
 Height 1 1/2"  
 Packing: 25/Master



**Cast Brass Canopy**

**90-2383** Polished Brass Finish

Dimensions:  
 Diameter 5 1/2"  
 Center Hole 1 1/8"  
 Height 1 1/2"  
 Packing: 25/Master



**Cast Brass Canopy**

**90-2384** Polished Nickel Finish


Dimensions:  
 Diameter 5 1/2"  
 Center Hole 1 1/8"  
 Height 1 1/2"  
 Packing: 25/Master



**Cast Brass Canopy**

**90-039** Ant. Brass Finish

Dimensions:  
 Diameter 4"  
 Center Hole 1 1/8"  
 Height 1"  
 Packing: 25/Master



# blank up Kits

### Blank Up Kit for 4" Box

90-069 White Finish

Dimensions:

Diameter 5"  
Bar Holes 2-8/32  
Center to Center 3 1/2"

Packing: 250/Master



Includes Hardware

### Blank Up Kit for 3" Box

90-151 White Finish

Dimensions:

Diameter 5"  
Bar Holes 2-8/32  
Center to Center 3"

Packing: 250/Master



Includes Hardware

### Blank Up Kit

90-045 White Finish

Dimensions:

Diameter 5"  
Center Hole 7/16"

Packing: 25/Master



Includes Hardware

### Blank Up Kit

90-044 Brass Finish

90-0580 White Finish

90-119 Black Finish

Shown: black finish

Dimensions:

Diameter 5"  
Bar Holes 2-8/32

Packing: 25/Master




Includes Hardware

bulk lighting hardware

# wired Fixture Holders



bulk lighting hardware




Includes Hardware

### 3 1/4" Wired Holder

- 90-230 Brass Finish
- 90-330 Ant. Brass Finish
- 90-430 White Finish
- 90-724 Black Finish
- 90-840 Chrome Finish

Shown: brass finish  
Packing: 25/Master




Includes Hardware

### 4" Wired Holder

- 90-231 Pol. Brass Finish
- 90-331 Ant. Brass Finish
- 90-431 White Finish
- 90-841 Chrome Finish
- 90-749 Black Finish

Shown: polished brass finish  
Packing: 25/Master



Includes Hardware

### 3 1/4" Wired Holder with Convenience Outlet

- 90-121 Chrome Finish

Packing: 25/Master





# wired Ceiling Pans

## 6" One Light Ceiling Pan

90-755 Chrome Finish

90-756 Brass Finish

90-686 White Finish

90-763 Ant. Brass Finish

Shown: brass finish

Packing: 25/Master



Includes Hardware



## 8" Two Light Ceiling Pan

90-757 Chrome Finish

90-876 Brass Finish

90-684 White Finish

90-877 Ant. Brass Finish

Shown: white finish

Packing: 25/Master



Includes Hardware



## 10" Two Light Ceiling Pan

90-758 Chrome Finish

90-766 Brass Finish

90-685 White Finish

90-767 Ant. Brass Finish

Shown: chrome finish

Packing: 25/Master



Includes Hardware



bulk lighting hardware

# bent Glass Holders



bulk lighting hardware



**90-234**  
**2 Light Bent Glass  
Fixture Holder**

White Finish.  
Dimensions:  
Diameter 4 3/4"  
Height 5"  
Packing: 25/Master



Includes Hardware



**90-235**  
**2 Light Bent Glass  
Fixture Holder with  
Pull Chain Switch**

White Finish.  
Dimensions:  
Diameter 4 3/4"  
Height 5"  
Packing: 25/Master



Includes Hardware



**90-244**  
**Bent Glass Ceiling Holder**

White Finish.  
Dimensions:  
Diameter 4 3/4"  
Height 1"




# U-channel Glass Holders

90-769

## 4 Light U-Channel Glass Holder

4 Light-Convenience  
Outlet for Use with  
24" U-Bend Glass

Packing: 25/Master



Includes Hardware

90-768

## 2 Light U-Channel Glass Holder

2 Light-Convenience  
Outlet for Use with  
14" U-Bend Glass

Packing: 25/Master




Includes Hardware

90-246

## 1 Light U-Channel Glass Holder

1 Light Holder with  
Bottom Turn Knob Switch  
for Use with 7"  
U-Bend Glass

Packing: 25/Master




Includes Hardware

bulk lighting hardware

# U-channel Glass Holders



bulk lighting hardware



**90-1307**  
**4 Light U-Channel Glass Holder**  
4 Light for Use with  
24" U-Bend Glass  
Packing: 25/Master

Includes Hardware



**90-1306**  
**2 Light U-Channel Glass Holder**  
2 Light for Use with  
14" U-Bend Glass  
Packing: 25/Master

Includes Hardware



**90-1299**  
**1 Light U-Channel Glass Holder**  
1 Light for Use with  
7" U-Bend Glass  
Packing: 25/Master

Includes Hardware



# wall Brackets

### 3 1/4" Wired Wall Bracket

90-708 Brass Finish


90-775 Black Finish

90-776 Ant. Brass Finish

90-1085 White Finish

Shown: antique brass finish

Packing: 25/Master



Includes Hardware

### 3" Wired Wall Bracket

90-709 Brass Finish  
with Bottom Turn  
Knob Switch

Packing: 25/Master



Includes Hardware

### 1 5/8" Wired Wall Bracket with Bottom Turn Knob Switch

90-120 Brass Finish

90-1407 Ant. Brass Finish

Shown: brass finish


Packing: 25/Master



Includes Hardware

bulk lighting hardware

# glass Holders



bulk lighting hardware

## Neckless Ball Holders Kits



### 4" Neckless Ball Holder Kit

For 3 7/8" Dia. Glass

90-615 White


Packing: 25/Master

### 5" Neckless Ball Holder Kit

For 5 1/4" Dia. Glass

90-616 White

Packing: 25/Master



Includes Hardware


## Neckless Ball Holders with Inserts



### 4" Neckless Ball Holder

90-649 White

90-706 Brass Finish



### 5" Neckless Ball Holder

90-650 White

90-707 Brass Finish

## Fitter



### 6" Fitter

90-1504 White

90-303 Ant. Brass Finish




# glass holders & Fixture Bodies



1 5/8" Fitter  
90-656 Vacuum Brass Finish



1 5/8" Fitter  
90-654 Vacuum Brass Finish  
90-655 Chrome Finish



2 5/8" Fitter  
90-659 Vacuum Brass Finish  
90-705 Ant. Brass Finish



3" Fitter  
90-660 Vacuum Brass Finish



2 1/4" Fitter  
90-577 Brass Finish  
90-677 Ant. Brass Finish  
90-878 Chrome Finish



3 1/4" Fitter  
90-578 Brass Finish  
90-678 Ant. Brass Finish  
90-879 Chrome Finish




2 3/4" Fixture Body and Cover  
Vacuum Brass Finish  
90-657 3 Arm Holes  
90-658 5 Arm Holes



4" Fitter  
90-439 Brass Finish  
90-679 Ant. Brass Finish  
90-880 Chrome Finish


bulk lighting hardware



# bulk Chain 1 Yard Lengths



bulk lighting hardware



### 11 Gauge

- 1 1/2" Link Length
- 7/8" Link Width
- 3/32" Thick
- 1 yd. Length
- 200 yds./ctn.

90-070  
Brass  
Finish

90-071  
Ant. Brass  
Finish

90-072  
Black  
Finish

90-077  
Nickel  
Finish

90-670  
White  
Finish



### 8 Gauge

- 1 1/2" Link Length
- 7/8" Link Width
- 1/8" Thick
- 1 yd. Length
- 100 yds./ctn.

79-455  
Brass  
Finish

79-464  
Ant. Brass  
Finish

79-460  
Nickel  
Finish

79-458  
White  
Finish

79-457  
Black  
Finish





# bulk Chain 1 Yard Lengths

## 8 Gauge

- 1 1/2" Link Length
- 7/8" Link Width
- 1/8" Thick
- 1 yd. Length
- 100 yds./ctn.



**25-1067**  
8 Gauge  
Old Bronze  
Finish

**25-1072**  
8 Gauge  
Textured White  
Finish

**25-1069**  
8 Gauge  
Bushed Nickel  
Finish

## Specialty Chain – 1 Yard Length 100 yds./ctn.



**90-078**  
Spanish Type  
Pol. Brass  
Finish

**90-086**  
Spanish Type  
Ant. Brass  
Finish

**79-432**  
Fluorescent  
Chrome  
Finish

**79-306**  
#12  
Jack Chain  
100ft. Lengths

## 4 Gauge

- 1 3/4" Link Length
- 1 1/8" Link Width
- 1/4" Thick
- 1 yd. Length
- 50 yds./ctn.



**90-080**  
4 Gauge  
Brass  
Finish

**90-081**  
4 Gauge  
Ant. Brass  
Finish


**90-000**  
4 Gauge  
Nickel  
Finish

**90-085**  
4 Gauge  
Black  
Finish

### Malleable Iron Chain Pliers

**90-099** Chain Pliers

Packing: 1 Box/50 Master



bulk lighting hardware

# 11 gauge Reel Chain



bulk lighting hardware



11 Gauge Chain – 50 yds. (150 ft.) to Reel / 1 Reel to Master



79-200  
Brass  
Finish

79-204  
Ant. Brass  
Finish

79-201  
Nickel  
Finish

79-233  
White  
Finish

79-203  
Black  
Finish

79-205 (120' Reel)  
Spanish Type  
Brass Finish

79-206 (120' Reel)  
Spanish Type  
Ant. Brass



Malleable Iron  
Chain Pliers

90-099 Chain Pliers

Packing: 1 Box/50 Master



# 8 gauge Reel Chain



8 Gauge Chain - 100 ft. to Reel / 1 Reel to Master



79-209  
Brass  
Finish

79-212  
Ant. Brass  
Finish

79-210  
Nickel  
Finish

79-213  
White  
Finish

79-211  
Black  
Finish

bulk lighting hardware

# CROSS Bars



bulk lighting hardware

Gem Bar 1/8 IP



90-113 3/4" x 3/8"



90-1125 with Ground Screw - 3/4" x 3/8"

Cross Bar 1/4 IP



90-110 1" x 4 3/8"



90-1126 with Ground Screw - 1" x 4 3/8"

Cross Bar 3/8 IP



90-1065 1" x 4 3/8"

Offset Cross Bar



90-112 1" x 4"  
Screw Holes - 2 3/4", 3 3/8" and 3 1/2"  
Center to Center  
Center Hole Slips 3/8 IP  
With Ground Screw

Offset Cross Bar



90-109 1" x 4 5/8"  
Screw Holes - 4 1/4" Center to Center

Double Cross Bar



90-575  
Screw Holes - 2 3/4" and 3 7/8"  
Center to Center

Adjustable Cross Bar



90-179 Center Hole Slips 3/8 IP  
Adjusts from 4 1/2" to 6 1/2"



90-1073  
Screw Holes - 2 3/4" and 3 7/8"  
Center to Center  
with Ground Screw



# lamp Parts



**1/2" Small Ceiling Hickey**

90-5310 1/8 IP x 1/8 IP



**1" Ceiling Hickey**

- 90-114 1/8 IP x 1/4 IP
- 90-115 1/8 IP x 1/8 IP
- 90-178 1/8 IP x 3/8 IP
- 90-1705 1/4 IP x 1/4 IP
- 90-175 1/4 IP x 3/8 IP
- 90-589 3/8 IP x 3/8 IP
- 90-612 1/2 IP x 1/2 IP



**1" Malleable Iron Hickey**

- 90-1127 1/8 IP x 1/8 IP
- 90-1128 1/8 IP x 1/4 IP
- 90-1217 1/8 IP x 3/8 IP
- 90-1565 1/4 IP x 1/4 IP
- 90-1129 1/4 IP x 3/8 IP
- 90-598 3/8 IP x 3/8 IP
- 90-613 1/2 IP x 1/2 IP




**Ceiling Extension**

3/8 IP Male x  
3/8 IP Female  
90-165 1"  
90-593 1 1/8"



**Crowfoot**

90-1130 3/8 IP Male



**Universal Crossbar**

Screw Holes 2 3/4" x 3 1/2" Center to Center

90-111



**Round Universal Crossbar**

Screw Holes 2 3/4" x 3 1/2" Center to Center

90-1650

bulk lighting hardware

# bulk Nipples



bulk lighting hardware

## 1/8IP Steel Nipples Zinc Plated

(Except 90-274 36" Unfinished)

| Cat No. | Lengths      | Cat No. | Lengths      | Cat No. | Lengths              |
|---------|--------------|---------|--------------|---------|----------------------|
| 90-1028 | 3/8" 1/8IP   | 90-1022 | 2 3/4" 1/8IP | 90-256  | 8" 1/8IP             |
| 90-280  | 1/2" 1/8IP   | 90-291  | 3" 1/8IP     | 90-2102 | 9" 1/8IP             |
| 90-281  | 5/8" 1/8IP   | 90-292  | 3 1/4" 1/8IP | 90-1068 | 10" 1/8IP            |
| 90-282  | 3/4" 1/8IP   | 90-293  | 3 1/2" 1/8IP | 90-2103 | 11" 1/8IP            |
| 90-1021 | 7/8" 1/8IP   | 90-1014 | 3 3/4" 1/8IP | 90-1009 | 11 1/2" 1/8IP        |
| 90-283  | 1" 1/8IP     | 90-294  | 4" 1/8IP     | 90-272  | 12" 1/8IP            |
| 90-284  | 1 1/8" 1/8IP | 90-1023 | 4 1/4" 1/8IP | 90-2104 | 14" 1/8IP            |
| 90-258  | 1 1/4" 1/8IP | 90-1003 | 4 1/2" 1/8IP | 90-2105 | 16" 1/8IP            |
| 90-285  | 1 3/8" 1/8IP | 90-1029 | 4 3/4" 1/8IP | 90-2106 | 18" 1/8IP            |
| 90-286  | 1 1/2" 1/8IP | 90-295  | 5" 1/8IP     | 90-2107 | 20" 1/8IP            |
| 90-2111 | 1 5/8" 1/8IP | 90-1030 | 5 1/4" 1/8IP | 90-271  | 24" 1/8IP            |
| 90-257  | 1 3/4" 1/8IP | 90-1031 | 5 1/2" 1/8IP | 90-270  | 30" 1/8IP            |
| 90-287  | 1 7/8" 1/8IP | 90-1198 | 5 3/4" 1/8IP | 90-2233 | 36" 1/8IP            |
| 90-288  | 2" 1/8IP     | 90-255  | 6" 1/8IP     | 90-274  | 36" 1/8IP Unfinished |
| 90-1008 | 2 1/8" 1/8IP | 90-1004 | 6 1/8" 1/8IP | 90-2108 | 45" 1/8IP            |
| 90-289  | 2 1/4" 1/8IP | 90-1281 | 6 1/2" 1/8IP | 90-2109 | 48" 1/8IP            |
| 90-290  | 2 1/2" 1/8IP | 90-1005 | 7" 1/8IP     | 90-2110 | 54" 1/8IP            |
| 90-1012 | 2 3/8" 1/8IP |         |              |         |                      |

1/8 IP



1/8 IP Thread Size  
3/8" Wide

## 1/4IP Steel Nipples Zinc Plated

(Except 90-1063 36" Unfinished)

| Cat No. | Lengths      | Cat No. | Lengths      | Cat No. | Lengths              |
|---------|--------------|---------|--------------|---------|----------------------|
| 90-296  | 1/2" 1/4IP   | 90-301  | 2 1/2" 1/4IP | 90-2119 | 5 1/2" 1/4IP         |
| 90-1199 | 5/8" 1/4IP   | 90-1162 | 2 3/4" 1/4IP | 90-2120 | 5 3/4" 1/4IP         |
| 90-302  | 3/4" 1/4IP   | 90-259  | 3" 1/4IP     | 90-262  | 6" 1/4IP             |
| 90-2112 | 7/8" 1/4IP   | 90-1026 | 3 1/4" 1/4IP | 90-2121 | 7" 1/4IP             |
| 90-297  | 1" 1/4IP     | 90-1027 | 3 1/2" 1/4IP | 90-2122 | 8" 1/4IP             |
| 90-2113 | 1 1/8" 1/4IP | 90-1163 | 3 3/4" 1/4IP | 90-2123 | 9" 1/4IP             |
| 90-1000 | 1 1/4" 1/4IP | 90-260  | 4" 1/4IP     | 90-2124 | 10" 1/4IP            |
| 90-2114 | 1 3/8" 1/4IP | 90-2116 | 4 1/4" 1/4IP | 90-2125 | 11" 1/4IP            |
| 90-298  | 1 1/2" 1/4IP | 90-1002 | 4 1/2" 1/4IP | 90-2126 | 12" 1/4IP            |
| 90-1025 | 1 3/4" 1/4IP | 90-2117 | 4 3/4" 1/4IP | 90-2127 | 24" 1/4IP            |
| 90-299  | 2" 1/4IP     | 90-261  | 5" 1/4IP     | 90-1063 | 36" 1/4IP Unfinished |
| 90-2115 | 2 1/4" 1/4IP | 90-2118 | 5 1/4" 1/4IP |         |                      |

1/4 IP



1/4 IP Thread Size  
1/2" Wide

## 3/8IP Steel Nipples Zinc Plated

(Except 90-611 36" Unfinished)

| Cat No. | Lengths      | Cat No. | Lengths      | Cat No. | Lengths              |
|---------|--------------|---------|--------------|---------|----------------------|
| 90-2128 | 1/2" 3/8IP   | 90-1018 | 1 1/4" 3/8IP | 90-1060 | 3" 3/8IP             |
| 90-2129 | 5/8" 3/8IP   | 90-2132 | 1 3/8" 3/8IP | 90-1173 | 3 3/4" 3/8IP         |
| 90-1016 | 3/4" 3/8IP   | 90-606  | 1 1/2" 3/8IP | 90-608  | 4" 3/8IP             |
| 90-2130 | 7/8" 3/8IP   | 90-1017 | 1 3/4" 3/8IP | 90-609  | 5" 3/8IP             |
| 90-1015 | 1" 3/8IP     | 90-1062 | 2" 3/8IP     | 90-610  | 6" 3/8IP             |
| 90-2131 | 1 1/8" 3/8IP | 90-607  | 2 1/2" 3/8IP | 90-611  | 36" 3/8IP Unfinished |

3/8 IP



3/8 IP Thread Size 5/8" Wide


## 1/8IP Solid Brass Nipples - Unfinished

| Cat No. | Lengths      | Cat No. | Lengths      | Cat No. | Lengths      |
|---------|--------------|---------|--------------|---------|--------------|
| 90-2211 | 3/8" 1/8IP   | 90-2134 | 1 3/4" 1/8IP | 90-2136 | 3 3/4" 1/8IP |
| 90-1182 | 1/2" 1/8IP   | 90-1189 | 2" 1/8IP     | 90-1195 | 4" 1/8IP     |
| 90-1183 | 5/8" 1/8IP   | 90-1190 | 2 1/4" 1/8IP | 90-1196 | 4 1/4" 1/8IP |
| 90-1184 | 3/4" 1/8IP   | 90-1191 | 2 1/2" 1/8IP | 90-1197 | 4 1/2" 1/8IP |
| 90-1185 | 1" 1/8IP     | 90-2135 | 2 3/4" 1/8IP | 90-2137 | 5" 1/8IP     |
| 90-1186 | 1 1/8" 1/8IP | 90-1192 | 3" 1/8IP     | 90-2138 | 5 1/2" 1/8IP |
| 90-1187 | 1 1/4" 1/8IP | 90-1193 | 3 1/4" 1/8IP | 90-2158 | 6" 1/8IP     |
| 90-1188 | 1 1/2" 1/8IP | 90-1194 | 3 1/2" 1/8IP | 90-2234 | 36" 1/8IP    |
| 90-2133 | 1 5/8" 1/8IP |         |              |         |              |

1/8 IP  
Solid Brass



1/8 IP Thread size  
3/8" Wide



steel

# Locknuts & Washers

## Locknuts, Pal Nuts and Toothwashers



**Steel Locknut – 1/8 IP**  
9/16" hex., 1/8" thick  
90-001 Unfinished  
90-1036 Brass Plated  
90-1037 Zinc Plated



**Steel Locknut – 1/8 IP**  
9/16" hex., 3/16" thick  
90-034 Unfinished  
90-033 Brass Plated  
90-1035 Zinc Plated



**Steel Locknut – 1/8 IP**  
1/2" hex., 1/8" thick  
90-187 Unfinished  
90-1066 Brass Plated  
90-1636 Zinc Plated



**Steel Locknut – 1/8 IP**  
1/2" hex., 3/16" thick  
90-1648 Unfinished  
90-1646 Brass Plated  
90-1649 Zinc Plated



**Steel Locknut – 1/4 IP**  
11/16" hex., 1/8" thick  
90-1038 Unfinished  
90-591 Brass Plated  
90-171 Zinc Plated



**Steel Locknut – 1/4 IP**  
3/4" hex., 1/4" thick  
90-1702 Unfinished  
90-1703 Brass Plated  
90-1704 Zinc Plated




**Steel Locknut – 3/8 IP**  
7/8" dia., 1/8" thick  
90-002 Zinc Plated



**Steel Square Locknut – 3/8 IP**  
1" dia., 1/8" thick  
90-1424 Zinc Plated

### Steel Locknuts



90-015  
6/32  
Zinc Plated



90-017  
8/32  
Zinc Plated



90-018  
1/4-20  
Zinc Plated

### Steel Pal Nuts 1/8 IP



90-019  
Unfinished




90-594  
Brass Plated

### Toothwashers 1/8 IP Slip



90-390  
Unfinished



90-392  
Brass Plated




90-592  
Zinc Plated

### Toothwasher 8/32 Slip




90-1578  
Zinc Plated

### Toothwashers 1/4 IP Slip



90-1579  
Unfinished



90-1580  
Brass Plated

### Toothwasher 3/8 IP Slip



90-1698  
Zinc Plated

bulk lighting hardware

brass  
**Locknuts**



bulk lighting hardware

*Brass Round Knurled Locknuts 9/16" Diameter 1/8 IP*



**90-003**  
*Burnished & Lacquered*



**90-1042**  
*Nickel Plated*



**90-1699**  
*Unfinished*

*Brass Round Knurled Locknuts 3/4" Diameter 1/8 IP*



**90-004**  
*Burnished & Lacquered*



**90-1577**  
*Nickel Plated*



**90-1623**  
*Unfinished*

*Brass Hexagon Locknuts 1/8 IP*



**90-172**  
*1/2" Hex, 1/8" Thick  
Unfinished*



**90-1385**  
*1/2" Hex., 1/8" Thick  
Nickel Plated*



**90-1700**  
*1/2" Hex., 3/16" Thick  
Unfinished*

*Brass Round Beaded Locknut 1/8 IP*



**90-1634**  
*9/16" Dia., 5/32" Thick  
Unfinished*

*Brass Round Plain Locknut 1/8 IP*



**90-1621**  
*3/4" Dia., 1/8" Thick  
Unfinished*

*Brass Battery Nut 8/32*



**90-016**  
*Burnished & Lacquered*

*Brass Hexagon Locknut 1/4 IP*



**90-1701**  
*11/16" Hex., 3/16" Thick  
Unfinished*

*Brass Round Knurled Locknut 1/4 IP*



**90-014**  
*3/4" Dia., 1/8" Thick  
Burnished & Lacquered*

*Brass Round Knurled Locknut 1/8 IP*



**90-1601**  
*1" Dia., 1/8" Thick  
Unfinished*






# steel Check Rings

## Curled Edge 1/8 IP Slip



Steel Check Ring  
Curled Edge  
1/8 IP Slip – Brass Plated

- |               |                |
|---------------|----------------|
| 90-2049 1/2"  | 90-333 1 1/4"  |
| 90-379 5/8"   | 90-2061 1 3/8" |
| 90-359 3/4"   | 90-364 1 1/2"  |
| 90-360 7/8"   | 90-350 1 3/4"  |
| 90-362 1"     | 90-351 2"      |
| 90-363 1 1/8" |                |



Steel Check Ring  
Curled Edge  
1/8 IP Slip – Nickel Plated

- |              |                |
|--------------|----------------|
| 90-1661 1/2" | 90-1710 1 1/8" |
| 90-2051 5/8" | 90-1095 1 1/4" |
| 90-381 3/4"  | 90-1096 1 1/2" |
| 90-383 7/8"  | 90-1644 1 3/4" |
| 90-361 1"    |                |



Steel Check Ring  
Curled Edge  
1/8 IP Slip – Unfinished

- |                |                |
|----------------|----------------|
| 90-2050 1/2"   | 90-2059 1 1/4" |
| 90-2052 5/8"   | 90-2062 1 3/8" |
| 90-2053 3/4"   | 90-2063 1 1/2" |
| 90-2055 7/8"   | 90-2074 1 3/4" |
| 90-2056 1"     | 90-2076 2"     |
| 90-2058 1 1/8" |                |



Beaded Steel  
Check Ring  
1/8 IP Slip

- |                             |
|-----------------------------|
| 90-388 1 1/8" Brass Plated  |
| 90-389 1 1/8" Nickel Plated |



Steel Check Ring  
Curled Edge  
1/8 IP Slip – Vacuum Brass

- |               |
|---------------|
| 90-176 1"     |
| 90-177 1 1/4" |

## Straight Edge 1/8 IP Slip



Steel Check Ring  
Straight Edge  
1/8 IP Slip – Brass Plated

- |               |                |
|---------------|----------------|
| 90-353 1 1/4" | 90-356 1 3/4"  |
| 90-354 1 1/2" | 90-357 2"      |
| 90-355 1 5/8" | 90-1641 3 1/4" |



Steel Check Ring  
Straight Edge  
1/8 IP Slip – Unfinished

- |                |                |
|----------------|----------------|
| 90-2064 1 5/8" | 90-2070 2 1/2" |
| 90-2066 1 7/8" | 90-1640 2 3/4" |
| 90-2067 2"     | 90-1654 3"     |
| 90-2068 2 1/8" | 90-2072 3 1/4" |
| 90-2069 2 1/4" | 90-2073 3 1/2" |

## Curled Edge 1/4 IP Slip



Steel Check Ring  
Curled Edge  
1/4 IP Slip – Brass Plated

- |                |                |
|----------------|----------------|
| 90-358 3/4"    | 90-2075 1 3/4" |
| 90-472 1"      | 90-1656 2"     |
| 90-473 1 1/4"  |                |
| 90-2091 1 1/2" |                |




Steel Check Ring  
Curled Edge  
1/4 IP Slip – Unfinished

- |                |                |
|----------------|----------------|
| 90-2054 3/4"   | 90-2060 1 1/4" |
| 90-2057 1"     | 90-2090 1 1/2" |
| 90-1655 1 1/8" | 90-2077 2"     |

bulk lighting hardware

# bulk Washers



bulk lighting hardware

## Steel Washers



Steel Washer  
1/8 IP Slip - 16 Gauge  
Unfinished

- |         |        |         |        |
|---------|--------|---------|--------|
| 90-1652 | 7/8"   | 90-991  | 1 3/4" |
| 90-985  | 1"     | 90-992  | 2"     |
| 90-987  | 1 1/8" | 90-1218 | 2 1/2" |
| 90-988  | 1 1/4" | 90-995  | 3"     |
| 90-989  | 1 1/2" |         |        |



Steel Washer  
1/4 IP Slip - 16 Gauge  
Unfinished

- |         |        |         |        |
|---------|--------|---------|--------|
| 90-986  | 1"     | 90-993  | 2"     |
| 90-1298 | 1 1/4" | 90-1660 | 2 1/4" |
| 90-990  | 1 1/2" | 90-1149 | 2 1/2" |
| 90-1653 | 1 3/4" | 90-996  | 3"     |



Light Steel Washer  
1/8 IP Slip  
Brass Plated

- |         |      |        |    |
|---------|------|--------|----|
| 90-1020 | 5/8" | 90-385 | 1" |
| 90-384  | 3/4" |        |    |



Reducing Washer  
9/16" x 7/16"  
Brass Plated

- 90-365

## Rubber and Felt Washers



Felt Washer  
1/8 IP Slip - White

- |         |      |         |        |
|---------|------|---------|--------|
| 90-1175 | 5/8" | 90-1179 | 1 1/4" |
| 90-1176 | 3/4" | 90-1180 | 1 1/2" |
| 90-1177 | 7/8" | 90-1181 | 2"     |
| 90-1178 | 1"   |         |        |



Rubber Washer  
1/8 IP Slip - White

- |        |      |        |        |
|--------|------|--------|--------|
| 90-386 | 1/2" | 90-154 | 1 1/4" |
| 90-152 | 3/4" | 90-155 | 1 1/2" |
| 90-153 | 7/8" | 90-156 | 2"     |
| 90-387 | 1"   |        |        |



Rubber Washer  
1/8 IP Slip - Black

- |         |      |         |        |
|---------|------|---------|--------|
| 90-1166 | 1/2" | 90-1174 | 1 1/4" |
| 90-1167 | 3/4" | 90-1169 | 1 1/2" |
| 90-1168 | 1"   | 90-1170 | 2"     |



Plastic Crystal Washer  
1 1/4" Dia. w/Lip - 1/8 IP Slip

- 90-1429

## Felt Pads and Dots



90-489  
Green Felt - 36" Wide  
Sold by the Yard



90-488  
Green Felt - 3/4" Dots  
Sold by Roll Only  
(1000 per Roll)



90-487  
Green Felt - 1/2" Dots  
Sold by Roll Only  
(1000 per Roll)




# brass Check Rings

## Turned Brass Check Rings – Plated




Turned Brass Check Ring  
1/8 IP Slip  
Burnished and Lacquered

- |              |                |
|--------------|----------------|
| 90-2139 1/2" | 90-1091 1 1/4" |
| 90-2140 5/8" | 90-1092 1 1/2" |
| 90-2141 3/4" | 90-2146 1 3/4" |
| 90-2142 7/8" | 90-1094 2"     |
| 90-1090 1"   |                |



Turned Brass Check Ring  
1/8 IP Slip  
Nickel Plated

- |                |
|----------------|
| 90-1093 1"     |
| 90-1088 1 1/4" |
| 90-1089 1 1/2" |



Turned Brass Check Ring  
1/4 IP Slip  
Burnished and Lacquered

- |                |
|----------------|
| 90-2147 3/4"   |
| 90-2148 7/8"   |
| 90-2149 1"     |
| 90-2150 1 1/2" |

## Turned Brass Check Rings – Unfinished



Turned Brass Check Ring  
1/8 IP Slip – Unfinished

- |              |                |                |
|--------------|----------------|----------------|
| 90-1608 1/2" | 90-1602 1 1/8" | 90-1605 1 3/4" |
| 90-1594 5/8" | 90-1598 1 1/4" | 90-1606 1 7/8" |
| 90-1595 3/4" | 90-1603 1 3/8" | 90-1607 2"     |
| 90-1596 7/8" | 90-1599 1 1/2" |                |
| 90-1597 1"   | 90-1604 1 5/8" |                |



Turned Brass Check Ring  
1/4 IP Slip – Unfinished

- |              |                |                |
|--------------|----------------|----------------|
| 90-1609 5/8" | 90-1613 1 1/8" | 90-1617 1 5/8" |
| 90-1610 3/4" | 90-1614 1 1/4" | 90-1618 1 3/4" |
| 90-1611 7/8" | 90-1615 1 3/8" | 90-1619 1 7/8" |
| 90-1612 1"   | 90-1616 1 1/2" | 90-1620 2"     |

## Turned Brass Double Check Ring



1/8 IP Slip  
Burnished and Lacquered

- |              |
|--------------|
| 90-2151 3/4" |
| 90-2152 1"   |

## Solid Brass Square Check Ring



1/8 IP Slip

- |                       |
|-----------------------|
| 90-2318 3/4" Polished |
| 90-2319 1" Polished   |

bulk lighting hardware

# die cast Loops



bulk lighting hardware

### 1" Male Loops-1/8 IP



**90-200**  
Brass  
Finish

**90-202**  
Ant. Brass  
Finish

**90-204**  
Black  
Finish

**90-721**  
White  
Finish

**90-212**  
Chrome  
Finish

**90-206**  
Ant. Copper  
Finish

### 1" Female Loops-1/8 IP



**90-201**  
Brass  
Finish

**90-203**  
Ant. Brass  
Finish

**90-205**  
Black  
Finish

**90-720**  
White  
Finish

**90-714**  
Chrome  
Finish

### 1 1/2" Female Loops-1/8 IP



**90-249**  
Brass  
Finish

**90-254**  
Ant. Brass  
Finish

**90-599**  
Chrome  
Finish

### 2" Die Cast Fixture Loops-1/8 IP



**90-253** Brass Finish  
**90-340** Ant. Brass Finish  
**90-341** Chrome Finish

**90-263** Brass Finish  
**90-1726** Ant. Brass Finish  
**90-1727** Pol. Chrome Finish

Hang Straight Loop  
**90-1728** Pol. Brass Finish  
**90-1729** Ant. Brass Finish  
**90-1730** Pol. Chrome Finish



# die cast Loops

## 1/8 IP Screw Collar Loops with Ring

1/8 IP



90-2342  
Brass  
Finish



90-2344  
Ant. Brass  
Finish



90-2343  
Chrome  
Finish

## 1/4 IP Screw Collar Loops with Ring

1/4 IP



90-335  
Brass  
Finish



90-336  
Ant. Brass  
Finish



90-337  
Chrome  
Finish



90-338  
White  
Finish



90-339  
Black  
Finish

## 3/8 IP Screw Collar Loops with Ring

3/8 IP



90-1164  
Brass  
Finish



90-2352  
Ant. Brass  
Finish



90-2351  
Chrome  
Finish

bulk lighting hardware

bulk



# Cast Brass Loops



bulk lighting hardware

## 1/8 IP Cast Brass Screw Collar Loops with Ring

**1/8 IP**  
Fits 1" Canopy Hole  
Ring Diameter 1 1/8"  
Height 1 3/4"



90-2295  
Polished & Lacquered



90-2301  
Polished Chrome



90-2294  
Unfinished

## 1/4 IP Cast Brass Screw Collar Loops with Ring

**1/4 IP**  
Fits 1" Canopy Hole  
Ring Diameter 1 1/8"  
Height 1 3/4"



90-1572  
Polished & Lacquered



90-2300  
Polished Chrome



90-1571  
Unfinished

## 3/8 IP Cast Brass Screw Collar Loops with Ring

**3/8 IP**  
Fits 1" Canopy Hole  
Ring Diameter 1 1/8"  
Height 1 3/4"



90-2297  
Polished & Lacquered



90-2302  
Polished Chrome



90-2296  
Unfinished

## 1/4 IP Heavy Duty Cast Brass Screw Collar Loops with Ring

**1/4 IP**  
Fits 1 1/4" Canopy Hole  
Ring Diameter 1 5/8"  
Height 2 1/4"



90-2299  
Polished & Lacquered



90-2303  
Polished Chrome



90-2298  
Unfinished



**bulk**  
**Screws**

*Steel Round Head Slotted Machine Screws – 8/32*

|   |   |   |   |   |   |   |   |
|---|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |  |
| <b>90-722</b><br>1/2"<br>Brass Plated   | <b>90-797</b><br>1/2"<br>Green Ground   | <b>90-027</b><br>1"<br>Brass Plated   | <b>90-026</b><br>1"<br>Nickel Plated  | <b>90-028</b><br>1 1/2"<br>Brass Plated   | <b>90-030</b><br>2"<br>Brass Plated   | <b>90-029</b><br>2"<br>Nickel Plated  | <b>90-1032</b><br>3"<br>Nickel Plated   |

*Steel Knurled Head Thumb Screws – 8/32*

|  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|
|  |  |  |  |  |  |  |  |
| <b>90-022</b><br>1/2"<br>Brass Plated  | <b>90-023</b><br>1/2"<br>Nickel Plated   | <b>90-024</b><br>1/2"<br>Ant. Brass  | <b>90-025</b><br>1/2"<br>Black   | <b>90-059</b><br>3/4"<br>Brass Plated  | <b>90-060</b><br>3/4"<br>Ant. Brass  | <b>90-031</b><br>1"<br>Brass Plated  | <b>90-032</b><br>1"<br>Nickel Plated   |

*Steel Knurled Head Thumb Screws – 6/32*

|   |   |   |
|---|---|---|
|  |  |  |
| <b>90-1154</b><br>1/2"<br>Brass Plated  | <b>90-1156</b><br>1/2"<br>Nickel Plated   | <b>90-1155</b><br>1/2"<br>Ant. Brass  |

*Steel Switchplate Screws – 6/32*

|   |   |   |
|---|---|---|
|  |  |  |
| <b>90-538</b><br>1/2"<br>Brass Plated   | <b>90-535</b><br>1/2"<br>Ant. Brass   | <b>90-536</b><br>1/2"<br>Black  |

*Plastic Switchplate Screws – 6/32*

|   |   |
|---|---|
|  |  |
| <b>90-537</b><br>1/2"<br>White Plastic  | <b>90-539</b><br>1/2"<br>Ivory Plastic  |

*Solid Brass Thumb Screws Burnished and Lacquered – 8/32*

*Ball Head*

|   |   |   |   |
|---|---|---|---|
|  |  |  |  |
| <b>90-035</b><br>3/8"   | <b>90-036</b><br>1/2"   | <b>90-037</b><br>5/8"   | <b>90-038</b><br>3/4"   |

*Flat Head*

|   |   |
|---|---|
|  |  |
| <b>90-744</b><br>3/8"   | <b>90-635</b><br>1/4"   |

bulk lighting hardware

# lighting Hardware



B/L = Burnished & Lacquered  
 BPL = Brass Plated & Lacquered  
 UNF = Unfinished

bulk lighting hardware

### Cap Nuts-8/32

|                                  |                             |                        |                         |
|----------------------------------|-----------------------------|------------------------|-------------------------|
|                                  |                             |                        |                         |
| <b>90-208</b><br>Brass<br>Plated | <b>90-209</b><br>Ant. Brass | <b>90-210</b><br>Black | <b>90-710</b><br>Chrome |

### Brass Balls-8/32

|                           |                                      |
|---------------------------|--------------------------------------|
|                           |                                      |
| <b>90-666</b><br>3/8" B/L | <b>90-711</b><br>Knurled<br>3/8" B/L |

### Brass Knob 8/32

|                                      |
|--------------------------------------|
|                                      |
| <b>90-955</b><br>Knurled<br>3/8" B/L |

### Brass Lock-Up Caps-1/8 IP

|                            |                         |                             |                            |
|----------------------------|-------------------------|-----------------------------|----------------------------|
|                            |                         |                             |                            |
| <b>90-169</b><br>Brass B/L | <b>90-640</b><br>Nickel | <b>90-168</b><br>Ant. Brass | <b>90-551</b><br>Brass B/L |

### Brass Pear Knobs-8/32

|                            |                             |                         |
|----------------------------|-----------------------------|-------------------------|
|                            |                             |                         |
| <b>90-652</b><br>Brass B/L | <b>90-651</b><br>Ant. Brass | <b>90-653</b><br>Nickel |

### Plastic Lock-Up Caps-1/8 IP

|                                |                              |                                   |  |
|--------------------------------|------------------------------|-----------------------------------|--|
|                                |                              |                                   |  |
| <b>90-167</b><br>White<br>3/4" | <b>90-822</b><br>White<br>1" | <b>90-159</b><br>Vac. Brass<br>1" | <b>90-245</b><br>White<br>w/Pull Chain Hole 1" |

### Brass Beaded Nozzles

|                                       |                                       |
|---------------------------------------|---------------------------------------|
|                                       |                                       |
| <b>90-642</b><br>1/8 F x 1/8 M<br>B/L | <b>90-643</b><br>1/4 F x 1/8 M<br>B/L |

### Hexagon Head Nipples-Brass Plated-1/8 IP

|                       |                       |                       |                       |
|-----------------------|-----------------------|-----------------------|-----------------------|
|                       |                       |                       |                       |
| <b>90-636</b><br>1/4" | <b>90-637</b><br>3/8" | <b>90-638</b><br>1/2" | <b>90-639</b><br>5/8" |

### Acorn Knobs-1/8 IP

|                                       |                                   |
|---------------------------------------|-----------------------------------|
|                                       |                                   |
| <b>90-668</b><br>Knurled<br>Brass B/L | <b>90-667</b><br>Hex<br>Brass B/L |

### Brass Knobs-1/8 IP

|                               |                               |
|-------------------------------|-------------------------------|
|                               |                               |
| <b>90-626</b><br>Brass<br>B/L | <b>90-625</b><br>Brass<br>B/L |

### Brass Bushing

|  |
|--|
|  |
| <b>90-207</b><br>1/8 F x 3/8 F<br>Unf. |

### Brass Closed Gas Cap

|                                |   |
|--------------------------------|---|
|                                |   |
| <b>90-702</b><br>3/8 IP<br>B/L | <b>90-1308</b><br>3/8 IP x 1/8 IP<br>Unf. |

### Brass Reducing Bushings - Unfinished

|                                 |                                   |                                |  |  |   |   |   |
|---------------------------------|-----------------------------------|--------------------------------|--|--|---|---|---|
|                                 |                                   |                                |  |  |   |   |   |
| <b>90-644</b><br>1/8 M x 8/32 F | <b>90-645</b><br>1/8 M x 1/4-27 F | <b>90-646</b><br>1/4 M x 1/8 F | <b>90-761</b><br>1/8 M x 8/32 F<br>with shoulder | <b>90-762</b><br>1/8 M x 1/4-27 F<br>with shoulder | <b>90-963</b><br>1/4 M x 1/8 F<br>with shoulder | <b>90-764</b><br>3/8 M x 1/8 F<br>with shoulder | <b>90-765</b><br>3/8 M x 1/4 F<br>with shoulder |





brass

# Couplings & Balls

B/L = Burnished & Lacquered  
UNF = Unfinished

## Brass Couplings



**90-162**  
1/2" Long  
1/8 IP - B/L



**90-332**  
1/2" Long  
1/8 IP - B/L



**90-1059**  
1/2" Long - 1/8 IP  
Nickel Plated



**90-241**  
1/2" Long  
1/4 IP - B/L



**90-623**  
1/2" Long  
1/4 F x 1/8 F  
B/L



**90-634**  
1/2" Long  
1/4 F x 1/8 Slip  
8/32 Hole - B/L



**90-614**  
7/8" Long  
3/8 IP - BL

## Brass Couplings-Unfinished



**90-1622** 1/2"  
**90-1600** 7/8"  
1/8 IP



**90-2153** 1/2" Long  
**90-2154** 3/4" Long  
Hexagon Head  
Coupling - 1/8 IP



**90-2155**  
5/8" Long  
5/8" Diameter  
1/8 IP



**90-2156**  
5/8" Long  
5/8" Diameter  
1/4 IP



**90-2157**  
5/8" Long  
5/8" Diameter  
1/8 F x 1/4 F

## Brass Balls-Unfinished



**90-1624** 3/8" - 8/32  
**90-1625** 1/2" - 8/32  
**90-1626** 1/2" - 1/8 IP  
**90-1627** 5/8" - 1/8 IP  
**90-1628** 3/4" - 1/8 IP  
**90-1629** 1" - 1/8 IP  
**90-1631** 1 1/4" - 1/8 IP  
**90-1630** 1 1/2" - 1/8 IP  
**90-1632** 1 3/4" - 1/8 IP  
**90-1633** 2" - 1/8 IP

## Brass Half Balls-Unfinished



**90-2095** 1/2" - 8/32  
**90-2096** 5/8" - 1/8 IP  
**90-2097** 3/4" - 1/8 IP  
**90-2098** 1" - 1/8 IP  
**90-2099** 1 1/4" - 1/8 IP  
**90-2100** 1 1/2" - 1/8 IP

bulk lighting hardware

brass



# Armbaks & Elbows

bulk lighting hardware

## Brass Ball Armbaks – Unfinished



**90-2172**  
5/8" x 3/4"  
1/8 IP x 1/8 IP



**90-2173**  
3/4" x 1 1/16"  
1/8 IP x 1/8 IP



**90-2174**  
7/8" x 1 1/16"  
1/8 IP



**90-2175**  
7/8" x 1 1/16"  
1/8 IP x 1/8 IP



**90-2176**  
7/8" x 1 1/16"  
1/4 IP x 1/8 IP



**90-2177**  
7/8" x 1 1/16"  
1/4 IP x 1/4 IP

## Brass Armbaks – Unfinished




**90-2180**  
5/8" x 13/16"  
1/8 IP x 1/8 IP x 1/8 IP



**90-2373**  
5/8" x 13/16"  
1/8 IP x 1/8 IP  
x 1/8 IP x 1/8 IP

## Brass Large Elbows – Unfinished



**90-2178**  
1 1/8" x 1 3/16"  
1/4 IP x 1/4 IP



**90-2179**  
1 1/8" x 1 3/16"  
3/8 IP x 3/8 IP



# solid brass Swivels

## Solid Brass Swivels

bulk lighting hardware



**90-2332**  
Knurled Swivel  
1/8 M x 1/8 F  
1 3/16" Height  
Unfinished



**90-2331**  
Hang Straight Swivel w/Stop  
1/8 M x 1/8 F  
1 1/2" Height  
Unfinished



**90-2330**  
Modern Swivel  
1/8 M x 1/8 F  
1 3/16" Height  
Unfinished



**90-2333**  
Modern Long Swivel  
1/8 M x 1/8 F  
1 1/2" Height  
Unfinished



**90-2329**  
Stop Swivel  
1/8 M x 1/4 F  
1 3/8" Height  
Unfinished



**90-2334**  
Side Swivel  
1/8 M x 1/8 F  
1 3/4" Height  
Unfinished



**90-2335**  
Heavy Duty Swivel  
1/8 M x 1/8 F  
1 3/4" Height  
Unfinished



**90-2336**  
Large Hang Straight Swivel  
1/4 F x 1/4 F  
Ring Nut to Seat 1 1/16"  
1 1/2" Height  
Unfinished



**90-2337**  
Large Hang Straight Swivel  
1/4 F x 1/4 F  
Ring Nut to Seat 1 1/16"  
1 1/2" Height  
Barrel Nickel Finish

# brass Necks & Spindles



## Solid Brass Necks & Spindles—Burnished and Lacquered

|   |   |   |   |   |   |
|---|---|---|---|---|---|
|  |  |  |  |  |  |
| <b>90-098</b><br>3/4" x 3"<br>1/8 Slip – B/L                                      | <b>90-097</b><br>7/8" x 2"<br>1/8 Slip – B/L                                      | <b>90-096</b><br>1 1/16" x 1 1/2"<br>1/8 Slip – B/L                               | <b>90-095</b><br>15/16" x 5/8"<br>1/8 Slip – B/L                                  | <b>90-163</b><br>13/16" x 7/8"<br>1/8 Slip – B/L                                    | <b>90-174</b><br>13/16" x 7/8"<br>Tapped<br>1/8 IP – B/L                            |

## Solid Brass Necks & Spindles—Unfinished

|   |   |   |  |   |
|---|---|---|--|---|
|  |  |  |  |  |
| <b>90-2163</b><br>15/16" x 5/8"<br>1/8 IP – Tapped                                  | <b>90-2165</b><br>1 1/4" x 9/16"<br>1/8 IP – Tapped                                 | <b>90-2164</b><br>1 1/4" x 3/4"<br>1/8 IP – Tapped                                  | <b>90-2166</b><br>7/8" x 13/16"<br>1/8 IP – Tapped                                   | <b>90-2167</b><br>7/8" x 13/16"<br>1/8 IP – Slip                                      |

|   |   |   |   |
|---|---|---|---|
|  |  |  |  |
| <b>90-2168</b><br>7/8" x 1 1/4"<br>1/8 IP – Tapped                                  | <b>90-2169</b><br>7/8" x 1 1/4"<br>1/8 IP – Slip                                    | <b>90-2171</b><br>5/8" x 2 1/16"<br>1/8 IP – Tapped                                 | <b>90-2170</b><br>3/4" x 4 1/8"<br>1/8 IP – Tapped                                    |

bulk lighting hardware



steel  
Necks

Flanged Steel Necks




1/2" Height-7/8" Bottom  
 90-2192 Brass Plated  
 90-2212 Nickel Plated  
 90-2271 Ant. Brass  
 90-2213 Unfinished



1" Height-7/8" Bottom  
 90-2193 Brass Plated  
 90-2214 Nickel Plated  
 90-2272 Ant. Brass  
 90-2215 Unfinished



1 1/2" Height-7/8" Bottom  
 90-2194 Brass Plated  
 90-2216 Nickel Plated  
 90-2273 Ant. Brass  
 90-2217 Unfinished



2" Height-7/8" Bottom  
 90-2195 Brass Plated  
 90-2218 Nickel Plated  
 90-2274 Ant. Brass  
 90-2219 Unfinished



7/16" Hole-9/16" Height  
 11/16" Top-7/8" Bottom  
 90-2230 Brass Plated  
 90-2275 Ant. Brass  
 90-2229 Unfinished



9/16" Hole-9/16" Height  
 11/16" Top-7/8" Bottom  
 90-2232 Brass Plated  
 90-2276 Ant. Brass  
 90-2231 Unfinished



7/16" Hole-1" Height  
 13/16" Top-Bottom Seats 1 3/8"  
 90-2190 Brass Plated  
 90-2201 Nickel Plated  
 90-2199 Ant. Brass  
 90-2202 Unfinished



9/16" Hole-1" Height  
 13/16" Top-Bottom Seats 1 3/8"  
 90-2191 Brass Plated



7/16" Hole-1 1/16" Height  
 3/4" Top-Bottom Seats 1 3/4"  
 90-2188 Brass Plated  
 90-2200 Nickel Plated  
 90-2197 Ant. Brass  
 90-2196 Unfinished



9/16" Hole-1 3/16" Height  
 3/4" Top-Bottom Seats 1 3/4"  
 90-2189 Brass Plated

bulk lighting hardware

# spacers & Candle Cups



bulk lighting hardware

## Steel Spacers



7/16" Hole-1" Height  
7/8" Dia.-1" Base Dia.  
90-2277 Brass Plated  
90-2278 Nickel Plated  
90-2279 Ant. Brass  
90-2280 Unfinished



7/16" Hole-1 1/2" Height  
7/8" Dia.-1" Base Dia.  
90-2281 Brass Plated  
90-2282 Nickel Plated  
90-2283 Ant. Brass  
90-2284 Unfinished



7/16" Hole-2" Height  
7/8" Dia.-1" Base Dia.  
90-2285 Brass Plated  
90-2286 Nickel Plated  
90-2287 Ant. Brass  
90-2288 Unfinished

## Steel Candle Cups



7/16" Hole-1 1/8" Height  
1" Diameter  
80-1183 Brass Plated  
80-1184 Nickel Plated  
80-1185 Unfinished



7/16" Hole-3" Height  
1" Diameter  
80-1186 Brass Plated  
80-1187 Unfinished



7/16" Hole-1 1/8" Height  
1" Diameter  
90-2227 Polished & Lacquered  
90-2228 Polished Nickel  
90-2226 Unfinished

## Solid Brass Candle Cup

## Solid Brass Spacers



7/16" Hole- 1" Height  
7/8 " Dia.-1" Base Dia.  
90-2223 Polished & Lacquered  
90-2222 Unfinished



7/16" Hole-1 1/2" Height  
7/8" Dia.-1" Base Dia.  
90-2225 Polished & Lacquered  
90-2224 Unfinished



7/16" Hole-2" Height  
7/8" Dia.-1" Base Dia.  
90-2221 Polished & Lacquered  
90-2220 Unfinished



# harps & Accessories

## Light Duty Harps with 1/8 IP Saddle

bulk lighting hardware



Polished Brass Finish  
125 CTN

|               |               |
|---------------|---------------|
| 90-2029 - 4"  | 90-560 - 9½"  |
| 90-2030 - 5"  | 90-222 - 10"  |
| 90-2374 - 5½" | 90-561 - 10½" |
| 90-2376 - 6"  | 90-223 - 11"  |
| 90-570 - 6½"  | 90-562 - 11½" |
| 90-219 - 7"   | 90-224 - 12"  |
| 90-558 - 7½"  | 90-563 - 12½" |
| 90-220 - 8"   | 90-225 - 13"  |
| 90-559 - 8½"  | 90-571 - 13½" |
| 90-221 - 9"   | 90-2378 - 14" |



Polished Nickel Finish  
125 CTN

|               |                |
|---------------|----------------|
| 90-2242 - 4"  | 90-2023 - 9½"  |
| 90-2028 - 5"  | 90-2016 - 10"  |
| 90-2375 - 5½" | 90-2024 - 10½" |
| 90-2377 - 6"  | 90-2017 - 11"  |
| 90-2020 - 6½" | 90-2025 - 11½" |
| 90-2013 - 7"  | 90-2018 - 12"  |
| 90-2021 - 7½" | 90-2026 - 12½" |
| 90-2014 - 8"  | 90-2019 - 13"  |
| 90-2022 - 8½" | 90-2027 - 13½" |
| 90-2015 - 9"  | 90-2379 - 14"  |



Dark Antique Finish  
125 CTN

|              |              |
|--------------|--------------|
| 90-2081 - 7" | 90-2083 - 9" |
| 90-2082 - 8" |              |

### 1/2" Finial-Zinc Die Cast 1/4-27



- 80-1181 Polished Brass Finish
- 80-1182 Nickel Finish
- 80-1518 Ant. Brass
- 80-1519 Dark Ant. Brass

### 1/4 IP Saddles - Light Duty

|         |                               |
|---------|-------------------------------|
| 90-2093 | 1/4 IP Saddle - Brass Plated  |
| 90-2094 | 1/4 IP Saddle - Nickel Plated |



### 1/8 IP - 2¾" Wide Saddles for CFL - Light Duty

|         |                               |
|---------|-------------------------------|
| 90-2338 | 1/8 IP Saddle - Brass Plated  |
| 90-2339 | 1/8 IP Saddle - Nickel Plated |



See Page 99-103 for Other Finials and Risers

# harps & Accessories



## Heavy Duty Harps with 1/8 IP Saddle



Polished Brass Finish  
125 CTN

|               |                |
|---------------|----------------|
| 90-2203 - 6"  | 90-922 - 10"   |
| 90-2204 - 6½" | 90-555 - 10½"  |
| 90-919 - 7"   | 90-923 - 11"   |
| 90-552 - 7½"  | 90-556 - 11½"  |
| 90-2235 - 7¾" | 90-924 - 12"   |
| 90-920 - 8"   | 90-557 - 12½"  |
| 90-553 - 8½"  | 90-925 - 13"   |
| 90-921 - 9"   | 90-2256 - 13½" |
| 90-554 - 9½"  | 90-2257 - 14"  |



Polished Nickel Finish  
125 CTN

|               |                |
|---------------|----------------|
| 90-2205 - 6"  | 90-2003 - 10"  |
| 90-2206 - 6½" | 90-2010 - 10½" |
| 90-2000 - 7"  | 90-2004 - 11"  |
| 90-2007 - 7½" | 90-2011 - 11½" |
| 90-2236 - 7¾" | 90-2005 - 12"  |
| 90-2001 - 8"  | 90-2012 - 12½" |
| 90-2008 - 8½" | 90-2006 - 13"  |
| 90-2002 - 9"  | 90-2258 - 13½" |
| 90-2009 - 9½" | 90-2259 - 14"  |



Antique Brass Finish  
125 CTN

|              |               |
|--------------|---------------|
| 90-2264 - 6" | 90-2268 - 10" |
| 90-2265 - 7" | 90-2269 - 11" |
| 90-2266 - 8" | 90-2270 - 12" |
| 90-2267 - 9" |               |



Dark Antique Brass Finish  
125 CTN

|               |               |
|---------------|---------------|
| 90-2088 - 7"  | 90-2079 - 8½" |
| 90-2078 - 7½" | 90-2080 - 9"  |
| 90-2089 - 8"  |               |


1/2" Finial-Zinc Die Cast  
1/4-27



|         |                       |
|---------|-----------------------|
| 80-1181 | Polished Brass Finish |
| 80-1182 | Nickel Finish         |
| 80-1518 | Ant. Brass            |
| 80-1519 | Dark Ant. Brass       |

### 1/4 IP Saddles - Heavy Duty

|         |                               |
|---------|-------------------------------|
| 90-2031 | 1/4 IP Saddle - Brass Plated  |
| 90-2032 | 1/4 IP Saddle - Nickel Plated |



### 1/8 IP - 2¾" Wide Saddles for CFL - Heavy Duty

|         |                               |
|---------|-------------------------------|
| 90-2340 | 1/8 IP Saddle - Brass Plated  |
| 90-2341 | 1/8 IP Saddle - Nickel Plated |



bulk lighting hardware





# harps & Accessories

## Heavy Duty Cup Harp



*Polished Brass Plated*

- 90-2246 - 6"      90-2252 - 9"
- 90-2248 - 7"      90-2254 - 10"
- 90-2250 - 8"



*Polished Nickel Plated*

- 90-2247 - 6"      90-2253 - 9"
- 90-2249 - 7"      90-2255 - 10"
- 90-2251 - 8"

*Heavy Duty Cup for Swing Arm Lamps*




- 90-2353 Polished Brass Finish
- 90-2354 Nickel Finish

*1/2" Finial-Zinc Die Cast-1/4-27*



- 80-1181 Polished Brass Finish
- 80-1182 Nickel Finish
- 80-1518 Ant. Brass
- 80-1519 Dark Ant. Brass

*Steel Finials*



- 90-139 1/2" Brass Plated
- 90-136 1" Brass Plated
- 90-137 1 1/2" Brass Plated

*Steel Risers 1/4-27*



- 90-142 1" Brass Plated
- 90-141 2" Brass Plated

*Solid Brass Risers 1/4-27  
Burnished and Lacquered*



- 90-1562 1/2"      90-1589 1 1/2"
- 90-140 1"      90-701 2"

*Bulb Clips 1/4-27*

90-940  
Medium Base  
Bulb Clip  
Brass Plated



90-1567  
Candelabra Base  
Bulb Clip  
Brass Plated



*Socket Saddle Protector*



80-1197  
Steel U-Bracket  
Unfinished

bulk lighting hardware

# solid brass Finials




bulk lighting hardware



**90-130**  
Small Spindle Finial  
1 1/8" Height - 1/4-27  
Burnished and  
Lacquered




**90-1731**  
Large Spindle Finial  
2 3/8" Height - 1/4-27  
Polished Brass




**90-886**  
Urn Finial  
1 3/4" Height - 1/8 IP  
Burnished and  
Lacquered




**90-838**  
Bullet Finial  
2" Height - 1/8 IP  
Burnished and  
Lacquered



**90-1386**  
Ball Knob Finial  
1 1/8" Height - 1/4-27  
Burnished and  
Lacquered



**90-842**  
Ball Finial  
1 1/4" Height 3/4" Dia. - 1/8 IP  
Burnished and  
Lacquered



**90-132**  
Ball Finial  
1 3/8" Height 7/8" Dia. - 1/8 IP  
Burnished and  
Lacquered



**80-837**  
Acorn Finial  
1 1/2" Height - 1/8 IP  
Burnished and  
Lacquered



**90-1735**  
Urn Finial  
1 7/8" Height - 1/4-27  
Polished Brass



**90-1732**  
Finial  
1 1/2" Height - 1/4-27  
Polished Brass



**90-1733**  
Tear Drop Finial  
1 1/2" Height - 1/8 IP  
Polished Brass



**90-1734**  
Large Urn Finial  
2 3/4" Height - 1/8 IP  
Polished Brass




**90-762**  
Use 90-762 to Reduce  
1/8 IP to 1/4-27  
(Thread on Lamp Harp)



# die cast Knobs & Finials


bulk lighting hardware



**Bud Finial**  
1 3/8" Height - 1/8 IP  
90-1723 Pol. Brass  
90-1724 Ant. Brass  
90-1725 Pol. Chrome




**Acorn Finial**  
1 1/2" Height - 1/8 IP  
90-133 Pol. Brass  
90-1712 Ant. Brass  
90-1713 Pol. Chrome



**Spindle Finial**  
2 1/4" Height - 1/8 IP  
90-135 Pol. Brass



**Bullet Finial**  
2" Height - 1/4-27  
90-1717 Pol. Brass  
90-1718 Ant. Brass  
90-1719 Pol. Chrome




**Modern Finial**  
1 1/2" Height - 1/4-27  
90-1714 Pol. Brass  
90-1715 Ant. Brass  
90-1716 Pol. Chrome



**Pyramid Finial**  
1 1/2" Height - 1/4-27  
90-1720 Pol. Brass  
90-1721 Ant. Brass  
90-1722 Pol. Chrome




**Eagle Finial**  
2" Height - 1/8 IP  
90-134 Pol. Brass



**90-762**  
Use 90-762 to Reduce  
1/8 IP to 1/4-27  
(Thread on Lamp Harp)



**Small Pyramid Knob**  
3/4" Height - 1/8 IP  
90-959 Pol. Brass



**Large Pyramid Knob**  
1 1/4" Height - 1/8 IP  
90-1160 Pol. Brass  
90-1161 Ant. Brass  
90-1711 Pol. Chrome



**1" Plain Knob**  
1/8 IP  
90-1050 Pol. Brass  
90-1051 Pol. Chrome



**1 1/2" Plain Knob**  
1/8 IP  
90-166 Pol. Brass  
90-1056 Pol. Chrome

# decorative Finials



bulk lighting hardware



**90-1738**  
Diamond Cut  
Crystal Finial  
2 1/4" Height - 1/4-27



**90-1737**  
Pendulog Cut  
Crystal Finial  
2 3/4" Height - 1/4-27



**90-1739**  
U-Drop Cut  
Crystal Finial  
3 1/4" Height - 1/4-27



**90-1736**  
Ball Cut  
Crystal Finial  
2 1/4" Height - 1/4-27



**90-1740**  
Beige Marble  
Ball Finial  
2" Height - 1/4-27



**90-1748**  
Ceramic  
Urn Finial  
2 1/2" Height - 1/4-27



**90-1741**  
Wood Ball  
Finial  
1 5/8" Height - 1/4-27



**90-1742**  
Wood Ribbed  
Ball Finial  
2" Height - 1/4-27



# solid brass *Decorative Finials*



**90-1743**  
Leaf Brass  
Finial  
3½" Height - 1/4-27  
Polished Brass



**90-1744**  
Flame Ribbed  
Brass Finial  
2¾" Height - 1/4-27  
Polished Brass



**90-1745**  
U-Shaped  
Leaf Brass Finial  
2¾" Height - 1/4-27  
Polished Brass



**90-1746**  
Fan  
Brass Finial  
3" Height - 1/4-27  
Polished Brass



**90-1747**  
Oriental  
Brass Finial  
2¾" Height - 1/4-27  
Polished Brass

bulk lighting hardware

# candle covers

## Candelabra Base



Plastic Candle Covers – 13/16" Inside Dia. – 7/8" Outside Dia.



White Plastic

- |         |        |        |     |
|---------|--------|--------|-----|
| 90-1103 | 1 1/2" | 90-370 | 4"  |
| 90-931  | 1 3/4" | 90-905 | 5"  |
| 90-901  | 2"     | 90-906 | 6"  |
| 90-902  | 2 1/4" | 90-907 | 8"  |
| 90-903  | 2 3/4" | 90-908 | 12" |
| 90-904  | 3"     | 90-909 | 24" |
| 90-1148 | 3 1/2" | 90-910 | 36" |



White Plastic with Gold Drip

- |         |    |
|---------|----|
| 90-1509 | 2" |
| 90-352  | 3" |
| 90-372  | 4" |



Black Plastic with Gold Drip

- |         |    |
|---------|----|
| 90-1510 | 2" |
| 90-366  | 3" |
| 90-374  | 4" |



Antique Plastic Drip

- |         |        |
|---------|--------|
| 90-1511 | 2"     |
| 90-1262 | 2 1/2" |
| 90-1512 | 3"     |
| 90-1263 | 3 1/2" |
| 90-1264 | 4"     |

Ivory Drip Paper Candle Covers  
13/16" Inside Dia. – 7/8" Outside Dia.



Ivory Drip

- |         |    |
|---------|----|
| 80-1487 | 2" |
| 80-1454 | 4" |
| 80-1455 | 6" |



White Plastic Drip

- |         |        |
|---------|--------|
| 90-1505 | 2"     |
| 90-1256 | 2 1/2" |
| 90-1506 | 3"     |
| 90-1258 | 3 1/2" |
| 90-1260 | 4"     |



Ivory Plastic Drip

- |         |        |
|---------|--------|
| 90-1507 | 2"     |
| 90-1257 | 2 1/2" |
| 90-1508 | 3"     |
| 90-1259 | 3 1/2" |
| 90-1261 | 4"     |

bulk lighting hardware



# candle covers

## Medium Base

Plastic Candle Covers 1<sup>13</sup>/<sub>16</sub>" Inside Dia. – 1<sup>1</sup>/<sub>4</sub>" Outside Dia.



White Plastic

- |         |                                 |        |     |
|---------|---------------------------------|--------|-----|
| 90-1104 | 2"                              | 90-911 | 6"  |
| 90-913  | 2 <sup>1</sup> / <sub>8</sub> " | 90-912 | 8"  |
| 90-914  | 3"                              | 90-916 | 12" |
| 90-371  | 4"                              | 90-917 | 24" |
| 90-915  | 5"                              | 90-918 | 36" |



White Plastic with Gold Drip

- |         |    |
|---------|----|
| 90-1514 | 2" |
| 90-369  | 3" |
| 90-373  | 4" |



Black Plastic with Gold Drip

- |         |    |
|---------|----|
| 90-1513 | 2" |
| 90-368  | 3" |
| 90-375  | 4" |



Antique Plastic Drip

- |         |    |
|---------|----|
| 90-1247 | 2" |
| 90-1249 | 3" |
| 90-1251 | 4" |

Ivory Drip Paper Candle Covers  
1<sup>13</sup>/<sub>16</sub>" Inside Dia. – 1<sup>1</sup>/<sub>4</sub>" Outside Dia.



Ivory Drip

- |         |    |
|---------|----|
| 80-1456 | 4" |
| 80-1457 | 6" |
| 80-1458 | 8" |



White Plastic Drip

- |         |    |
|---------|----|
| 90-1246 | 2" |
| 90-1248 | 3" |
| 90-1250 | 4" |



Ivory Plastic Drip

- |         |    |
|---------|----|
| 90-1515 | 2" |
| 90-1516 | 3" |
| 90-1517 | 4" |


bulk lighting hardware





# crystal & Accessories



bulk lighting hardware



## Swarovski Crystal



90-753  
Metered Strass  
(54 Bead - 14mm)  
Length =  
1 meter/39 inch



90-693  
Crystal  
Clip



90-691  
Small  
Bow-Tie  
Clip



90-692  
Large  
Bow-Tie  
Clip




90-747  
1 1/2" Brass  
Pins



90-748  
1 1/2" Silver  
Pins


Pins Sold 250/Bag





# lighting Accessories

**#3 Beaded Chain**  
3/32" Dia. 250 Ft. Spool




90-122 Brass Finish 250 Ft./Spool



90-123 Nickel Finish 250 Ft./Spool

**#6 Beaded Chain**  
1/8" Dia. 100 Ft. Spool



90-124 Brass Finish 100 Ft./Spool



90-125 Nickel Finish 100 Ft./Spool

**Pull String**



90-1034 3Ft. Pull String

**Connector for #3 Beaded Chain**



90-127 BPL



90-173 Nickel

**Connector for #6 Beaded Chain**



90-129 BPL



90-128 Nickel

**Bells for #3 & #6 Beaded Chain**



90-117 BPL



90-116 Nickel

**Brass Plated S-Hooks & Rings**



90-013 5/8"



90-008 1"



90-009 1 1/4"



90-010 1 5/8"



90-011 3/4"




90-012 1"

**Adjustable Figurine**



90-273 10" -15" BPL 1/8 IP Threaded Ends

**Steel Pipe**



90-276 4" 90-277 6" 90-278 8" 90-267 10" 90-268 12" 90-269 14" 3/4" x 3/4" Threaded Ends 1/8 IP BPL

**Corks**



90-188 5/8" x 3/4" 90-189 3/4" x 1" 90-190 1" x 1 1/4"



90-935 Circline Fluorescent Clip

**Tassels**



90-533 Wood 1 1/4" 90-522 Black 5" 90-521 Gold 5" 90-503 White 5" 90-534 Gold 7"

bulk lighting hardware


# swag hook Kits



## Die Cast Swag Hook Kits

- 90-450** Brass Plated  
**90-451** Ant. Brass  
**90-452** Black  
**90-453** Ant. Copper  
**90-456** Chrome  
**90-770** White


Shown: brass finish.  
 Kits contain 2 hooks  
 and hardware shown  
 Packing: Poly Bagged



## Die Cast Revolving Swivel Hooks

- 90-815** Brass Plated  
**90-816** Ant. Brass  
**90-817** Black

Shown: black finish.  
 Kits contain 1 hook  
 and hardware shown  
 Packing: Poly Bagged



## Die Cast Large Swag Hooks

- 90-440** Brass Plated  
**90-441** Ant. Brass  
**90-442** Black

Shown: Ant. brass finish.  
 Kits contain 1 hook  
 and hardware shown  
 Packing: Poly Bagged



## Drop Ceiling Hook Set

- 90-846** White
- Kits contain 2 sets  
 per bag.  
 No hardware needed  
 Packing: Poly Bagged



# globes Glassware



**50-143** Sprayed  
Glossy White Ball  
Dia.: 6" Fitter: 3 1/4"




**50-927** Clear  
Prismatic Ball  
Dia.: 6" Fitter: 3 1/4"



**50-186** White Ball  
Dia.: 5" Fitter: 3 1/4"



**50-268** Clear Ball  
Dia.: 6" Fitter: 3 1/4"




**50-928** Clear  
Prismatic Ball  
Dia.: 8" Fitter: 4"



**50-144** Sprayed  
Glossy White Ball  
Dia.: 8" Fitter: 4"

A Satco  
Best Seller!

glassware



# globes Glassware

**50-351** Blown  
Glossy Opal Ball  
Dia.: 6" Fitter: 3 1/4"



**50-151** Blown  
Glossy Opal Ball  
Dia.: 8" Fitter: 4"



Blown Glossy Opal Ball  
**50-153** Dia.: 10" Fitter: 4"  
**50-155** Dia.: 12" Fitter: 4"



Blown Glossy Opal Ball  
**50-218** Dia.: 14" Fitter: 6"



Blown Glossy Opal  
Neckless Ball

- 50-312** Dia.: 6" Open.: 3"
- 50-152** Dia.: 8" Open.: 3 7/8"
- 50-154** Dia.: 10" Open.: 3 7/8"
- 50-156** Dia.: 12" Open.: 5 1/4"
- 50-157** Dia.: 14" Open.: 5 1/4"



glassware

# school House Globes



glassware



**50-275** Blown Opal  
Dia.: 9" Fitter: 4"



**50-276** Blown Opal  
Dia.: 10" Fitter: 4"



Blown Opal  
Schoolhouse Globes  
**50-468** Dia.: 12" Fitter: 6"  
**50-469** Dia.: 14" Fitter: 6"  
**50-470** Dia.: 16" Fitter: 6"  
**50-471** Dia.: 18" Fitter: 6"



# lexan & Poly Globes

**50-727** Lexan®  
White Ball

Dia.: 6"  
Screw Fitter: 3 11/64"



**50-231** Poly Ball

Dia.: 6"  
Fitter: 3 1/4"



**50-233** Poly Ball

Dia.: 6"  
Screw Fitter: 3 11/64"



Poly Globe  
with 4" Lip Fitter

**50-171** Dia.: 8"  
**50-172** Dia.: 10"  
**50-173** Dia.: 12"



Poly Globe  
with 3 3/8" or 4"  
Neckless Opening

**50-429** Dia.: 6"  
Opening: 3 3/8"  
**50-168** Dia.: 8"  
Opening: 4"  
**50-169** Dia.: 10"  
Opening: 4"



Poly Globe  
with 5 1/4"  
Neckless Opening

**50-170** Dia.: 12"  
**50-230** Dia.: 14"  
**50-238** Dia.: 16"  
**50-239** Dia.: 18"



Lexan®  
Prismatic  
Cylinders

Dia.: 3 3/4"  
Fitter: 3 1/4"

**50-721** Ht.: 6 1/4"  
**50-723** Ht.: 7 1/4"  
**50-725** Ht.: 8 1/2"



Lexan®  
Prismatic  
Cylinders

Dia.: 3 3/4"  
Screw Fitter: 3 11/64"

**50-722** Ht.: 6 1/4"  
**50-724** Ht.: 7 1/4"  
**50-726** Ht.: 8 1/2"



Lexan® White  
Cylinders

Dia.: 3 3/4"  
Screw Fitter: 3 11/64"

**50-729** Ht.: 6 1/4"  
**50-730** Ht.: 7 1/4"

*A Satco  
Best Seller!*



**50-728** Lexan®  
Smoke Ball

Dia.: 6"  
Screw Fitter: 3 11/64"



# Screw Fitter Glassware



glassware



**50-332** Inside Sprayed White  
Dia.: 3 1/4"  
Screw Fitter: 3 11/64"  
Height: 6 1/4"



**50-216** Inside Sprayed White  
Dia.: 6"  
Screw Fitter: 3 11/64"



**50-547** Clear Ribbed Glass  
Dia.: 3 11/32"  
Screw Fitter: 3 11/64"  
Height: 6 15/16"



**50-919** Clear Glass  
Dia.: 3 11/32"  
Screw Fitter: 3 11/64"  
Height: 6 15/16"



# hall & porch Glassware

**50-114** Clear  
Porch Globe

Dia.: 3 3/4" Fitter: 3 1/4"  
Ht.: 4 1/2"



**50-112** Clear  
"Pineapple" Glass

Dia.: 5 1/2" Fitter: 3 1/4"



**50-382** Frosted  
Porch Globe

Dia.: 3 3/4" Fitter: 3 1/4"  
Ht.: 4 1/2"



**50-108** Etched Hall  
Glass Clear Bottom

Dia.: 5 9/16" Fitter: 3 1/4"  
Ht.: 5"



**50-551** Vertical  
Exit Globe

Dia.: 4 1/4" Fitter: 3 1/4"  
Ht.: 6 9/16"  
3 Sides



**50-111** White with Clear  
Bottom Bath Shade

Dia.: 5 1/4" Fitter: 3 1/4"  
Ht.: 4 1/2" Depth: 5 13/16"



glassware



# cased Glassware



glassware



**50-667** Green Cased Pharmacy Shade  
Width:9" Slip Side Holes: 7/16"



**50-664** Opal Cased Shade  
Dia.:10" Fitter: 2 1/4" Height: 5"



**50-666** Opal Cased Pharmacy Shade  
Width:9" Slip Side Holes: 7/16"



**50-665** Green Cased Shade  
Dia.:10" Fitter: 2 1/4" Height: 5"



**50-825** Butterscotch Cased Pharmacy Shade  
Width:9" Slip Side Holes: 7/16"



# I.E.S. fixture & Specialty Glassware



I.E.S. Shade

**50-165**  
Dia.: 6" Fitter: 2 1/4" Ht.: 4 3/4"



**Bobesches**  
**50-777** Dia.: 4 " 1" Cent. hole: 5 pins  
**50-778** Dia.: 5 " 1" Cent. hole: 10 pins  
**50-779** Dia.: 6 " 1/2" Cent. hole: 8 pins



I.E.S. Shade

**50-166**  
Dia.: 8" Fitter: 2 1/4" Ht.: 5 3/4"



**50-222** Acid Etched with Grape Design  
Dia.: 4 1/2" Fitter: 1 5/8" Ht.: 5"



I.E.S. Shade

**50-167**  
Dia.: 10" Fitter: 2 7/8" Ht.: 5 1/2"



**50-120** Acid Etched with Grape Design  
Dia.: 4 3/8" Fitter: 1 5/8" Ht.: 5"

glassware

# bent Glassware

7/16 Center Hole



White & Grape Pattern

50-194 13" Round

50-195 15" Round

Packing: 12/Master



White & Gold Sunburst Pattern

50-196 13" Round

50-197 15" Round

Packing: 12/Master



White

50-376 13" Round

Packing: 12/Master



Sunburst Pattern

Packing: 12/Master

## Sunburst Pattern Semi Bend & Regular Bend Glass

### Semi Bend/Shallow

50-505 Dia.: 11" Depth: 1/2"

50-202 Dia.: 11" Depth: 3/4"

50-506 Dia.: 12" Depth: 7/8"

50-203 Dia.: 13" Depth: 1 1/8"

50-204 Dia.: 14" Depth: 1 1/8"

50-205 Dia.: 15" Depth: 1"

50-508 Dia.: 16" Depth: 1 1/4"

50-307 Dia.: 17" Depth: 3/4"

### Regular Bend/Deep

50-198 Dia.: 11" Depth: 1 3/4"


50-199 Dia.: 13" Depth: 1 7/8"

50-200 Dia.: 14" Depth: 2 1/2"

50-201 Dia.: 15" Depth: 2 1/2"

50-308 Dia.: 17" Depth: 2 1/2"

glassware



# bent Glassware

*A Satco  
Best Seller!*



White with Clear Floral Pattern

50-190 12" Square  
50-191 14" Square



White & Gold Scroll Pattern

50-192 13" Square  
50-193 15" Square



Ruffled Edge White with Wheat Design

50-503 12" Square




White

50-374 12" Square  
50-375 14" Square



White "U" Chanel

50-378 7" (vertical) hole 1<sup>3</sup>/<sub>4</sub>" from end 1/8 slip  
50-379 14" (horizontal) hole centered 1/8 slip  
50-380 24" (horizontal) holes 6<sup>1</sup>/<sub>2</sub>" from ends 1/8 slip



Diamond "U" Chanel

50-234 7" (vertical) hole 1<sup>3</sup>/<sub>4</sub>" from end 1/8 slip  
50-235 14" (horizontal) hole centered 1/8 slip  
50-236 24" (horizontal) holes 6<sup>1</sup>/<sub>2</sub>" from ends 1/8 slip

glassware

# drum & mushroom Glassware



glassware



Sprayed Inside White Mushroom Glass

- 50-329 Dia.: 7 1/2" Fitter: 5 7/8" Ht.: 3 5/8"
- 50-330 Dia.: 9 1/2" Fitter: 7 7/8" Ht.: 4"
- 50-331 Dia.: 11 1/2" Fitter: 9 7/8" Ht.: 4 9/16"



Sprayed Inside White Drum Glass

- 50-334 Dia.: 6 5/8" Fitter: 5 7/8" Ht.: 3 1/2"
- 50-335 Dia.: 8 11/16" Fitter: 7 7/8" Ht.: 4"
- 50-336 Dia.: 10 5/8" Fitter: 9 7/8" Ht.: 4 3/16"



50-109 Etched with Grape Design  
Dia.: 5 9/16" Fitter: 6" Ht.: 3 3/4"



Outside White Drum Glass  
with Clear Sides and Bottom

- 50-105 Dia.: 6 1/2" Fitter: 5 7/8" Ht.: 3 1/2"
- 50-106 Dia.: 8 3/8" Fitter: 7 7/8" Ht.: 4"
- 50-107 Dia.: 10 7/16" Fitter: 9 7/8" Ht.: 4 1/2"



# clip on Shades



**90-2362**  
*Ivory Floral*  
Top: 3" Bottom: 5" Side: 4 1/4"



**90-2358**  
*Beige Beaded Floral*  
Top: 3" Bottom: 5" Side: 4 1/4"



**90-2359**  
*Kakhi Beaded Floral*  
Top: 3" Bottom: 5" Side: 4 1/4"



**90-2360**  
*White Shantung*  
Top: 3" Bottom: 5" Side: 4 1/4"



**90-2361**  
*Ivory Shantung*  
Top: 3" Bottom: 5" Side: 4 1/4"



**90-2357**  
*Beige Shantung*  
Top: 3" Bottom: 5" Side: 4 1/4"



**90-2363**  
*Beige Folded Pleat*  
Top: 3" Bottom: 5" Side: 4"



**90-2364**  
*White Folded Pleat*  
Top: 3" Bottom: 5" Side: 4"



**90-2365**  
*Black Folded Pleat*  
Top: 3" Bottom: 5" Side: 4"



**90-2366**  
*White Swirl Folded Pleat*  
Top: 3" Bottom: 5" Side: 4"



**90-2367**  
*Beige Swirl Folded Pleat*  
Top: 3" Bottom: 5" Side: 4"

glassware



# clip on Shades



glassware



**90-1252**  
*Amber Beaded Cone*  
Top: 1" Bottom: 5" Side: 4"



**90-1253**  
*Silver Beaded Cone*  
Top: 1" Bottom: 5" Side: 4"



**90-1254**  
*Blue Beaded Cone*  
Top: 1" Bottom: 5" Side: 4"



**90-1255**  
*Green Beaded Cone*  
Top: 1" Bottom: 5" Side: 4"



**90-1335**  
*Amber Beaded Square*  
Top: 3" Bottom: 4" Side: 4"



**90-1336**  
*Silver Beaded Square*  
Top: 3" Bottom: 4" Side: 4"



**90-1337**  
*Blue Beaded Square*  
Top: 3" Bottom: 4" Side: 4"



**90-1338**  
*Green Beaded Square*  
Top: 3" Bottom: 4" Side: 4"



**90-1270**  
*White Pleated Round*  
Top: 3" Bottom: 4" Side: 4"



**90-1271**  
*Bone Pleated Round*  
Top: 3" Bottom: 4" Side: 4"



**90-1273**  
*Beige Pleated Round*  
Top: 3" Bottom: 4" Side: 4"



**90-1272**  
*Black Pleated Round*  
Top: 3" Bottom: 4" Side: 4"



**90-1274**  
*Black Round with Gold Interior*  
Top: 3" Bottom: 4" Side: 4"



**90-1275**  
*Beige Parchment Round*  
Top: 3" Bottom: 4" Side: 4"



**90-1276**  
*White Linen Round*  
Top: 3" Bottom: 4" Side: 4"



**90-1277**  
*White Silk Bell*  
Top: 3" Bottom: 5" Side: 4"

# emergency Lights



electrical accessories



## Emergency Flashlight/Night Light

75-047

### Features:

- LED flashlight with adjustable focus
- LED night light controlled by photocell.
- Emergency Power Failure Feature – LED lights stay on for up to 8 hours
- Uses 3 AAA rechargeable batteries (Included).

Packing: 12/Master



## Emergency Flashlight/Night Light

75-046

### Features:

- LED flashlight
- LED night light controlled by photocell.
- Emergency Power Failure Feature – LED lights stay on for up to 8 hours
- Uses 3 AAA rechargeable batteries (Included).

Packing: 12/Master



*Automatically  
lights*  
**WHEN POWER FAILS!**

## Power Failure & Automatic Night Light

76-529

7W bulb included

### Features:

- Replaceable 7W night light bulb.
- Separate On/Off switch for Power Failure Light.
- On at dusk/Off at dawn-photocell automatically controls night light.
- Replaceable emergency bulb.

Packing: 12/Master







led

# Specialty Lights

## LED Clip On Book Light

75-045

### Features:

- Uses 3 AAA batteries for up to 6 hours of use.
- Lights automatically when cover is lifted up.
- Narrow beam does not disturb others.

Packing: 12/Master



## LED Motion Sensing Utility Light

75-044

### Features:

- Built in photo Sensor – Light will only operate in darkness.
- Uses 3 AAA batteries.
- Velcro® mounting strips supplied.

Packing: 12/Master



Press the Color Button to select the color/mode:

- Steady Red, Green or Blue
- Fast color change
- Gradual color change



## LED Color Changing Clear Lens Night Light with Photo Cell

75-041

### Features:

- Life: 100,000 hours.
- On at dusk/Off at dawn—photocell automatically controls night light.
- Low power consumption: 0.8W at 120V, cool to the touch.

Packing: 24/Master, 6/Inner



## LED Color Changing Window Night Light with Photo Cell

75-042

### Features:

- Life: 100,000 hours.
- On at dusk/Off at dawn—photocell automatically controls night light.
- Low power consumption: 0.8W at 120V, cool to the touch.

Packing: 24/Master, 6/Inner



electrical accessories



led

SATCO®

# Night Lights

## 75-043

LED Clear Prismatic Cylinder  
Night Light with Photo Cell

- Life: 100,000 hours
- On at dusk/Off at dawn-photocell automatically controls night light.
- Low power consumption: 0.3W at 120V, cool to the touch.

Packing: 24/Master, 6/Inner



## 75-040

LED Multi Directional  
Night Light with Photo Cell

- Life: 100,000 hours
- Rotatable head directs light.
- On at dusk/Off at dawn-photocell automatically controls night light.
- Low power consumption: 0.3W at 120V, cool to the touch.

Packing: 24/Master, 6/Inner



## 75-031

Sleeping Moon  
Night Light

- Life: 100,000 hours
- On at dusk/Off at dawn-photocell automatically controls night light.
- Low power consumption: 0.3W at 120V, cool to the touch.

Packing: 24/Master, 6/Inner



## 75-032

Skyline Night Light

- Life: 100,000 hours
- On at dusk/Off at dawn-photocell automatically controls night light.
- Low power consumption: 0.3W at 120V, cool to the touch.

Packing: 24/Master, 6/Inner



## 75-033

Flame Night Light

- Life: 100,000 hours
- On at dusk/Off at dawn-photocell automatically controls night light.
- Low power consumption: 0.3W at 120V, cool to the touch.

Packing: 24/Master, 6/Inner




## 75-034

Light Bulb Night Light

- Life: 100,000 hours
- On at dusk/Off at dawn-photocell automatically controls night light.
- Low power consumption: 0.3W at 120V, cool to the touch.

Packing: 24/Master, 6/Inner





# night Lights

- Many Styles to choose from
- Full color selection
- Photo cell & manual controls
- Night light bulbs included
- U.L. listed
- Promotionally priced
- Attractively packaged on four color blister cards

|   |   |
|---|---|
| Night lights with on/off switch include a 4 watt bulb | Night lights with photo cells include a 7 watt bulb |
|---|---|



**75-023** Blue shell photo cell 1/Card  
Packing: 72/Master, 12/Inner



**75-024** Pink shell photo cell 1/Card  
Packing: 72/Master, 12/Inner



**75-022** Beige shell photo cell 1/Card  
Packing: 72/Master, 12/Inner



**75-021** White shell photo cell 1/Card  
Packing: 72/Master, 12/Inner



**75-019** Blue shell on/off switch 1/Card  
Packing: 72/Master, 12/Inner



**75-020** Pink shell on/off switch 1/Card  
Packing: 72/Master, 12/Inner



**75-018** Beige shell on/off switch 1/Card  
Packing: 72/Master, 12/Inner



**75-017** White shell on/off switch 1/Card  
Packing: 72/Master, 12/Inner



**75-010** Blue square on/off switch 1/Card  
Packing: 72/Master, 12/Inner



**75-011** Pink square on/off switch 1/Card  
Packing: 72/Master, 12/Inner



**75-009** Beige square on/off switch 1/Card  
Packing: 72/Master, 12/Inner



**75-008** White square on/off switch 1/Card  
Packing: 72/Master, 12/Inner



**75-015** Blue angled on/off switch 1/Card  
Packing: 72/Master, 12/Inner



**75-016** Pink angled on/off switch 1/Card  
Packing: 72/Master, 12/Inner



**75-014** Beige angled on/off switch 1/Card  
Packing: 72/Master, 12/Inner



**75-013** White angled on/off switch 1/Card  
Packing: 72/Master, 12/Inner

electrical accessories

# night Lights



electrical accessories



**75-000** Clear angled photo cell 1/Card  
Packing: 72/Master, 12/Inner



**75-004** Clear strait on/off switch 1/Card  
Packing: 72/Master, 12/Inner



**75-001** Clear straight photo cell 1/Card  
Packing: 72/Master, 12/Inner



**75-003** Clear rounded photo cell 1/Card  
Packing: 72/Master, 12/Inner



**75-053** Gold Grill on/off switch 1/Card  
Packing: 72/Master, 12/Inner



**75-054** Black Grill on/off switch 1/Card  
Packing: 72/Master, 12/Inner



**75-048** Deco Gold photo cell 1/Card  
Packing: 72/Master, 12/Inner



**75-049** Deco Silver photo cell 1/Card  
Packing: 72/Master, 12/Inner




**75-050** Gold Window photo cell 1/Card  
Packing: 72/Master, 12/Inner



**75-051** Silver Window photo cell 1/Card  
Packing: 72/Master, 12/Inner



**75-052** Clear/Silver on/off switch 1/Card  
Packing: 72/Master, 12/Inner



**75-006** Jewel light photo cell 1/Card  
Packing: 72/Master, 12/Inner



**75-007** Guide light constant on 2/Card  
Packing: 72/Master, 12/Inner



**75-029**  
Battery operated utility light push on push off 1/Card  
Uses 4 "AA" batteries  
Packing: 72/Master, 12/Inner

|   |   |
|---|---|
| Night lights with on/off switch include a 4 watt bulb | Night lights with photo cells include a 7 watt bulb |
|---|---|



# surge Suppressors

electrical accessories



91-222

6 Outlet professional metal surge strip 270 Joules  
Packing: 12/Master



91-221

6 Outlet superior surge strip 270 Joules  
Packing: 12/Master



91-220

6 Outlet standard surge strip 90 Joules  
Packing: 12/Master



# current Taps



electrical accessories



**91-223**  
6 Outlet Wall Plug In  
Tap/Surge  
540 Joules  
Packing: 36/Master



**91-228**  
6 Outlet Wall Plug In  
Tap/Coax/Surge  
6' Coax Table Supplied  
540 Joules  
Packing: 36/Master



**91-227**  
3 Outlet wall plug in  
tap with glow light  
Packing: 36/Master



# hide- A-Cord

electrical accessories



**S70-830** White  
Inside Elbow

Packing: 144/Master, 12/Inner



**S70-832** White  
Outside Elbow

Packing: 144/Master, 12/Inner



**S70-829** White  
Straight Coupling

Packing: 144/Master, 12/Inner



**S70-831** White  
Flat Elbow

Packing: 144/Master, 12/Inner



**S70-826**  
40" White  
Packing: 24/Master

**S70-827**  
40" Brass  
Packing: 24/Master

### A COMPLETE DO-IT-YOURSELF SELF STICKING WIRE COVER SYSTEM

**For:**

- Wall lamps
- Telephones
- Track lighting
- Speaker wire
- Extension cords
- Home alarm systems
- CATV cable
- Television wire
- Ceiling swag lighting
- Stereo and VCR

Wire covers available in white and brass.  
Couplings, available in white and can be painted.

# Coiled Extension Cords



electrical accessories



**12 FT. COILED (Extended)  
EXTENSION CORDS**

All extension cords rated 1250 watts maximum and supplied with safety cover to conceal unused outlets.



- 93-179 Blue
- 93-175 Yellow
- 93-170 White
- 93-174 Red
- 93-169 Green
- 93-173 Black

Packing: 48/Master, 12/Inner, 1/Card



**93-5012 Black**  
Cord with dimmer switch  
Packing: 36/Master



**93-5011 White**  
Cord with dimmer switch  
Packing: 36/Master



**Full Range Table-Top Slide Dimmer**  
Rated 300W-120V  
Indicator Light & Positive Off  
8 ft. # 18/2 SPT-2 105° Cord Set  
Female & Male Plug





# extension Cords

electrical accessories



**EXTENSION CORDS**  
**16/2 SPT 2**

All extension cords rated 1250 watts maximum and supplied with safety cover to conceal unused outlets.

- White**
- 93-192 6 ft.
  - 93-194 9 ft.
  - 93-196 12 ft.
  - 93-198 15 ft.



**EXTENSION CORDS**  
**16/2 SPT 2**

All extension cords rated 1250 watts maximum and supplied with safety cover to conceal unused outlets.

- Brown**
- 93-193 6 ft.
  - 93-195 9 ft.
  - 93-197 12 ft.
  - 93-199 15 ft.





# appliance, A/C & **SATCO** Outdoor Extension Cords

electrical accessories



### #14/3 Ga. SPT-3 Gray Air Conditioning/Appliance Cords

| Cat. No. | Footage | Description                   | Amps     | Wattage | Packed |
|----------|---------|-------------------------------|----------|---------|--------|
| 93-5000  | 3 ft.   | 14-3 SPT-3 Gray Cord w/Sleeve | 15A/125V | 1875W   | 24     |
| 93-5001  | 6 ft.   | 14-3 SPT-3 Gray Cord w/Sleeve | 15A/125V | 1875W   | 24     |
| 93-5002  | 9 ft.   | 14-3 SPT-3 Gray Cord w/Sleeve | 15A/125V | 1875W   | 12     |
| 93-5003  | 12 ft.  | 14-3 SPT-3 Gray Cord w/Sleeve | 15A/125V | 1875W   | 12     |
| 93-5004  | 15 ft.  | 14-3 SPT-3 Gray Cord w/Sleeve | 15A/125V | 1875W   | 12     |

### #16/3 Ga. SJTW-3 Orange Outdoor Extension Cords

| Cat. No. | Footage | Description                      | Amps     | Wattage | Packed |
|----------|---------|----------------------------------|----------|---------|--------|
| 93-5005  | 25 ft.  | 16-3 SJTW-3 Orange Cord w/Sleeve | 13A/125V | 1625W   | 12     |
| 93-5006  | 50 ft.  | 16-3 SJTW-3 Orange Cord w/Sleeve | 13A/125V | 1625W   | 12     |
| 93-5007  | 100 ft. | 16-3 SJTW-3 Orange Cord w/Sleeve | 10A/125V | 1250W   | 6      |



### #14/3 Ga. SJTW-3 Orange Outdoor Extension Cords

| Cat. No. | Footage | Description                      | Amps     | Wattage | Packed |
|----------|---------|----------------------------------|----------|---------|--------|
| 93-5008  | 25 ft.  | 14-3 SJTW-3 Orange Cord w/Sleeve | 15A/125V | 1875W   | 12     |
| 93-5009  | 50 ft.  | 14-3 SJTW-3 Orange Cord w/Sleeve | 15A/125V | 1875W   | 6      |
| 93-5010  | 100 ft. | 14-3 SJTW-3 Orange Cord w/Sleeve | 13A/125V | 1875W   | 6      |



# bulb Changers

### SATCO BULB CHANGERS

The easy way to change hard to reach bulbs. Available in PAR, incandescent and R type changers.



Par Type Bulb Changer

S70-3001



R Type Bulb Changer

S70-3002



Incandescent Bulb Changer

S70-0101



Aluminum Extension Pole

S70-9272 6-12 Ft

Two section handle, "nylon" threaded, fits all changers. Homeowner quality.



Alumiglass Extension Pole

S70-6516 8-16 Ft.

S70-6624 8-24 Ft.

Two section handle, threaded end fits all changers. Professional quality.

electrical accessories

# socket Adapters

150W Per Socket Max.



electrical accessories

**77-601**

One light ceiling swivel fixture

Packing: 6/Master, 1/Card



**77-602**

Two light ceiling swivel fixture

Packing: 6/Master, 1/Card



**77-622**

One light plug a light  
100W Max.


Packing: 6/Master, 1/Card



**77-607**


Two light socket light

Packing: 6/Master, 1/Card



12.5" Extension Arm

**77-621**  
Recessed light converter  
13.25" overall height  
Packing: 6/Master, 1/Card



4.25" Extension Arm

**77-608**  
Recessed light converter 5" overall height  
Packing: 6/Master, 1/Card



**77-606**  
One light socket light  
Packing: 6/Master, 1/Card



# carded Canopy Kits



carded lighting hardware

Kits contain hardware as shown.



### Ribbed Canopy Kit

- S70-192 Brass Finish
- S70-193 Ant. Brass Finish
- S70-196 Chrome Finish
- S70-197 White Finish
- S70-198 Black Finish

Shown: brass finish

Dimensions:  
Diameter 5"  
Center Hole 1 1/16"

Packing: 48/Master, 4/Inner



### Ribbed Canopy Kit

- S70-052 Brass Finish
- S70-053 Ant. Brass Finish
- S70-054 Ant. Copper Finish
- S70-055 Black Finish
- S70-056 White Finish
- S70-058 Chrome Finish

Shown: antique brass finish

Dimensions:  
Diameter 5"  
Center Hole 7/16"  
Bar Holes 2 - 9/32"

Packing: 48/Master, 4/Inner



### Standard Canopy Kit

- S70-062 Brass Finish
- S70-063 Ant. Brass Finish
- S70-065 Black Finish
- S70-066 White Finish
- S70-068 Chrome Finish

Shown: black finish

Dimensions:  
Diameter 5"  
Center Hole 7/16"  
Bar Holes 2 - 9/32"

Packing: 48/Master, 4/Inner



# carded Canopy Kits

## Contemporary Canopy Kit

- S70-034** Brass Finish
- S70-035** Ant. Brass Finish
- S70-036** Black Finish
- S70-037** White Finish
- S70-038** Chrome Finish

Shown: chrome finish

Dimensions:  
Diameter 5"  
Center Hole  $\frac{7}{16}$ "  
Bar Holes 2 -  $\frac{9}{32}$

Packing: 48/Master, 4/Inner



Kits contain hardware as shown.



## Deep Canopy Kit

- S70-057** Brass Finish
- Shown: brass finish

Dimensions:  
Diameter 5"  
Center Hole  $1\frac{7}{16}$ "  
Depth  $1\frac{1}{16}$ "

Packing: 48/Master, 4/Inner




## Canopy Kit with Convenience Outlet

- S70-040** Black Finish
  - S70-041** Brass Finish
- Shown: brass finish

Dimensions:  
Diameter 5"  
Center Hole  $\frac{7}{16}$ "  
Bar Holes 2 -  $\frac{9}{32}$

Packing: 48/Master, 4/Inner



Carded lighting hardware



# Carded Canopy Kits



carded lighting hardware

Kits contain hardware as shown.



Blank Up Kit


**S70-045** White Finish

Dimensions:

Diameter 5"

Center Hole 7/16"

Packing: 48/Master, 4/Inner



Blank Up Kit

**S70-0580** White Finish

**S70-044** Black Finish

Shown: white finish

Dimensions:

Diameter 5"

Slip Holes 2 - 9/32"

Center to Center 3 1/2"

Packing: 48/Master, 4/Inner





# carded Fixture Chain



## 11 Gauge Chain

- S70-670** White Finish
- S70-070** Pol. Brass Finish
- S70-071** Ant. Brass Finish
- S70-072** Black Finish
- S70-077** Nickel Finish

Dimensions:  
1 yard lengths / 11 gauge  
Packing: 72/Master, 6/Inner



Polished  
Brass Finish

Antique  
Brass Finish

Nickel  
Finish

White  
Finish

Black  
Finish



## Chain Opening Pliers

**S70-099**  
Packing: 72/Master, 6/Inner



Polished  
Brass Finish

Antique  
Brass Finish

## Spanish Chain

**S70-078** Brass Finish  
**S70-086** Ant. Brass Finish  
Dimensions: 1 yard lengths  
Packing: 72/Master, 6/Inner



Antique  
Brass Finish

White  
Finish

Polished  
Brass Finish

## 8 Gauge Chain

**S70-571** White Finish  
**S70-569** Pol. Brass Finish  
**S70-570** Ant. Brass Finish  
Dimensions: 1 yard lengths / 8 gauge  
Packing: 72/Master, 6/Inner

carded lighting hardware





# carded Swag Kits



carded lighting hardware



Polished Brass Finish

Antique Brass Finish


Nickel Finish

White Finish

Black Finish

Spanish Brass Finish

Kits contain hardware as shown.



### Packaged Swag Lite Kits

12 Ft.      15 Ft.

- S70-480** **S70-470** Brass Finish
- S70-481** **S70-471** Ant. Brass Finish
- S70-482** **S70-472** Black Finish
- S70-484** **S70-474** Spanish Type (Pol. Brass Finish)
- S70-489** **S70-479** Nickel Finish
- S70-531** **S70-530** White Finish

Each kit packaged in sturdy polybag with protective metal grommet at top.

#### 12' Kits Contain:

12' chain, 15' electric wire with plug, 2 swag hooks with hardware and 1 feed thru cord switch.

#### 15' Kits Contain:

15' chain, 20' electric wire with plug, 2 swag hooks with hardware and 1 feed thru cord switch.

Packing: 24/Master, 2/Inner



# carded Swag Hook Kits

## Double Swag Hook Kits

- S70-450 Brass Finish
- S70-451 Ant. Brass Finish
- S70-452 Black Finish
- S70-453 Ant. Copper Finish
- S70-456 Chrome Finish
- S70-770 White Finish

Shown: brass finish

Packing: 72/Master, 6/Inner  
2 Hooks per card



## Hook Kits

### Large Single

- S70-440 Brass Finish
- S70-441 Ant. Brass Finish
- S70-442 Black Finish

Shown: ant. brass finish

### Swivel Hook Set

- S70-815 Brass Finish
- S70-816 Ant. Brass Finish
- S70-817 Black Finish

Shown: black finish

Packing: 72/Master, 6/Inner  
1 Hook per card



## Drop Ceiling Hook Kit (Metal)

- S70-846 White Finish

Packing: 72/Master, 6/Inner  
2 Hooks per card



Kits contain hardware as shown.

carded lighting hardware

# carded Fixture Holders



carded lighting hardware



3 1/4" Ball Holder

S70-578 Brass Finish

S70-678 Ant. Brass Finish

Shown: ant. brass finish

Packing: 48/Master, 4/Inner



4" Ball Holder

S70-439 Brass Finish

S70-679 Ant. Brass Finish

Shown: polished brass finish

Packing: 48/Master, 4/Inner



3 1/4" Wired Holder

S70-230 Brass Finish


S70-330 Ant. Brass Finish

S70-430 White Finish

S70-840 Chrome Finish

Shown: chrome finish

Packing: 48/Master, 4/Inner



# carded Fixture Holders



*Twin Cluster  
with Pull Chain Switch  
S70-235 White Finish  
Packing: 48/Master, 4/Inner*



*4" Wired Holder  
S70-231 Pol. Brass Finish  
S70-331 Ant. Brass Finish  
S70-431 White Finish  
S70-841 Chrome Finish  
Shown: polished brass finish  
Packing: 48/Master, 4/Inner*



*Twin Cluster  
S70-234 White Finish  
Packing: 48/Master, 4/Inner*



carded lighting hardware



# carded Lighting Hardware



carded lighting hardware



4" Wired Fan  
Light Holder

S70-589 Pol. Brass Finish

S70-587 Ant. Brass Finish

S70-588 White Finish

Shown: antique brass finish

Packing: 48/Master, 4/Inner



S70-591

Medium base pull chain,  
porcelain lampholder

Packing: 48/Master, 4/Inner



S70-590

Medium base keyless,  
porcelain lampholder

Packing: 48/Master, 4/Inner



# carded Candle Covers

## 4" Candelabra

**S70-372** White with Gold Drip

**S70-374** Black with Gold Drip

## 4" Edison

**S70-373** White with Gold Drip

**S70-375** Black with Gold Drip

Packing: 72/Master, 6/Inner, 2/Card



Edison Base

Candelabra Base



4" Candelabra Base

**S70-370** White Finish

Packing: 72/Master, 6/Inner, 2/Card



4" Edison Base

**S70-371** White Finish

Packing: 72/Master, 6/Inner, 2/Card

carded lighting hardware

# carded Crystal Prisms



carded lighting hardware



**2" Pendalogs**  
**S70-306 Clear**  
Packing: 72/Master, 6/Inner  
5 pieces/card



**1 1/2" Pendalogs**  
**S70-300 Clear**  
Packing: 72/Master, 6/Inner  
5 pieces/card



**1 1/2" Pendalogs**  
**S70-305 Aurora Borealis**  
Packing: 72/Master, 6/Inner  
5 pieces/card



**1 1/2" Silver Crystal Pins**  
**S70-584**  
Packing: 72/Master, 6/Inner  
100 pieces/card



**1 1/2" Brass Crystal Pins**  
**S70-585**  
Packing: 72/Master, 6/Inner  
100 pieces/card



**3" U-Drop**  
**S70-312 Clear**  
Packing: 72/Master, 6/Inner  
5 pieces/card



**3" U-Drop**  
**S70-317 Aurora Borealis**  
Packing: 72/Master, 6/Inner  
5 pieces/card



# carded Shell Sockets



**S70-411**

Pull chain socket, medium base, brite gilt, 1/8 IP

Packing: 72/Master, 6/ Inner, 1/Card



**S70-412**

3 way turn knob socket, medium base, brite gilt, 1/8 IP

Packing: 72/Master, 6/ Inner, 1/Card



**S70-4310**

3 way pull chain socket, medium base, brite gilt, 1/8 IP

Packing: 72/Master, 6/ Inner, 1/Card



**S70-410**

Push thru switch socket, medium base, brite gilt, 1/8 IP

Packing: 72/Master, 6/ Inner, 1/Card



**S70-420**

Keyless socket, medium base, brite gilt, 1/8 IP

Packing: 72/Master, 6/ Inner, 1/Card



Solid Brass

**S70-622**

3 way turn knob socket, medium base, solid brass, 1/8 IP

Packing: 72/Master, 6/ Inner, 1/Card



**S70-413**

Turn knob on/off socket, medium base, brite gilt, 1/8 IP

Packing: 72/Master, 6/ Inner, 1/Card



**S70-421**

3 terminal / 2 circuit turn knob socket, medium base, brite gilt, 1/8 IP

Packing: 72/Master, 6/ Inner, 1/Card



carded lighting hardware





# carded Cluster Sockets



carded lighting hardware

**S70-414**

Medium base,  
twin cluster  
ceiling socket,  
female both ends  
w/8" leads 1/8 IP

Packing:  
72/Master, 6/Inner



**S70-425**

Medium base,  
4 light cluster  
no switch socket,  
male top male  
bottom  
w/7" leads 1/8 IP

Packing:  
48/Master, 4/Inner



**S70-416**

Medium base,  
twin cluster turn  
switch fixture socket,  
male both ends  
w/6" leads 1/8 IP

Packing:  
72/Master, 6/Inner



**S70-415**

Medium base,  
twin cluster  
ceiling fixture socket,  
w/pull chain,  
male both ends  
w/7" leads, 1/8 IP

Packing:  
72/Master, 6/Inner



**S70-422**

Medium base,  
3 light cluster  
no switch socket,  
male both ends  
w/8" leads 1/8 IP

Packing:  
48/Master, 4/Inner





# carded Bakelite Sockets

carded lighting hardware



**S70-430**

Bottom turn knob socket, medium base, bakelite, 1/8 IP

Packing: 72/Master, 6/Inner



**S70-433**

Pull chain socket, w/set screw, medium base, bakelite, 1/8 IP

Packing: 72/Master, 6/Inner



**S70-432**

3 way pull chain socket, w/set screw, medium base, bakelite, 1/8 IP

Packing: 72/Master, 6/Inner



**S70-407**

Keyless socket, medium base, bakelite, 1/8 IP

Packing: 72/Master, 6/Inner



**S70-556**

Keyless snap in socket, medium base, bakelite, 6 inch leads

Packing: 72/Master, 6/Inner



**S70-557**

Keyless snap in socket, medium base, bakelite for 3 1/4 inch and 4 inch holders, 8 inch leads

Packing: 72/Master, 6/Inner



**S70-559**

Keyless snap in socket, medium base, bakelite for 6 inch pans, 8 inch leads

Packing: 72/Master, 6/Inner



**S70-558**

Keyless snap in socket, medium base, bakelite for 8 inch and 10 inch pans, 8 inch leads

Packing: 72/Master, 6/Inner



# carded Fixture Sockets



carded lighting hardware



**S70-402**

3 1/4" to 4 1/4" adjustable candelabra base, 1/8 IP socket, 2 per card

Packing: 72/Master, 6/Inner



**S70-403**

2" candelabra base 1/8 IP socket, 2 per card

Packing: 72/Master, 6/Inner



**S70-404**

4" to 5 3/4" adjustable medium base, 1/8 IP socket, 2 per card

Packing: 72/Master, 6/Inner



**S70-405**

2" medium base 1/8 IP socket, 2 per card


Packing: 72/Master, 6/Inner



**S70-568**

Mini can socket, E11 base with 6" leads & ceramic wire connector

Packing: 72/Master, 6/Inner



**S70-565**

118mm double ended halogen socket, with 6" leads & ceramic wire connector

Packing: 72/Master, 6/Inner



**S70-566**

78mm double ended halogen socket, with 6" leads & ceramic wire connector

Packing: 72/Master, 6/Inner



**S70-567**

MR16 bi-pin socket, GY6.35 base with 6" leads & ceramic wire connector

Packing: 72/Master, 6/Inner



**S70-560**

Keyless medium base, porcelain socket, 1/8 IP hickey

Packing: 72/Master, 6/Inner



**S70-409**

Keyless medium base, porcelain socket, 1/8 IP metal cap

Packing: 72/Master, 6/Inner



**S70-408**

Keyless medium base, porcelain socket, adaptor kit, 1/8 IP metal cap

Packing: 72/Master, 6/Inner




# carded Switches

carded lighting hardware


**S70-505**  
Pull chain  
canopy switch,  
1/8 IP threaded  
Packing:  
72/Master, 6/Inner



**S70-689**  
Pull chain fan switch,  
2 circuit low, med., high  
& off 1/8 IP threaded  
Packing: 72/Master, 6/Inner



**S70-574**  
Brass finish  
push switch  
1/8 IP threaded  
Packing:  
72/Master, 6/Inner



**S70-575**  
White button  
rotary switch,  
1/8 IP threaded  
Packing:  
72/Master, 6/Inner



**S70-501**  
Brass finish  
rotary switch  
1/8 IP threaded  
Packing:  
72/Master, 6/Inner



**S70-502**  
Black button  
rotary switch,  
1/8 IP threaded  
Packing:  
72/Master, 6/Inner



**S70-504**  
3 way rotary switch,  
1/8 IP threaded  
Packing:  
72/Master, 6/Inner



# carded Switches & Plugs



carded lighting hardware




**S70-572 White**  
**S70-573 Brown**  
Inline cord switch for  
18/2 SPT 2 wire  
Packing: 72/Master, 6/Inner



**S70-500 White**  
**S70-506 Brown**  
**S70-814 Black**  
Feed thru cord switch  
for 18/2 SPT 1 wire  
Packing: 72/Master, 6/Inner



**S70-793**  
2 brown, quick connect  
female gilbert plugs  
for 18/2 SPT 1 wire  
Packing: 72/Master, 6/Inner



**S70-794**  
2 ivory, quick connect  
female gilbert plugs  
for 18/2 SPT 1 wire  
Packing: 72/Master, 6/Inner



**S70-551**  
2 brown, quick connect  
easy plugs  
for 18/2 SPT 1 wire  
Packing: 72/Master, 6/Inner



**S70-552**  
2 white, quick connect  
easy plugs  
for 18/2 SPT 1 wire  
Packing: 72/Master, 6/Inner




**S70-553**  
2 ivory, quick connect  
gilbert plugs for  
18/2 SPT 1 wire  
Packing: 72/Master, 6/Inner



**S70-554**  
2 brown, quick connect  
gilbert plugs for  
18/2 SPT 1 wire  
Packing: 72/Master, 6/Inner



**S70-555**  
2 black, quick connect  
gilbert plugs for  
18/2 SPT 1 wire  
Packing: 72/Master, 6/Inner



**S70-550**  
2 brown, quick connect  
super plugs for  
18/2 SPT 2 wire  
Packing: 72/Master, 6/Inner



**S70-549**  
2 white, quick connect  
super plugs for  
18/2 SPT 2 wire  
Packing: 72/Master, 6/Inner




**S70-577**  
(2) 3 to 2 plug adapters  
with grounding clip  
Packing: 72/Master, 6/Inner



# carded Accessories

carded lighting hardware



**S70-563**

Bakelite, medium base to medium base 1" socket extender

Packing: 72/Master, 6/Inner



**S70-564**

Porcelain, medium base to medium base 1" socket extender

Packing: 72/Master, 6/Inner



**S70-400**

Medium base to candelabra base reducers, 2 per card

Packing: 72/Master, 6/Inner



**S70-586**

12 assorted wire nuts 4 ea./small, medium and large

Packing: 144/Master, 12/Inner



**S70-167**

Nickel finish ball chain kit includes: 36" of chain, connector and bell

Packing: 144/Master, 12/Inner



**S70-168**

Brass finish ball chain kit includes: 36" of chain, connector and bell

Packing: 144/Master, 12/Inner



**S70-160**

2 brass finish, socket keys w/3/4" extensions, 2 per card


Packing: 144/Master, 12/Inner



**S70-161**

Socket replacement knobs w/3/4" extensions, 2 per card

Packing: 144/Master, 12/Inner



**S70-581**

Pull string with connector and bell

Packing: 144/Master, 12/Inner



**S70-533**

Fan pull chain includes: 5" of chain, connector and 1 1/4" wood pull

Packing: 144/Master, 12/Inner

Tassels with Chain & Connector

**S70-503**  
5" white/4" chain

**S70-521**  
5" gold/4" chain

**S70-522**  
2 3/4" Black/  
2 3/4" Chain

Packing: 72/Master, 6/Inner





# carded Accessories



carded lighting hardware



**S70-542**  
Medium base bakelite brown female screw plug  
Packing: 72/Master, 6/Inner



**S70-543**  
Medium base bakelite ivory female screw plug  
Packing: 72/Master, 6/Inner



**S70-540**  
Medium base bakelite pull chain current tap socket  
Packing: 72/Master, 6/Inner



**S70-541**  
Medium base bakelite single to twin lampholder  
Packing: 72/Master, 6/Inner



**S70-544**  
Medium base bakelite ivory socket adapter  
Packing: 72/Master, 6/Inner



**S70-545**  
Medium base bakelite brown socket adapter  
Packing: 72/Master, 6/Inner



**S70-538**  
Ivory vinyl cube tap  
Packing: 72/Master, 6/Inner



**S70-548**  
Brown vinyl cube tap  
Packing: 72/Master, 6/Inner



**S70-546**  
Ivory triple tap adapter  
Packing: 72/Master, 6/Inner



**S70-547**  
Brown triple tap adapter  
Packing: 72/Master, 6/Inner



# carded SPT-1 Cord Sets

carded lighting hardware



**S70-105**  
8' clear gold cord set with  
molded plug  
Packing: 72/Master, 6/Inner



**S70-101**  
8' brown cord set with  
molded plug  
Packing: 72/Master, 6/Inner



**S70-102**  
8' black cord set with  
molded plug  
Packing: 72/Master, 6/Inner



**S70-100**  
8' white cord set with  
molded plug  
Packing: 72/Master, 6/Inner



**S70-106**  
8' white cord set with line switch  
and molded plug  
Packing: 72/Master, 6/Inner



**S70-107**  
8' brown cord set with line switch  
and molded plug  
Packing: 72/Master, 6/Inner



**S70-103**  
15' clear gold cord set  
with molded plug  
Packing: 72/Master, 6/Inner





# carded Lamp Kits



carded lighting hardware



**S70-269**

Create a lamp kit,

kit includes: 10" harp, 8' brown cord w/molded plug, push thru socket, finial, fittings

Packing: 48/Master, 4/Inner



**S70-266**

Create a lamp kit,

kit includes: 10" harp, 8' white cord w/molded plug, push thru socket, finial, fittings

Packing: 48/Master, 4/Inner



# carded Lamp Kits



**S70-266**

Create a lamp kit,

kit includes: 10" harp, 8' white cord w/molded plug, push thru socket, finial, 3 asst. corks (will fit most bottles) and fittings

Packing: 48/Master, 4/Inner



**S70-025**

Bottle/candlestick adapter kit, kit includes: 8' white cord w/molded plug, push thru socket, 3 asst. corks (will fit most bottles), and fittings

Packing: 48/Master, 4/Inner

carded lighting hardware

# carded Dimmers



carded lighting hardware



**S70-579**

500 Watt white floor dimmer  
with slide control

Packing: 48/Master, 4/Inner



**S70-576**

500 Watt post dimmer  
with 2' leads

Packing: 48/Master, 4/Inner



# carded Crossbar Kit

carded lighting hardware



**S70-350**  
Brass finish screw collar loop & ring kit, 1/4 IP  
Packing: 72/Master, 6/Inner



**S70-352**  
Antique brass finish screw collar loop & ring kit, 1/4 IP  
Packing: 72/Master, 6/Inner



**S70-351**  
Chrome finish screw collar loop & ring kit, 1/4 IP  
Packing: 72/Master, 6/Inner



**S70-111**  
Universal all purpose cross bar  
Packing: 144/ Master, 12/Inner



**S70-110**  
4" cross bar with 1/4 X 3/8 hickey, 1/4 - 1/8 IP reducer 2-8/32 screws  
Packing: 144/Master, 12/Inner



**S70-113**  
4" cross bar 1/8 IP 2-8/32 screws  
Packing: 144/Master, 12/Inner



**S70-109**  
4" cross bar 1/4 IP 2-8/32 screws  
Packing: 144/Master, 12/Inner



**S70-112**  
4" offset cross bar with 2 3/8" and 3 3/8" tapped on center screw holes 2-8/32 screws  
Packing: 144/Master, 12/Inner



**S70-114**  
2 steel hickeys, one 1/8 IPS x 1/4 IP one 1/8 IPS x 1/8 IP  
Packing: 144/Master, 12/Inner



**S70-175**  
2 steel hickeys, 1/4 IP x 3/8 IP  
Packing: 144/Master, 12/Inner



**S70-165**  
2 steel ceiling outlet extensions, 1" ht., 3/8 male x 3/8 female  
Packing: 144/Master, 12/Inner



**S70-593**  
4" offset swivel cross bar with 2 3/8" and 3 3/8" tapped on center screw holes 2-8/32 screws  
Packing: 144/Master, 12/Inner

# carded Fixture Loops



carded lighting hardware



**S70-255**

2 brass finish female loops,  
1/8 IPS, 1" O.D.

Packing: 144/Master, 12/Inner



**S70-256**

2 antique brass finish  
female loops, 1/8 IPS, 1" O.D.

Packing: 144/Master, 12/Inner



**S70-257**

2 black finish female loops,  
1/8 IPS, 1" O.D.

Packing: 144/Master, 12/Inner



**S70-259**

2 brass finish male loops,  
1/8 IPS, 1" O.D.

Packing: 144/Master, 12/Inner



**S70-260**

2 antique brass finish  
male loops, 1/8 IPS, 1" O.D.

Packing: 144/Master, 12/Inner



**S70-261**

2 black finish male loops,  
1/8 IPS, 1" O.D.

Packing: 144/Master, 12/Inner



**S70-250**

brass finish loops, 2 male,  
2 female, 1/8 IPS, 1" O.D.

Packing: 144/Master, 12/Inner



**S70-251**

antique brass finish loops 2 male loops,  
2 female, 1/8 IPS, 1" O.D.

Packing: 144/Master, 12/Inner



**S70-252**

black finish loops, 2 male loops,  
2 female, 1/8 IPS, 1" O.D.

Packing: 144/Master, 12/Inner



# carded Loops & Finials



**S70-263**

Brass finish fixture pull down, female loop, 1/8 IPS, 2" O.D.

Packing: 144/Master, 12/Inner



**S70-249**

Brass finish female loop, 1/8 IPS, 1 1/2" O.D.

Packing: 144/Master, 12/Inner



**S70-254**

Antique brass finish female loop, 1/8 IPS, 1 1/2" O.D.

Packing: 144/Master, 12/Inner



**S70-253**

Vacuum brass finish decorative female loop, 1/8 IPS, 2" O.D.


Packing: 144/Master, 12/Inner



**S70-130**

2 solid brass finials, 2" h., 1/4-27 IPS


Packing: 144/Master, 12/Inner



**S70-133**

Brass finish acorn knob, 1 1/2" h., 1/8 IPS, supplied with one 1/4-27 reducer

Packing: 72/Master, 6/Inner



**S70-132**

Solid brass ball knob, 1 3/8" h., 1/8 IPS, supplied with one 1/4-27 reducer


Packing: 144/Master, 12/Inner



**S70-131**

2 vacuum brass finish plastic pyramid knobs, 2" h., 1/8 IPS, supplied with two 1/4-27 reducer

Packing: 144/Master, 12/Inner



**S70-135**

Brass finish finial, 2 1/4" h., 1/8 IPS, supplied with one 1/4-27 reducer

Packing: 144/Master, 12/Inner



**S70-134**

Brass finish eagle finial, 2" h., 1/8 IPS, supplied with one 1/4-27 reducer

Packing: 72/Master, 6/Inner

carded lighting hardware



# carded Finials & Risers

carded lighting hardware



**S70-136**

2 brass finish finials,  
1" h., 1/4-27 IPS

Packing: 144/Master, 12/Inner



**S70-137**

2 brass finish finials,  
1 1/2" h., 1/4-27 IPS

Packing: 144/Master, 12/Inner



**S70-142**

2 brass finish risers,  
1" h., 1/4-27 IPS

Packing: 72/Master, 6/Inner



**S70-140**

2 solid brass risers,  
1" h., 1/4-27 IPS

Packing: 144/Master, 12/Inner



**S70-141**

2 brass finish risers,  
2" h., 1/4-27 IPS


Packing: 72/Master, 6/Inner






# carded Locknuts & Washers


carded lighting hardware




**S70-621**  
6 brass locknuts, 1/8 IPS  
Packing: 144/Master, 12/Inner




**S70-172**  
12 brass locknuts, 1/8 IPS  
Packing: 144/Master, 12/Inner




**S70-623**  
2 steel locknuts, 1/4 IPS  
Packing: 144/Master, 12/Inner



**S70-622**  
6 steel locknuts, 1/8 IPS  
Packing: 144/Master, 12/Inner



**S70-171**  
12 steel locknuts, 1/4 IPS  
Packing: 144/Master, 12/Inner




**S70-152**  
16 assorted steel locknuts  
Packing: 144/Master, 12/Inner




**S70-620**  
4 brass knurled locknuts, 1/8 IPS  
Packing: 144/Master, 12/Inner



**S70-153**  
12 assorted brass locknuts  
Packing: 144/Master, 12/Inner



**S70-155**  
12 assorted washers  
Packing: 144/Master, 12/Inner



**S70-628**  
4 assorted washers 1/8 slip,  
2 locknuts, 1/8 IPS  
Packing: 144/Master, 12/Inner






# carded Fixture Hardware



carded lighting hardware



**S70-660**

4 brass balls,  
8/32 threaded

Packing: 144/Master, 12/Inner



**S70-174**

2 brass knurled necks,  
1/8 IPS

Packing: 144/Master, 12/Inner



**S70-163**

2 brass knurled necks,  
slips 1/8 IPS pipe

Packing: 144/Master, 12/Inner



**S70-162**

2 brass couplings,  
1/8 IPS


Packing: 144/Master, 12/Inner



**S70-627**

2 brass couplings,  
1/4 IPS x 1/8 IPS

Packing: 144/Master, 12/Inner



**S70-632**

3 brass finish knurled thumb  
screws, 8/32 x 1/2"

Packing: 144/Master, 12/Inner



**S70-633**

3 nickel finish knurled thumb  
screws, 8/32 x 1/2"

Packing: 144/Master, 12/Inner



**S70-634**

3 brass finish knurled thumb  
screws, 8/32 x 3/4"

Packing: 144/Master, 12/Inner



**S70-637**

5 nickel finish round head  
fixture screws, 8/32 x 2"


Packing: 144/Master, 12/Inner



**S70-636**

5 brass finish round head  
fixture screws, 8/32 x 2"

Packing: 144/Master, 12/Inner



**S70-156**

13 assorted 8/32 screws

Packing: 144/Master, 12/Inner



**S70-157**

12 assorted brass plated  
S shape hooks and rings

Packing: 144/Master, 12/Inner



# carded Lamp Parts



**S70-169**

2 brass lock up caps,  
1/8 IPS

Packing: 144/Master, 12/Inner



**S70-640**

2 nickel finish lock up caps,  
1/8 IPS

Packing: 144/Master, 12/Inner



**S70-159**

2 vacuum brass finish plastic  
lock up caps, 1/8 IPS

Packing: 144/Master, 12/Inner



**S70-822**

2 white plastic lock up caps,  
1/8 IPS


Packing: 144/Master, 12/Inner



**S70-582**

2 white plastic lock up caps,  
1/8 IPS

Packing: 144/Master, 12/Inner



**S70-154**

2 Assorted brass finish check rings,  
7/16 center hole


Packing: 144/Master, 12/Inner



**S70-639**

Nickel finish ceiling glass  
lock up kit

Packing: 144/Master, 12/Inner



**S70-638**

Brass finish ceiling glass  
lock up kit

Packing: 144/Master, 12/Inner

carded lighting hardware




# carded Lamp Parts



carded lighting hardware



**S70-583**  
1/4 - 27 bulb clip  
Packing: 72/Master, 6/Inner




**S70-592**  
70 - 1/2" green felt dots  
Packing: 72/Master, 6/Inner



*Regular Lamp  
Harp and Holder*

- S70-219** 7"    **S70-223** 11"
- S70-220** 8"    **S70-224** 12"
- S70-221** 9"    **S70-225** 13"
- S70-222** 10"

Packing: 72/Master, 6/Inner



# carded Running Thread Nipples


carded lighting hardware




**S70-270**  
30" long 1/8 IPS  
running thread pipe  
Packing: 6/Master



**S70-177**  
6 running thread nipples,  
1/4 IPS, 1 1/2" long  
Packing: 144/Master, 12/Inner



**S70-151**  
6 running thread nipples,  
1/4 IPS, assorted lengths  
Packing: 144/Master, 12/Inner



**S70-150**  
8 running thread nipples,  
1/8 IPS, assorted lengths  
Packing: 144/Master, 12/Inner




**S70-600**  
6 running thread nipples,  
1/8 IPS, 1/2" long  
Packing: 144/Master, 12/Inner



**S70-176**  
4 running thread nipples,  
1/8 IPS, 1" long  
Packing: 144/Master, 12/Inner




**S70-601**  
4 running thread nipples,  
1/8 IPS, 1 1/2" long  
Packing: 144/Master, 12/Inner



**S70-603**  
2 running thread nipples,  
1/8 IPS, 3" long  
Packing: 144/Master, 12/Inner



**S70-602**  
2 running thread nipples,  
1/8 IPS, 2" long  
Packing: 144/Master, 12/Inner



**S70-605**  
2 running thread nipples,  
1/8 IPS, 5" long  
Packing: 144/Master, 12/Inner



# carded Lamp Parts



carded lighting hardware



**S70-273**

Figurine pipe kit, brass finish adjustable from 10" - 15"

Packing: 72/Master, 6/Inner



**S70-272**

Pipe kit, two 12" running thread steel pipes with fittings and couplings. 1/8 IPS


Packing: 72/Master, 6/Inner

# floor & Desk Lamps



*Twin Goose Neck  
Desk Lamp*

**60-801** White  
(2) 60W A19 max.  
Height: 16½"  
Packing: 4/Master




*Goose Neck  
Desk Lamp*

**60-800** White  
(1) 60W A19 max.  
Height: 16½"  
Packing: 4/Master

*Goose Neck  
Floor Lamp*

**60-802** White  
(1) 60W A19 max.  
Height: 64"  
Packing: 2/Master



desk lamps & specialty lighting



# floor & Desk Lamps



*Goose Neck Floor Lamp*

**60-805** Black  
(1) 60W A19 max.  
Height: 64"  
Packing: 2/Master



*Goose Neck Desk Lamp*

**60-803** Black  
(1) 60W A19 max.  
Height: 16½"  
Packing: 4/Master



*Twin Goose Neck Desk Lamp*

**60-804** Black  
(2) 60W A19 max.  
Height: 16½"  
Packing: 4/Master



*Goose Neck Floor Lamp*

**60-807** Brushed Nickel  
(1) 60W A19 max.  
Height: 64"  
Packing: 2/Master



*Twin Goose Neck Desk Lamp*

**60-806** Brushed Nickel  
(2) 60W A19 max.  
Height: 16½"  
Packing: 4/Master



*Goose Neck Desk Lamp*

**60-808** Brushed Nickel  
(1) 60W A19 max.  
Height: 16½"  
Packing: 4/Master

desk lamps & specialty lighting

# floor & Desk Lamps



desk lamps & specialty lighting

### Clip on Goose Neck Lamp

**60-816** Old Bronze  
(1) 40W S11N Included  
Height: 13"  
Packing: 12/Master



### Large Goose Neck Desk Lamp

**60-818** Old Bronze  
(1) 60W A19 max.  
Height: 15"  
Packing: 4/Master



### Small Goose Neck Desk Lamp

**60-817** Old Bronze  
(1) 40W S11N Included  
Height: 13"  
Packing: 4/Master



### Goose Neck Floor Lamp

**60-819** Old Bronze  
(1) 60W A19 max.  
Height: 64"  
Packing: 2/Master








# floor & Desk Lamps



desk lamps & specialty lighting




*Large Goose Neck Desk Lamp*

**60-822** Metallic Red  
(1) 60W A19 max.  
Height: 16½"  
Packing: 4/Master



*Clip on Goose Neck Lamp*

**60-820** Metallic Red  
(1) 40W S11N Included  
Height: 13"  
Packing: 12/Master



*Goose Neck Floor Lamp*

**60-823** Metallic Red  
(1) 60W A19 max.  
Height: 64"  
Packing: 2/Master



*Small Goose Neck Desk Lamp*

**60-821** Metallic Red  
(1) 40W S11N Included  
Height: 13"  
Packing: 8/Master

# floor & Desk Lamps



desk lamps & specialty lighting

*Clip on Goose Neck Lamp*  
**60-824** Metallic Blue  
 (1) 40W S11N Included  
 Height: 13"  
 Packing: 12/Master



*Large Goose Neck Desk Lamp*  
**60-826** Metallic Blue  
 (1) 60W A19 max.  
 Height: 16½"  
 Packing: 4/Master



*Small Goose Neck Desk Lamp*  
**60-825** Metallic Blue  
 (1) 40W S11N Included  
 Height: 13"  
 Packing: 8/Master



*Goose Neck Floor Lamp*  
**60-827** Metallic Blue  
 (1) 60W A19 max.  
 Height: 64"  
 Packing: 2/Master





# floor & Desk Lamps



desk lamps & specialty lighting



*Goose Neck Floor Lamp*  
**60-831** Brushed Nickel  
(1) 60W A19 max.  
Height: 64"  
Packing: 2/Master



*Clip on Goose Neck Lamp*  
**60-828** Brushed Nickel  
(1) 40W S11N Included  
Height: 13"  
Packing: 12/Master



*Large Goose Neck Desk Lamp*  
**60-830** Brushed Nickel  
(1) 60W A19 max.  
Height: 16½"  
Packing: 4/Master



*Small Goose Neck Desk Lamp*  
**60-829** Brushed Nickel  
(1) 40W S11N Included  
Height: 13"  
Packing: 8/Master

# floor & Desk Lamps



desk lamps & specialty lighting



*Clip on Goose Neck Lamp*  
**60-832** White  
(1) 40W S11N Included  
Height: 13"  
Packing: 12/Master



*Large Goose Neck Desk Lamp*  
**60-834** White  
(1) 60W A19 max.  
Height: 16 1/2"  
Packing: 4/Master



*Small Goose Neck Desk Lamp*  
**60-833** White  
(1) 40W S11N Included  
Height: 13"  
Packing: 8/Master




*Goose Neck Floor Lamp*  
**60-835** White  
(1) 60W A19 max.  
Height: 64"  
Packing: 2/Master




# floor & Desk Lamps



desk lamps & specialty lighting



*Clip on Goose Neck Lamp*  
**60-836** Black  
(1) 40W S11N Included  
Height: 13"  
Packing: 12/Master



*Large Goose Neck Desk Lamp*  
**60-838** Black  
(1) 60W A19 max.  
Height: 16½"  
Packing: 4/Master



*Small Goose Neck Desk Lamp*  
**60-837** Black  
(1) 40W S11N Included  
Height: 13"  
Packing: 8/Master



*Goose Neck Floor Lamp*  
**60-839** Black  
(1) 60W A19 max.  
Height: 64"  
Packing: 2/Master



# desk Lamps



desk lamps & specialty lighting



*Clip on Goose Neck Lamp*

**60-840** White  
(1) 40W S11N Included  
Height: 13"  
Packing: 8/Master



*Mini Head Drafting Lamp*

**60-842** White  
(1) 40W S11N Included  
Height: 21"  
Packing: 2/Master



*Small Goose Neck Desk Lamp*

**60-841** White  
(1) 40W S11N Included  
Height: 13"  
Packing: 8/Master



# desk Lamps



*Mini Head  
Drafting Lamp*

**60-845** Black  
(1) 40W S11N Included  
Height: 21"  
Packing: 2/Master



*Clip on Goose  
Neck Lamp*

**60-843** Black  
(1) 40W S11N Included  
Height: 13"  
Packing: 4/Master



*Small Goose  
Neck Desk Lamp*

**60-844** Black  
(1) 40W S11N Included  
Height: 13"  
Packing: 8/Master

desk lamps & specialty lighting



# desk Lamps



*Mini Head  
Drafting Lamp*

**60-845** Black  
(1) 40W S11N Included  
Height: 21"  
Packing: 2/Master



*Clip on Goose  
Neck Lamp*

**60-843** Black  
(1) 40W S11N Included  
Height: 13"  
Packing: 4/Master



*Small Goose  
Neck Desk Lamp*

**60-844** Black  
(1) 40W S11N Included  
Height: 13"  
Packing: 8/Master

desk lamps & specialty lighting



# floor & Desk Lamps



desk lamps & specialty lighting



*Halogen Clip on  
Goose Neck Lamp*

**60-851** Brushed Nickel  
(1) 35W GU10 Included  
Height: 13"  
Packing: 12/Master



*Halogen  
Pin Up Lamp*

**60-852** Brushed Nickel  
(1) 35W GU10 Included  
Height: 13"  
Packing: 12/Master



*Halogen  
Goose Neck  
Desk Lamp*

**60-853** Brushed Nickel  
(1) 35W GU10 Included  
Height: 13"  
Packing: 8/Master



*Halogen  
Clip On Lamp*

**60-850** Brushed Nickel  
(1) 35W GU10 Included  
Height: 7"  
Packing: 12/Master  
Clam shell blister



*Halogen  
Goose Neck  
Floor Lamp*

**60-854** Brushed Nickel  
(1) 35W GU10 Included  
Height: 64"  
Packing: 2/Master



# floor & Desk Lamps

desk lamps & specialty lighting



*Small Drafting Lamp*  
**60-863** Brushed Nickel  
(1) 40W S11N Included  
Height: 21"  
Packing: 4/Master

*Clip on Goose Neck Lamp*  
**60-861** Brushed Nickel  
(1) 40W S11N Included  
Height: 13"  
Packing: 8/Master

*Small Goose Neck Desk Lamp*  
**60-862** Brushed Nickel  
(1) 40W S11N Included  
Height: 13"  
Packing: 12/Master


*Goose Neck Floor Lamp*  
**60-864** Brushed Nickel  
(1) 40W S11N Included  
Height: 64"  
Packing: 2/Master

*Clip On Lamp*  
**60-860** Brushed Nickel  
(1) 40W S11N Included  
Height: 7"  
Packing: 12/Master  
Clam shell blister

# floor & Desk Lamps



desk lamps & specialty lighting



*Halogen  
Goose Neck  
Desk Lamp*

**60-871** *Brushed Nickel*  
(1) 35W GU10 Included  
Height: 13"  
Packing: 4/Master



*Halogen  
Goose Neck  
Floor Lamp*

**60-873** *Brushed Nickel*  
(1) 35W GU10 Included  
Height: 64"  
Packing: 2/Master



*Halogen  
Tri Head Goose  
Neck Desk Lamp*

**60-872** *Brushed Nickel*  
(3) 35W GU10 Included  
Height: 13"  
Packing: 2/Master



# desk Lamps

desk lamps & specialty lighting



**Swing Arm  
Drafting Light**  
**76-358** Steel/Black  
(1) 60W A19 max.  
Dimensions: Maximum Ext. 34"  
Packing: 6/Master  
Optional mounting  
clamp included



**Desk Lamp**  
**76-355** Steel/Black  
(1) 60W A19 max.  
Dimensions: Height 20"  
Packing: 6/Master



**Clip-On Light**  
**76-357** Steel/Black  
with Coiled Cord  
(1) 60W A19 max.  
Dimensions: Height 9"  
Packing: 6/Master



Stationery items  
NOT INCLUDED!

**Organizer Desk Lamp**  
**76-356** Steel/Black  
(1) 60W A19 max.  
Dimensions: Height 20"  
Packing: 6/Master


# desk Lamps




desk lamps & specialty lighting



**Goose Neck Desk Lamp**  
77-537 Black  
77-538 White  
(1) 60W A19 max.  
Dimensions: Height 20"  
Packing: 6/Master




**Clamp On Swing Arm Drafting Light**  
76-360 White  
76-359 Black  
(1) 60W A19 max.  
Dimensions: Maximum Ext. 35"  
Packing: 6/Master



3 Diopter Lens

**Clamp On Magnifier Swing Arm Lamp**  
77-437 Beige  
(1) 60W A19 max.  
Dimensions: Maximum Ext. 35"  
Packing: 6/Master



**Flexible Goose Neck Clip-On Lamp with Coiled Cord**  
76-226 Black  
76-227 White  
(1) 60W A19 max.  
Dimensions: Height 9"  
Packing: 12/Master



# portable Spot Lights



77-293 Almond



77-396 Brass



77-394 Black



77-395 White



77-397 Chrome



desk lamps & specialty lighting

**FEATURES:**

- 75 watt max.
- Contemporary styling
- Multi directional aiming with positive position locking method
- Can be used as a wall mount or free standing on a table or floor
- Rotary on-off switch on back of shade
- Porcelain socket

Perfect for use as a ... Reading light  
Plant or tree light  
Work light  
Display light



Packing: 12/Master

# banker & Piano Lamps



desk lamps & specialty lighting



*Brass Finish Bankers Lamp*  
**77-698** Green Cased Glass Shade  
(1) 60W A19 max.  
Dimensions: Height 15"  
Width of shade 8"  
Packing: 6/Master



*Brass Finish Bankers Lamp*  
**77-553** Green Cased Glass Shade  
(1) 60W A19 max.  
Dimensions: Height 15"  
Width of shade 8"  
Packing: 6/Master



*Brass Finish Bankers Lamp with Dark Green Marble*  
**77-064**  
(1) 60W A19 max.  
Dimensions: Height 15"  
Width of shade 8"  
Packing: 6/Master



*Brass Finish Piano Lamp*  
**77-498**  
(1) 40W T10 max.  
and arm are fully adjustable.  
Dimensions: Height 12"  
Width of shade 13"  
Packing: 6/Master



*Brass Finish Piano Lamp with Dark Green Marble*  
**77-063**  
(1) T10 40W max.  
Dimensions: Height 12"  
Width of shade 8"  
Packing: 6/Master





# swing Arm Lamps

desk lamps & specialty lighting



*Brass Finish  
Swing Arm Desk Lamp*

**77-830** Beige Shade  
**77-832** White Shade

3-way socket (1)100W max.  
cord and plug supplied,

Dimensions: Arm Extends 17"  
Width of shade 13"

Packing: 6/Master



*Brass Finish  
Swing Arm Desk Lamp*

**77-662** Beige Shade  
**77-575** White Shade

3-way socket (1)100W max.  
cord and plug supplied,

Dimensions: Arm Extends 17"  
Width of shade 13"

Packing: 6/Master



*Brass Finish Swing Arm Lamp  
with Dark Green Marble*

**77-065**

(1) 100W A19 max.

Dimensions: Height 15"  
Width of shade 11"

Packing: 6/Master



*Brass Finish  
Swing Arm Lamp*

**77-497** Beige Shade  
**77-555** White Shade

(1) 100W A19 max.

Dimensions: Height 15"

Packing: 6/Master





# accent Lite™




desk lamps & specialty lighting

The original "Satco Accent Lite" is the thinnest adjustable shelf light that puts light right where you need it. *Accent Lite's* unique 360° swivel mount allows the light to be directed anywhere you want. *Accent Lite* will light the objects you want to light, not just the shelf. *Accent Lite* installs in minutes without tools and comes complete with 6-foot line cord and removable plug. *Accent Lite* is fully dimmable.

*Accent Lite* is Ideal for:

- Wall Units • Stereo Cabinets • Platform Beds • China Cabinets
- Book Shelves • Anywhere You Need an *Accent Lite*

*Accent Lite* is available in 10", 20", 30" and 40" sizes in polished brass, chrome, black or white finishes.



### 36-Piece Wall Display

33601

With order of 12-10", 20" and 30" units.  
40" size not included in wall display



### Counter Display

33600

Included with wall display






accent  
Lite™



Unique 360°  
Swivel Mount  
Directs Light  
Where Needed



Packing: 10" & 20" sizes 12/Master  
30" & 40" sizes 6/Master



*Polished Brass Finish*

- S71-000 10"
- S71-004 20"
- S71-008 30"
- S71-012 40"



*Polished Chrome Finish*

- S71-001 10"
- S71-005 20"
- S71-009 30"
- S71-013 40"



*White Finish*

- S71-003 10"
- S71-007 20"
- S71-011 30"
- S71-015 40"



*Black Finish*

- S71-002 10"
- S71-006 20"
- S71-010 30"
- S71-014 40"

desk lamps & specialty lighting

# standard Picture Lights



SATCO standard *Picture Lights* offer exceptional value, style and quality.



### 7" Standard Picture Light

**S72-201** Polished Brass

(1) 25 Watt frosted T10 bulb  
S3251 included

Adjustable bracket,  
turn switch on shade

*Packing: 12/Master*




### 14" Standard Picture Light

**S72-202** Polished Brass

(2) 25 Watt frosted T10 bulb  
S3251 included

Adjustable bracket,  
line cord switch

*Packing: 12/Master*



*Adjustable slide bracket controls distance of shade from painting.*



desk lamps & specialty lighting



# deluxe Picture Lights



SATCO Deluxe Picture Lights feature telescoping brackets and adjustable swivel shades.



(1) 25 Watt frosted T10 bulb S3251 included  
Telescopic bracket and adjustable swivel shade, line cord switch

**7" Deluxe Picture Light**

**S72-203 Polished Brass** Packing: 12/Master



(2) 25 Watt frosted T10 bulb S3251 included  
Telescopic bracket and adjustable swivel shade line cord switch

**14" Deluxe Picture Light**

**S72-204 Polished Brass** Packing: 12/Master



(1) 25 Watt frosted T10 bulb S3251 included  
Telescopic bracket and adjustable swivel shade, line cord switch

**7" Deluxe Picture Light**

**S72-206 Antique Brass** Packing: 12/Master



(2) 25 Watt frosted T10 bulb S3251 included  
Telescopic bracket and adjustable swivel shade line cord switch

**14" Deluxe Picture Light**

**S72-208 Antique Brass** Packing: 12/Master



(1) 25 Watt frosted T10 bulb S3251 included  
Telescopic bracket and adjustable swivel shade, line cord switch

**7" Deluxe Picture Light**

**S72-207 Polished Chrome** Packing: 12/Master




(2) 25 Watt frosted T10 bulb S3251 included  
Telescopic bracket and adjustable swivel shade line cord switch

**14" Deluxe Picture Light**

**S72-209 Polished Chrome** Packing: 12/Master

desk lamps & specialty lighting

# slimline Picture Lights



All Slimline Picture Lights featured include the following. Ultra compact shade design. Adjustable swivel shade and telescopic bracket to adjust in or out from painting. On/off switch on line cord. Highly reflective interior finish for maximum light output.



## 7" Slimline Deluxe Picture Light

**S72-210** Polished Brass

(1) 15 Watt frosted T6 bulb  
S3315 included  
Telescopic bracket and adjustable swivel shade

Packing: 12/Master



## 14" Slimline Deluxe Picture Light

**S72-213** Polished Brass

(2) 15 Watt frosted T6 bulb  
S3315 included  
Telescopic bracket and adjustable swivel shade  
line cord switch

Packing: 12/Master



## 7" Slimline Deluxe Picture Light

**S72-211** Antique Brass

(1) 15 Watt frosted T6 bulb  
S3315 included  
Telescopic bracket and adjustable swivel shade  
line cord switch

Packing: 12/Master



## 14" Slimline Deluxe Picture Light

**S72-214** Antique Brass

(2) 15 Watt frosted T6 bulb  
S3315 included  
Telescopic bracket and adjustable swivel shade  
line cord switch

Packing: 12/Master



## 7" Slimline Deluxe Picture Light

**S72-212** White

(1) 15 Watt frosted T6 bulb  
S3315 included  
Telescopic bracket and adjustable swivel shade  
line cord switch

Packing: 12/Master



## 14" Slimline Deluxe Picture Light

**S72-215** White

(2) 15 Watt frosted T6 bulb  
S3315 included  
Telescopic bracket and adjustable swivel shade  
line cord switch

Packing: 12/Master

desk lamps & specialty lighting



# cabinet Lights



## 7" Slimline Cabinet Light

**S72-230 Polished Brass**

(1) 15 Watt frosted T6 bulb  
S3315 included  
Telescopic bracket and  
adjustable swivel shade  
line cord switch

*Packing: 12/Master*



## 7" Slimline Cabinet Light

**S72-232 White**

(1) 15 Watt frosted T6 bulb  
S3315 included  
Telescopic bracket and  
adjustable swivel shade  
line cord switch

*Packing: 12/Master*



## 7" Slimline Cabinet Light

**S72-231 Antique Brass**

(1) 15 Watt frosted T6 bulb  
S3315 included  
Telescopic bracket and  
adjustable swivel shade  
line cord switch

*Packing: 12/Master*



## 7" Cabinet Light

**S72-205 Polished Brass**

(1) 25 Watt frosted T10 bulb  
S3251 included  
Turn switch on shade

*Packing: 12/Master*



desk lamps & specialty lighting

# picture & Cabinet Light Replacement Bulbs



desk lamps & specialty lighting

### T10 Tubular


Medium Base  
for Use with Standard,  
Deluxe Picture and  
Cabinet Lights

**S3251**

25 Watt Frosted

Packing: Individually Boxed,  
500/Master, 25/Inner

Boxed



### T10 Tubular

Medium Base  
for Use with Standard,  
Deluxe Picture  
and Cabinet Lights

**S3701**

25 Watt Frosted

Packing: 1 Bulb/Card,  
120 Cards/Master,  
10 Cards/Inner



### T6 Tubular

Candelabra Base  
for Use with Slimline  
Deluxe Picture  
and Cabinet Lights

**S3715**

15 Watt Frosted

Packing: 2 Bulb/Card,  
72 Cards/Master,  
6 Cards/Inner

### T6 Tubular

Candelabra Base  
for Use with Slimline,  
Deluxe Picture and  
Cabinet Lights

**S3315**

15 Watt Frosted

Packing: Individually Boxed,  
500/Master, 25/Inner

Boxed





# decorative Chandeliers



chandeliers



**Five Light Chandelier**  
With frosted ribbed shades  
**76-693** Textured White  
(5) 60W A19 max.  
Dimensions: Width 22", Height 18", Chain 36"



**Five Light Chandelier**  
With frosted ribbed shades  
**76-694** Old Bronze  
(5) 60W A19 max.  
Dimensions: Width 22", Height 18", Chain 36"



**Five Light Chandelier**  
With frosted ribbed shades  
**76-695** Brushed Nickel  
(5) 60W A19 max.  
Dimensions: Width 22", Height 18", Chain 36"



**Five Light Chandelier**  
With clear ribbed shades  
**76-281** Polished Brass  
(5) 60W A19 max.  
Dimensions: Width 22", Height 18", Chain 36"



**Five Light Chandelier**  
With clear ribbed shades  
**76-449** Textured White  
(5) 60W A19 max.  
Dimensions: Width 22", Height 18", Chain 36"



**Five Light Chandelier**  
With clear ribbed shades  
**76-445** Old Bronze  
(5) 60W A19 max.  
Dimensions: Width 22", Height 18", Chain 36"



**Five Light Chandelier**  
With clear ribbed shades  
**76-444** Brushed Nickel  
(5) 60W A19 max.  
Dimensions: Width 22", Height 18", Chain 36"



**Five Light Chandelier**  
**76-280** Polished Brass  
(5) 60W Type B, Cand Base max.  
Dimensions: Width 18", Height 14", Chain 36"





# prismatic Pendants

pendants

**Prismatic Dome**  
With clear ribbed glass

**76-282** Polished Brass

(1) 100W A19 max.

Dimensions: Width 15",  
Height 10½", Chain 36"



**Prismatic Dome**  
With frosted ribbed glass

**76-690** Old Bronze

(1) 100W A19 max.

Dimensions: Width 15",  
Height 10½", Chain 36"



**Prismatic Dome**  
With frosted ribbed glass

**76-691** Brushed Nickel

(1) 100W A19 max.

Dimensions: Width 15",  
Height 10½", Chain 36"



**Prismatic Dome**  
With frosted ribbed glass

**76-692** Textured White

(1) 100W A19 max.

Dimensions: Width 15",  
Height 10½", Chain 36"



**Prismatic Dome**  
With clear ribbed glass

**76-447** Old Bronze

(1) 100W A19 max.

Dimensions: Width 15",  
Height 10½", Chain 36"



**Prismatic Dome**  
With clear ribbed glass

**76-446** Brushed Nickel

(1) 100W A19 max.

Dimensions: Width 15",  
Height 10½", Chain 36"



**Prismatic Dome**  
With clear ribbed glass

**76-448** Textured White

(1) 100W A19 max.

Dimensions: Width 15",  
Height 10½", Chain 36"



**Prismatic Railroad**  
Shade

**76-262** 8" Polished Brass  
Dimensions: 8", Height 7½", Chain 36"

**76-263** 12" Polished Brass  
Dimensions: 12", Height 8", Chain 36"

**76-264** 15" Polished Brass  
Dimensions: 15", Height 9½", Chain 36"

(1) 100W A19 max.



# glass Pendants



pendants



*Alabaster Glass Hanging Dome*

**60-390** Brushed Nickel

(1) 100W A19 max.

Dimensions: Width 16", Height 11½", Chain 48"



*Alabaster Glass Hanging Dome*

**60-391** Old Bronze

(1) 100W A19 max.

Dimensions: Width 16", Height 11½", Chain 48"



*Alabaster Glass Hanging Dome*

**60-392** Polished Brass

(1) 100W A19 max.

Dimensions: Width 16", Height 11½", Chain 48"



*Alabaster Glass Hanging Dome*

**60-393** Textured White

(1) 100W A19 max.

Dimensions: Width 16", Height 11½", Chain 48"



*10" Prismatic Cone Shade*

**76-254** Polished Brass

(1) 100W A19 max.

Dimensions: Width 10", Height 7¾", Chain 36"



*12" Prismatic Cone Shade*

**76-255** Polished Brass

(1) 100W A19 max.

Dimensions: Width 12", Height 9", Chain 36"



# warehouse shade *Pendants*



*Black Warehouse Shade*

**76-284**

(1) 100W A19 max.

*Dimensions: Width 16", Height 8 1/4", Cord 12"*



*White Warehouse Shade*

**76-283**

(1) 100W A19 max.

*Dimensions: Width 16", Height 8 1/4", Cord 12"*



*Green Warehouse Shade*

**76-660**

(1) 100W A19 max.

*Dimensions: Width 16", Height 8 1/4", Cord 12"*



*Brushed Nickel Warehouse Shade*

**76-661**

(1) 100W A19 max.

*Dimensions: Width 16", Height 8 1/4", Cord 12"*



*Old Bronze Warehouse Shade*

**76-662**

(1) 100W A19 max.

*Dimensions: Width 16", Height 8 1/4", Cord 12"*



*Red Warehouse Shade*

**76-663**

(1) 100W A19 max.

*Dimensions: Width 16", Height 8 1/4", Cord 12"*

pendants

# foyer Hall/Bedroom



foyer/hall/bedroom



**11" Flush**  
**60-197** Brushed Nickel with Alabaster Glass  
(2) 60W A19 max.  
Dimensions: Width 11½", Height 4¼"



**11" Semi-flush**  
**60-200** Brushed Nickel with Alabaster Glass  
(2) 60W A19 max.  
Dimensions: Width 11½", Height 12"



**13" Flush**  
**60-198** Brushed Nickel with Alabaster Glass  
(2) 60W A19 max.  
Dimensions: Width 13¼", Height 5¼"



**13" Semi-flush**  
**60-201** Brushed Nickel with Alabaster Glass  
(2) 60W A19 max.  
Dimensions: Width 13¼", Height 14"



**15" Flush**  
**60-199** Brushed Nickel with Alabaster Glass  
(3) 60W A19 max.  
Dimensions: Width 15¼", Height 6"



**15" Semi-flush**  
**60-202** Brushed Nickel with Alabaster Glass  
(3) 60W A19 max.  
Dimensions: Width 15¼", Height 15½"



# foyer Hall/Bedroom

### 11" Semi-flush

**60-216** Polished Brass with Alabaster Glass

(2) 60W A19 max.

Dimensions: Width 11½", Height 12"



### 11" Flush

**60-213** Polished Brass with Alabaster Glass

(2) 60W A19 max.

Dimensions: Width 11½", Height 4½"



### 13" Semi-flush

**60-217** Polished Brass with Alabaster Glass

(2) 60W A19 max.

Dimensions: Width 13¼", Height 14"



### 13" Flush

**60-214** Polished Brass with Alabaster Glass

(2) 60W A19 max.

Dimensions: Width 13¼", Height 5½"



### 15" Semi-flush

**60-218** Polished Brass with Alabaster Glass

(3) 60W A19 max.

Dimensions: Width 15¼", Height 15½"



### 15" Flush

**60-215** Polished Brass with Alabaster Glass

(3) 60W A19 max.

Dimensions: Width 15¼", Height 6"



foyer/hall/bedroom

# foyer Hall/Bedroom



foyer/hall/bedroom



**11" Semi-flush**  
**60-208** Old Bronze with Alabaster Glass  
(2) 60W A19 max.  
Dimensions: Width 11 1/4", Height 12"



**11" Flush**  
**60-205** Old Bronze with Alabaster Glass  
(2) 60W A19 max.  
Dimensions: Width 11 1/4", Height 4 1/4"



**13" Semi-flush**  
**60-209** Old Bronze with Alabaster Glass  
(2) 60W A19 max.  
Dimensions: Width 13 1/4", Height 14"



**13" Flush**  
**60-206** Old Bronze with Alabaster Glass  
(2) 60W A19 max.  
Dimensions: Width 13 1/4", Height 5 1/4"



**15" Semi-flush**  
**60-210** Old Bronze with Alabaster Glass  
(3) 60W A19 max.  
Dimensions: Width 15 1/4", Height 15 1/2"



**15" Flush**  
**60-207** Old Bronze with Alabaster Glass  
(3) 60W A19 max.  
Dimensions: Width 15 1/4", Height 6"



# foyer Hall/Bedroom

### 11" Flush

**60-221** Textured White with Alabaster Glass

(2) 60W A19 max.

Dimensions: Width 11 1/4", Height 4 1/4"



### 11" Semi-flush

**60-224** Textured White with Alabaster Glass

(2) 60W A19 max.

Dimensions: Width 11 1/4", Height 12"



### 13" Flush

**60-222** Textured White with Alabaster Glass

(2) 60W A19 max.

Dimensions: Width 13 1/4", Height 5 1/4"



### 13" Semi-flush

**60-225** Textured White with Alabaster Glass

(2) 60W A19 max.

Dimensions: Width 13 1/4", Height 14"



### 15" Flush

**60-223** Textured White with Alabaster Glass

(3) 60W A19 max.

Dimensions: Width 15 1/4", Height 6"



### 15" Semi-flush

**60-226** Textured White with Alabaster Glass

(3) 60W A19 max.

Dimensions: Width 15 1/4", Height 15 1/2"



foyer/hall/bedroom



# foyer Hall/Bedroom



See Pages 222 and 223  
for More Swirl Glass  
Flush Dome Fixtures

foyer/hall/bedroom



**11" Flush**  
**60-229** Antique Brass  
with Clear Swirl Glass  
(2) 60W A19 max.  
Dimensions: Width 11",  
Height 4"



**11" Semi-flush**  
**60-232** Antique Brass  
with Clear Swirl Glass  
(2) 60W A19 max.  
Dimensions: Width 11",  
Height 12"



**13" Flush**  
**60-230** Antique Brass  
with Clear Swirl Glass  
(2) 60W A19 max.  
Dimensions: Width 13",  
Height 5"



**13" Semi-flush**  
**60-233** Antique Brass  
with Clear Swirl Glass  
(2) 60W A19 max.  
Dimensions: Width 13",  
Height 14"



**15" Flush**  
**60-231** Antique Brass  
with Clear Swirl Glass  
(3) 60W A19 max.  
Dimensions: Width 15",  
Height 5"



**15" Semi-flush**  
**60-234** Antique Brass  
with Clear Swirl Glass  
(3) 60W A19 max.  
Dimensions: Width 15",  
Height 15"





# foyer Hall/Bedroom

foyer/hall/bedroom

### 11" Semi-flush

**60-240** Antique Brass with Frosted Swirl Glass

(2) 60W A19 max.

Dimensions: Width 11 1/2", Height 12"



### 11" Flush

**60-237** Antique Brass with Frosted Swirl Glass

(2) 60W A19 max.

Dimensions: Width 11 1/2", Height 4 1/2"



### 13" Semi-flush

**60-241** Antique Brass with Frosted Swirl Glass

(2) 60W A19 max.

Dimensions: Width 13 1/4", Height 14"



### 13" Flush

**60-238** Antique Brass with Frosted Swirl Glass

(2) 60W A19 max.

Dimensions: Width 13 1/4", Height 5 1/2"



### 15" Semi-flush

**60-242** Antique Brass with Frosted Swirl Glass

(3) 60W A19 max.

Dimensions: Width 15 1/4", Height 15 1/2"



### 15" Flush

**60-239** Antique Brass with Frosted Swirl Glass

(3) 60W A19 max.

Dimensions: Width 15 1/4", Height 5 1/2"





# ceiling Fixtures



ceiling fixtures



**11" Flush**  
**76-243** Brushed Nickel  
with Frosted Melon Glass  
(2) 60W A19 max.  
Dimensions: Width 11 $\frac{1}{2}$ ", Height 12"



**13" Flush**  
**76-244** Brushed Nickel  
with Frosted Melon Glass  
(2) 60W A19 max.  
Dimensions: Width 13 $\frac{1}{4}$ ", Height 14"



**15" Flush**  
**76-245** Brushed Nickel  
with Frosted Melon Glass  
(3) 60W A19 max.  
Dimensions: Width 15 $\frac{1}{4}$ ", Height 15 $\frac{1}{2}$ "



**11" Flush**  
**76-606** Old Bronze  
with Clear Ribbed Glass  
(2) 60W A19 max.  
Dimensions: Width 11 $\frac{1}{2}$ ", Height 4 $\frac{1}{2}$ "



**13" Flush**  
**76-607** Old Bronze  
with Clear Ribbed Glass  
(2) 60W A19 max.  
Dimensions: Width 13 $\frac{1}{4}$ ", Height 5 $\frac{1}{2}$ "



**15" Flush**  
**76-608** Old Bronze  
with Clear Ribbed Glass  
(3) 60W A19 max.  
Dimensions: Width 15 $\frac{1}{4}$ ", Height 5 $\frac{1}{2}$ "




**11" Flush**  
**76-609** Brushed Nickel  
with Clear Ribbed Glass  
(2) 60W A19 max.  
Dimensions: Width 11 $\frac{1}{2}$ ", Length 12"



**13" Flush**  
**76-610** Brushed Nickel  
with Clear Ribbed Glass  
(2) 60W A19 max.  
Dimensions: Width 13 $\frac{1}{4}$ ", Height 14"



**15" Flush**  
**76-611** Brushed Nickel  
with Clear Ribbed Glass  
(3) 60W A19 max.  
Dimensions: Width 15 $\frac{1}{4}$ ", Height 15 $\frac{1}{2}$ "



# ceiling Fixtures

ceiling fixtures



**15" Flush**  
**76-248** Old Bronze  
 with Frosted Melon Glass  
 (3) 60W A19 max.  
 Dimensions: Width 15 1/4", Height 6"



**13" Flush**  
**76-247** Old Bronze  
 with Frosted Melon Glass  
 (2) 60W A19 max.  
 Dimensions: Width 13 3/8", Height 5 1/2"



**11" Flush**  
**76-246** Old Bronze  
 with Frosted Melon Glass  
 (2) 60W A19 max.  
 Dimensions: Width 11 3/8", Height 4 1/8"

**13" Semi-flush**  
**76-433** Brushed Nickel  
 with Frosted Melon Glass  
 (2) 60W A19 max.  
 Dimensions: Width 13",  
 Height 13"



**13" Semi-flush**  
**76-434** Polished Brass  
 with Frosted Melon Glass  
 (2) 60W A19 max.  
 Dimensions: Width 13",  
 Height 13"



**13" Semi-flush**  
**76-435** Textured White  
 with Frosted Melon Glass  
 (2) 60W A19 max.  
 Dimensions: Width 15",  
 Height 13"



**15" Semi-flush  
Dome**  
**76-436** Old Bronze  
 with Frosted Melon Glass  
 (2) 60W A19 max  
 Dimensions: Width 13",  
 Height 13"



# ceiling Fixtures



ceiling fixtures



11" Flush

76-124 Polished Brass with Frosted Melon Glass

(2) 60W A19 max.

Dimensions: Width 11 1/4", Height 5"



13" Flush

76-126 Polished Brass with Frosted Melon Glass

(2) 60W A19 max.

Dimensions: Width 13 1/4", Height 5 1/2"



15" Flush

76-128 Polished Brass with Frosted Melon Glass

(3) 60W A19 max.

Dimensions: Width 15", Height 6"



11" Flush

76-125 Textured White with Frosted Melon Glass

(2) 60W A19 max.

Dimensions: Width 11 1/4", Height 5"



13" Flush

76-127 Textured White with Frosted Melon Glass

(2) 60W A19 max.

Dimensions: Width 13 1/4", Height 5 1/2"



15" Flush

76-129 Textured White with Frosted Melon Glass

(3) 60W A19 max.

Dimensions: Width 15", Height 6"



11" Flush

76-130 Polished Brass with Frosted Ribbed Glass

(2) 60W A19 max.

Dimensions: Width 11 1/4", Height 5"



13" Flush

76-132 Polished Brass with Frosted Ribbed Glass

(2) 60W A19 max.

Dimensions: Width 13 1/4", Height 5 1/2"



15" Flush

76-134 Polished Brass with Frosted Ribbed Glass

(3) 60W A19 max.

Dimensions: Width 15", Height 6"



# ceiling Fixtures

ceiling fixtures



**15" Flush**  
**76-135** Textured White with Frosted Ribbed Glass  
(3) 60W A19 max.  
Dimensions: Width 15", Length 6"



**13" Flush**  
**76-133** Textured White with Frosted Ribbed Glass  
(2) 60W A19 max.  
Dimensions: Width 13 1/4", Height 5 1/2"



**11" Flush**  
**76-131** Textured White with Frosted Ribbed Glass  
(2) 60W A19 max.  
Dimensions: Width 11 1/4", Height 5"



**15" Flush**  
**76-093** Polished Brass with Clear Ribbed Glass  
(3) 60W A19 max.  
Dimensions: Width 15", Height 6"



**13" Flush**  
**76-092** Polished Brass with Clear Ribbed Glass  
(2) 60W A19 max.  
Dimensions: Width 13 1/4", Height 5 1/2"



**11" Flush**  
**76-091** Polished Brass with Clear Ribbed Glass  
(2) 60W A19 max.  
Dimensions: Width 11 1/4", Height 5"



**15" Flush**  
**76-193** Textured White with Clear Ribbed Glass  
(3) 60W A19 max.  
Dimensions: Width 15", Height 6"



**13" Flush**  
**76-192** Textured White with Clear Ribbed Glass  
(2) 60W A19 max.  
Dimensions: Width 13 1/4", Height 5 1/2"



**11" Flush**  
**76-191** Textured White with Clear Ribbed Glass  
(2) 60W A19 max.  
Dimensions: Width 11 1/4", Height 5"

# ceiling Fixtures



ceiling fixtures



**11" Flush**  
**76-194** Textured White  
 with Ribbed Ice Glass  
 (2) 60W A19 max.  
 Dimensions: Width 11¼", Height 5"



**13" Flush**  
**76-195** Textured White  
 with Ribbed Ice Glass  
 (2) 60W A19 max.  
 Dimensions: Width 13¼", Height 5½"



**15" Flush**  
**76-190** Textured White  
 with Ribbed Ice Glass  
 (3) 60W A19 max.  
 Dimensions: Width 15", Height 6"



**11" Flush**  
**76-094** Polished Brass  
 with Ribbed Ice Glass  
 (2) 60W A19 max.  
 Dimensions: Width 11¼", Height 5"



**13" Flush**  
**76-095** Polished Brass  
 with Ribbed Ice Glass  
 (2) 60W A19 max.  
 Dimensions: Width 13¼", Height 5½"



**15" Flush**  
**76-189** Polished Brass  
 with Ribbed Ice Glass  
 (3) 60W A19 max.  
 Dimensions: Width 15", Height 6"




**11" Flush**  
**76-027** Textured White  
 with Clear Ribbed Swirl Glass  
 (2) 60W A19 max.  
 Dimensions: Width 11¼", Height 5"



**13" Flush**  
**76-028** Textured White  
 with Clear Ribbed Swirl Glass  
 (2) 60W A19 max.  
 Dimensions: Width 13¼", Height 5½"



**15" Flush**  
**76-029** Textured White  
 with Clear Ribbed Swirl Glass  
 (3) 60W A19 max.  
 Dimensions: Width 15", Height 6"



# ceiling Fixtures

See Pages 216 and 217  
for More Swirl Glass  
Flush Dome Fixtures



**15" Flush**  
**76-026** Polished Brass  
with Clear Ribbed Swirl Glass  
(3) 60W A19 max.  
Dimensions: Width 15", Height 6"



**13" Flush**  
**76-025** Polished Brass  
with Clear Ribbed Swirl Glass  
(2) 60W A19 max.  
Dimensions: Width 13 1/4", Height 5 1/2"



**11" Flush**  
**76-024** Polished Brass  
with Clear Ribbed Swirl Glass  
(2) 60W A19 max.  
Dimensions: Width 11 1/4", Height 5"



**15" Flush**  
**76-197** Textured White  
with Frosted Ribbed Swirl Glass  
(3) 60W A19 max.  
Dimensions: Width 15", Height 6"



**13" Flush**  
**76-218** Textured White  
with Frosted Ribbed Swirl Glass  
(2) 60W A19 max.  
Dimensions: Width 13 1/4", Height 5 1/2"



**11" Flush**  
**76-196** Textured White  
with Frosted Ribbed Swirl Glass  
(2) 60W A19 max.  
Dimensions: Width 11 1/4", Height 5"



**15" Flush**  
**76-097** Polished Brass  
with Frosted Ribbed Swirl Glass  
(3) 60W A19 max.  
Dimensions: Width 15", Height 6"



**13" Flush**  
**76-214** Polished Brass  
with Frosted Ribbed Swirl Glass  
(2) 60W A19 max.  
Dimensions: Width 13 1/4", Height 5 1/2"



**11" Flush**  
**76-096** Polished Brass  
with Frosted Ribbed Swirl Glass  
(2) 60W A19 max.  
Dimensions: Width 11 1/4", Height 5"

ceiling fixtures

# ceiling Fixtures



ceiling fixtures



15" Flush

**76-215** Polished Brass with Clear & Frosted Glass

(3) 60W A19 max.

Dimensions: Width 15", Height 6"



15" Flush

**76-216** Textured White with Clear & Frosted Glass

(3) 60W A19 max.

Dimensions: Width 15", Height 6"



13" Flush

**76-099** Polished Brass with Clear & Frosted Glass

(2) 60W A19 max.

Dimensions: Width 13 1/4", Height 5 1/2"



13" Flush

**76-199** Textured White with Clear & Frosted Glass

(2) 60W A19 max.

Dimensions: Width 13 1/4", Height 5 1/2"



11" Flush

**76-098** Polished Brass with Clear & Frosted Glass

(2) 60W A19 max.

Dimensions: Width 11 1/4", Height 5"



11" Flush

**76-198** Textured White with Clear & Frosted Glass

(2) 60W A19 max.

Dimensions: Width 11 1/4", Height 5"





# energy efficient Ceiling Fixtures



15" Flush Dome  
Energy Saver



60-445 White with  
Frosted Melon Glass

(2) 18W Quad/G24q-2 Base max. -Included

Dimensions: Width 15", Length 6"



15" Flush Dome  
Energy Saver



60-442 Polished Brass  
with Frosted Melon Glass

(2) 18W Quad/G24q-2 Base max. -Included

Dimensions: Width 15", Length 6"



13" Flush Dome  
Energy Saver



60-444 White with  
Frosted Melon Glass

(2) 13W Quad/G24q-1 Base max. -Included

Dimensions: Width 13", Height 5 1/2"



13" Flush Dome  
Energy Saver



60-441 Polished Brass  
with Frosted Melon Glass

(2) 13W Quad/G24q-1 Base max. -Included

Dimensions: Width 13", Height 5 1/2"



11" Flush Dome  
Energy Saver



60-443 White with  
Frosted Melon Glass

(1) 18W Quad/G24q-2 Base max. -Included

Dimensions: Width 11", Height 5 1/4"



11" Flush Dome  
Energy Saver



60-440 Polished Brass  
with Frosted Melon Glass

(1) 18W Quad/G24q-2 Base max. -Included

Dimensions: Width 11", Height 5 1/4"

energy efficient ceiling fixtures



# energy efficient Ceiling Fixtures



energy efficient ceiling fixtures



15" Flush  
Energy Saver

60-451 Old Bronze with  
Frosted Melon Glass



(2) 18W Quad/G24q-2 Base max. -Included  
Dimensions: Width 15", Height 6"



15" Flush  
Energy Saver

60-448 Brushed Nickel with  
Frosted Melon Glass



(2) 18W Quad/G24q-2 Base max. -Included  
Dimensions: Width 15", Length 6"



13" Flush  
Energy Saver

60-450 Old Bronze with  
Frosted Melon Glass



(2) 13W Quad/G24q-1 Base max. -Included  
Dimensions: Width 13", Height 5 1/2"



13" Flush  
Energy Saver

60-447 Brushed Nickel with  
Frosted Melon Glass



(2) 13W Quad/G24q-1 Base max. -Included  
Dimensions: Width 13", Height 5 1/2"



11" Flush  
Energy Saver

60-449 Old Bronze with  
Frosted Melon Glass



(1) 18W Quad/G24q-2 Base max. -Included  
Dimensions: Width 11", Height 5 1/4"



11" Flush  
Energy Saver

60-446 Brushed Nickel with  
Frosted Melon Glass



(1) 18W Quad/G24q-2 Base max. -Included  
Dimensions: Width 11", Height 5 1/4"



# ceiling Fixtures

ceiling fixtures

### Small White Mushroom

**76-600** Old Bronze  
(1) 60W A19 max.  
Dimensions: Width 7½",  
Height 5"



### Small White Mushroom

**76-601** Brushed Nickel  
(1) 60W A19 max.  
Dimensions: Width 7½",  
Height 5"



### Small White Mushroom

**77-060** White  
(1) 60W A19 max.  
Dimensions: Width 7½",  
Height 5"



### Small White Mushroom

**77-345** Polished Chrome  
(1) 60W A19 max.  
Dimensions: Width 7½",  
Height 5"



### Small White Mushroom

**77-059** Polished Brass  
(1) 60W A19 max.  
Dimensions: Width 7½",  
Height 5"



### Small White Mushroom

**77-921** Antique Brass  
(1) 60W A19 max.  
Dimensions: Width 7½",  
Height 5"



### Small Clear Ribbed Mushroom

**76-250** Polished Brass  
(1) 60W A19 max.  
Dimensions: Width 7½",  
Height 5"



### Small Clear Ribbed Mushroom

**76-251** White  
(1) 60W A19 max.  
Dimensions: Width 7½",  
Height 5"



# ceiling Fixtures



ceiling fixtures



*Small Alabaster Mushroom*

**76-670** Old Bronze

(1) 60W A19 max.

Dimensions: Width 7½",  
Height 5"



*Small Alabaster Mushroom*

**76-671** Brushed Nickel

(1) 60W A19 max.

Dimensions: Width 7½",  
Height 5"



*Small Alabaster Mushroom*

**76-672** Polished Brass

(1) 60W A19 max.

Dimensions: Width 7½",  
Height 5"



*Small Alabaster Mushroom*

**76-612** Textured White

(1) 60W A19 max.

Dimensions: Width 7½",  
Height 5"



*Medium Alabaster Mushroom*

**76-673** Old Bronze

(2) 60W A19 max.

Dimensions: Width 9½",  
Height 6"



*Medium Alabaster Mushroom*

**76-674** Brushed Nickel

(2) 60W A19 max.

Dimensions: Width 9½",  
Height 6"



*Medium Alabaster Mushroom*

**76-675** Polished Brass

(2) 60W A19 max.

Dimensions: Width 9½",  
Height 6"



*Medium Alabaster Mushroom*

**76-613** Textured White

(2) 60W A19 max.

Dimensions: Width 9½",  
Height 6"



# ceiling Fixtures

ceiling fixtures

### Medium White Mushroom

**76-602** Old Bronze

(2) 60W A19 max.

Dimensions: Width 9 1/2",  
Height 6"



### Medium White Mushroom

**76-603** Brushed Nickel

(2) 60W A19 max.

Dimensions: Width 9 1/2",  
Height 6"



### Medium White Mushroom

**77-061** Polished Brass

(2) 60W A19 max.

Dimensions: Width 9 1/2",  
Height 6"



### Medium White Mushroom

**77-062** White

(2) 60W A19 max.

Dimensions: Width 9 1/2",  
Height 6"



### Medium White Mushroom

**77-346** Polished Chrome

(2) 60W A19 max.

Dimensions: Width 9 1/2",  
Height 6"



### Medium White Mushroom

**77-924** Antique Brass

(2) 60W A19 max.

Dimensions: Width 9 1/2",  
Height 6"



### Medium Clear Ribbed Mushroom

**76-252** Polished Brass

(2) 60W A19 max.

Dimensions: Width 9 1/2",  
Height 6"



### Medium Clear Ribbed Mushroom

**76-253** White

(2) 60W A19 max.

Dimensions: Width 9 1/2",  
Height 6"





# ceiling Fixtures



ceiling fixtures



**Large White Mushroom**  
**76-604 Old Bronze**  
 (2) 60W A19 max.  
 Dimensions: Width 12", Height 6"



**Large White Mushroom**  
**76-605 Brushed Nickel**  
 (2) 60W A19 max.  
 Dimensions: Width 12", Height 6"



**Large White Mushroom**  
**77-347 Polished Chrome**  
 (2) 60W A19 max.  
 Dimensions: Width 12", Height 6"



**Large White Mushroom**  
**77-987 White**  
 (2) 60W A19 max.  
 Dimensions: Width 12", Height 6"



**Large White Mushroom**  
**77-986 Polished Brass**  
 (2) 60W A19 max.  
 Dimensions: Width 12", Height 6"



**Large White Mushroom**  
**77-988 Antique Brass**  
 (2) 60W A19 max.  
 Dimensions: Width 12", Height 6"



**Large Alabaster Mushroom**  
**76-676 Old Bronze**  
 (2) 60W A19 max.  
 Dimensions: Width 12", Height 6"



**Large Alabaster Mushroom**  
**76-677 Brushed Nickel**  
 (2) 60W A19 max.  
 Dimensions: Width 12", Height 6"



**Large Alabaster Mushroom**  
**76-678 Polished Brass**  
 (2) 60W A19 max.  
 Dimensions: Width 12", Height 6"



**Large Alabaster Mushroom**  
**76-614 Textured White**  
 (2) 60W A19 max.  
 Dimensions: Width 12", Height 6"



# energy efficient Ceiling Fixtures

## Medium White Mushroom Energy Saver



**60-401 Polished Brass**

(1) 18W Quad/G24q-2 Base max. -Included

Dimensions: Width 10", Height 5"



## Large White Mushroom Energy Saver



**60-402 Polished Brass**

(2) 18W Quad/G24q-2 Base max. -Included

Dimensions: Width 12", Height 6 1/2"



## Medium White Mushroom Energy Saver



**60-403 White**

(1) 18W Quad/G24q-2 Base max. -Included

Dimensions: Width 10", Height 5"



## Large White Mushroom Energy Saver



**60-404 White**

(2) 18W Quad/G24q-2 Base max. -Included

Dimensions: Width 12", Height 6 1/2"



## Medium White Mushroom Energy Saver



**60-405 Brushed Nickel**

(1) 18W Quad/G24q-2 Base max. -Included

Dimensions: Width 10", Height 5"



## Large White Mushroom Energy Saver



**60-406 Brushed Nickel**

(2) 18W Quad/G24q-2 Base max. -Included

Dimensions: Width 12", Height 6 1/2"



## Medium White Mushroom Energy Saver



**60-407 Old Bronze**

(1) 18W Quad/G24q-2 Base max. -Included

Dimensions: Width 10", Height 5"



## Large White Mushroom Energy Saver



**60-408 Old Bronze**

(2) 18W Quad/G24q-2 Base max. -Included

Dimensions: Width 12", Height 6 1/2"



energy efficient ceiling fixtures




# energy efficient Ceiling Fixtures



energy efficient ceiling fixtures




**Medium Alabaster Mushroom Energy Saver**

**60-415 Old Bronze**   
 (1) 18W Quad/G24q-2 Base max. -Included  
 Dimensions: Width 10", Height 5"




**Large Alabaster Mushroom Energy Saver**

**60-416 Old Bronze**   
 (2) 18W Quad/G24q-2 Base max. -Included  
 Dimensions: Width 12", Height 6 1/2"




**Medium Alabaster Mushroom Energy Saver**

**60-413 Brushed Nickel**   
 (1) 18W Quad/G24q-2 Base max. -Included  
 Dimensions: Width 10", Height 5"




**Large Alabaster Mushroom Energy Saver**

**60-414 Brushed Nickel**   
 (2) 18W Quad/G24q-2 Base max. -Included  
 Dimensions: Width 12", Height 6 1/2"




**Medium Alabaster Mushroom Energy Saver**

**60-411 White**   
 (1) 18W Quad/G24q-2 Base max. -Included  
 Dimensions: Width 10", Height 5"



**Large Alabaster Mushroom Energy Saver**

**60-412 White**   
 (2) 18W Quad/G24q-2 Base max. -Included  
 Dimensions: Width 12", Height 6 1/2"




**Medium Alabaster Mushroom Energy Saver**

**60-409 Polished Brass**   
 (1) 18W Quad/G24q-2 Base max. -Included  
 Dimensions: Width 10", Height 5"



**Large Alabaster Mushroom Energy Saver**

**60-410 Polished Brass**   
 (2) 18W Quad/G24q-2 Base max. -Included  
 Dimensions: Width 12", Height 6 1/2"





# ceiling Fixtures

ceiling fixtures

### 6" White Ball

**60-245** Brushed Nickel

(1) 60W A19 max.

Dimensions: Width 6", Height 7 1/4"



### 6" Alabaster Ball

**60-255** Polished Brass

(1) 60W A19 max.

Dimensions: Width 6", Height 7 1/4"



### 6" White Ball

**60-247** Old Bronze

(1) 60W A19 max.

Dimensions: Width 6", Height 7 1/4"



### 6" Alabaster Ball

**60-257** Brushed Nickel

(1) 60W A19 max.

Dimensions: Width 6", Height 7 1/4"



### 6" White Ball

**77-108** Polished Brass

(1) 60W A19 max.

Dimensions: Width 6", Height 7 1/4"



### 6" Alabaster Ball

**60-259** Old Bronze

(1) 60W A19 max.

Dimensions: Width 6", Height 7 1/4"



### 6" White Ball

**77-110** Polished Chrome

(1) 60W A19 max.

Dimensions: Width 6", Height 7 1/4"



### 6" Clear Ribbed Ball

**76-256** Polished Brass

(1) 60W A19 max.

Dimensions: Width 6", Height 7 1/4"



### 6" White Ball

**77-947** White

(1) 60W A19 max.

Dimensions: Width 6", Height 7 1/4"



### 6" Clear Ribbed Ball

**76-257** White

(1) 60W A19 max.

Dimensions: Width 6", Height 7 1/4"



# ceiling Fixtures



**8" White Ball**  
**77-109** Polished Brass  
 (1) 60W A19 max.  
 Dimensions: Width 8", Height 9 1/4"



**8" White Ball**  
**77-111** Polished Chrome  
 (1) 60W A19 max.  
 Dimensions: Width 8", Height 9 1/4"



**8" White Ball**  
**77-948** White  
 (1) 60W A19 max.  
 Dimensions: Width 8", Height 9 1/4"



**8" White Ball**  
**60-246** Brushed Nickel  
 (1) 60W A19 max.  
 Dimensions: Width 8", Height 9 1/4"



**8" White Ball**  
**60-248** Old Bronze  
 (1) 60W A19 max.  
 Dimensions: Width 8", Height 9 1/4"



**8" White Ball with Pull Chain Switch**  
**60-295** Polished Brass  
 (1) 60W A19 max.  
 Dimensions: Width 8", Height 9 1/4"



**8" Clear Ribbed Ball**  
**76-258** Polished Brass  
 (1) 60W A19 max.  
 Dimensions: Width 8", Height 9 1/4"



**8" Clear Ribbed Ball**  
**76-259** White  
 (1) 60W A19 max.  
 Dimensions: Width 8", Height 9 1/4"

ceiling fixtures



# ceiling Fixtures



8" Alabaster Ball

60-256 Polished Brass

(1) 60W Type A19 max.

Dimensions:  
Width 8", Height 9 1/4"



8" Alabaster Ball

60-258 Brushed Nickel

(1) 60W Type A19 max.

Dimensions:  
Width 8", Height 9 1/4"



8" Alabaster Ball

60-260 Old Bronze

(1) 60W Type A19 max.

Dimensions:  
Width 8", Height 9 1/4"

ceiling fixtures

# energy efficient Ceiling Fixtures

8" White Ball  
Energy Saver



60-430 White

(1) 13W Quad/G24q-1  
Base max. -Included

Dimensions: Width 8",  
Height 9 1/4"



8" White Ball  
Energy Saver



60-431 Polished Brass

(1) 13W Quad/G24q-1  
Base max. -Included

Dimensions: Width 8",  
Height 9 1/4"



8" White Ball  
Energy Saver



60-432 Brushed Nickel

(1) 13W Quad/G24q-1  
Base max. -Included

Dimensions: Width 8",  
Height 9 1/4"



8" White Ball  
Energy Saver



60-433 Old Bronze

(1) 13W Quad/G24q-1  
Base max. -Included

Dimensions: Width 8",  
Height 9 1/4"





# ceiling Fixtures



ceiling fixtures



**Small Crystal/  
White Drum**  
**77-097** White  
(1) 60W A19 max.  
Dimensions: Width 6", Height 5"



**Small Crystal/  
White Drum**  
**77-100** Polished Chrome  
(1) 60W A19 max.  
Dimensions: Width 6", Height 5"



**Medium Crystal/  
White Drum**  
**77-098** White  
(2) 60W A19 max.  
Dimensions: Width 8", Height 6"



**Medium Crystal/  
White Drum**  
**77-101** Polished Chrome  
(2) 60W A19 max.  
Dimensions: Width 8", Height 6"



**Large Crystal/  
White Drum**  
**77-099** White  
(2) 60W A19 max.  
Dimensions: Width 8", Height 6"



**Large Crystal/  
White Drum**  
**77-102** Polished Chrome  
(2) 60W A19 max.  
Dimensions: Width 10", Height 7"



**Small Frosted  
Grape Mushroom**  
**77-123** Polished Brass  
(1) 60W A19 max.  
Dimensions: Width 6", Height 5"



# ceiling Fixtures

*Small White Drum*  
**77-342** Polished Chrome  
(1) 60W A19 max.  
Dimensions: Width 6", Height 5"



*Clear Pineapple Glass*  
**77-125** Polished Brass  
(1) 60W A19 max.  
Dimensions: Width 5½", Height 7"



*Medium White Drum*  
**77-343** Polished Chrome  
(2) 60W A19 max.  
Dimensions: Width 8", Height 6"



*Clear Hobnail Squat Ball*  
**77-124** Polished Brass  
(1) 60W A19 max.  
Dimensions: Width 5½", Height 5"



*Large White Drum*  
**77-344** Polished Chrome  
(2) 60W A19 max.  
Dimensions: Width 10", Height 7"



*Clear Bottom Squat Ball*  
**77-122** Polished Brass  
(1) 60W A19 max.  
Dimensions: Width 5½", Height 5"



ceiling fixtures



# ceiling Fixtures



ceiling fixtures



*Round Grape Design*  
**76-268** White Holder  
(2) 60W A19 max.  
Dimensions: Width 12", Height 4 1/4"



*Round Sunburst Design*  
**76-269** White Holder  
(2) 60W A19 max.  
Dimensions: Width 12", Height 4 1/4"



*White Round*  
**77-823** White Holder  
(2) 60W A19 max.  
Dimensions: Width 12", Height 4 1/4"



*Square Wheat Design/  
Ruffled Edge*  
**76-270** White Holder  
(2) 60W A19 max.  
Dimensions: Width 11 1/4", Height 4 1/4"



*Square Floral Design*  
**77-126** White Holder  
(2) 60W A19 max.  
Dimensions: Width 11 1/4", Height 4 1/4"



*Square Floral Design  
With Pull Chain Switch*  
**76-392** White Holder  
(2) 60W A19 max.  
Dimensions: Width 11 1/4", Height 4 1/4"



*White Square*  
**77-824** White Holder  
(2) 60W A19 max.  
Dimensions: Width 11 1/4", Height 4 1/4"



# ceiling Fixtures

ceiling fixtures

## 1 Light R20 Step Cylinder

**76-401** Polished Brass

(1) 50W R20 / 50W PAR20 Halogen

Dimensions: Height 9", Canopy 5"



## 1 Light R20 Step Cylinder

**76-400** White

(1) 50W R20 / 50W PAR20 Halogen

Dimensions: Height 9", Canopy 5"



## 1 Light R30 Step Cylinder

**76-406** White

(1) 75W BR30 / 50W PAR30/Longneck Halogen

Dimensions: Height 9", Canopy 5"



## 1 Light R30 Step Cylinder

**76-407** Polished Brass

(1) 75W BR30 / 50W PAR30/Longneck Halogen

Dimensions: Height 9", Canopy 5"



## 2 Light R20 Step Cylinder

**76-402** White

(2) 50W R20 / 50W PAR30 Halogen

Dimensions: Height 9", Canopy 9X5 1/2" Width 14"



## 2 Light R20 Step Cylinder

**76-403** Polished Brass

(2) 50W R20 / 50W PAR30 Halogen

Dimensions: Height 9", Canopy 9X5 1/2" Width 14"



## 2 Light R30 Step Cylinder

**76-409** Polished Brass

(2) 75W BR30 / 50W PAR30/Longneck Halogen

Dimensions: Height 9", Canopy 9X5 1/2", Width 14"



## 2 Light R30 Step Cylinder

**76-408** White

(2) 75W BR30 / 50W PAR30/Longneck Halogen

Dimensions: Height 9", Canopy 9X5 1/2", Width 14"



# ceiling Fixtures



**3 Light R20  
Step Cylinder**

**76-405** Polished Brass

(3) 50W R20 / 50W  
PAR20 Halogen

Dimensions: Height 8",  
Canopy 10", Width 16"



**3 Light R20  
Step Cylinder**

**76-404** White

(3) 50W R20 / 50W  
PAR20 Halogen

Dimensions: Height 8",  
Canopy 10", Width 16"



**3 Light R30  
Step Cylinder**

**76-410** White

(3) 50W BR30 / 50W  
PAR20 Halogen

Dimensions: Height 8",  
Canopy 10", Width 16"



**3 Light R30  
Step Cylinder**

**76-411** Polished Brass

(3) 75W BR30 / 50W  
PAR30 Halogen

Dimensions: Height 9",  
Canopy 10", Width 18"



**1 Light R20  
Straight Cylinder**

**76-413** Polished Brass

(1) 50W R20 / 50W  
PAR20 Halogen

Dimensions: Height 8½",  
Canopy 5"



**1 Light R20  
Straight Cylinder**

**76-412** White

(1) 50W R20 / 50W  
PAR20 Halogen

Dimensions: Height 8½",  
Canopy 5"



**1 Light R30  
Straight Cylinder**

**76-418** White

(1) 75W BR30 / 50W  
PAR30 Halogen

Dimensions: Height 9",  
Canopy 5"



**1 Light R30 Straight  
Cylinder**

**76-419** Polished Brass

(1) 75W BR30 / 50W  
PAR30 Halogen

Dimensions: Height 9",  
Canopy 5"

ceiling fixtures





# ceiling Fixtures

### 2 Light R20 Straight Cylinder

**76-415** Polished Brass

(2) 50W R20 / 50W  
PAR20 Halogen

Dimensions: Height 8½",  
Canopy 9X5½", Width 14"



### 2 Light R20 Straight Cylinder

**76-414** White

(2) 50W R20 / 50W  
PAR20 Halogen

Dimensions: Height 8½",  
Canopy 9X5½", Width 14"



### 2 Light R30 Straight Cylinder

**76-420** White

(2) 75W BR30 / 50W  
PAR30 Halogen

Dimensions: Height 10",  
Canopy 9X5½", Width 14"



### 2 Light R30 Straight Cylinder

**76-421** Polished Brass

(2) 75W BR30 / 50W  
PAR30 Halogen

Dimensions: Height 10",  
Canopy 9X5½", Width 14"



### 3 Light R20 Straight Cylinder

**76-417** Polished Brass

(3) 50W R20 / 50W  
PAR20 Halogen

Dimensions: Height 8½",  
Canopy 10", Width 14"



### 3 Light R20 Straight Cylinder

**76-416** White

(3) 75W BR30 / 50W  
PAR30 Halogen

Dimensions: Height 8½",  
Canopy 10", Width 14"



### 3 Light R30 Straight Cylinder

**76-422** White

(3) 75W BR30 / 50W  
PAR30 Halogen

Dimensions: Height 10",  
Canopy 10", Width 18"



### 3 Light R30 Straight Cylinder

**76-423** Polished Brass

(3) 75W BR30 / 50W  
PAR30 Halogen

Dimensions: Height 10",  
Canopy 10", Width 18"



ceiling fixtures

# vanity & Wall Fixtures



## Ballerina Two Light 18" Vanity

**60-320** Brushed nickel

(2) 100W A19 max.

Dimensions: Width 18", Height 7 1/4", Extension 8 1/2"



## Ballerina Three Light 24" Vanity

**60-321** Brushed nickel

(3) 100W A19 max.

Dimensions: Width 24", Height 7 1/4", Extension 8 1/2"



## Ballerina Four Light 30" Vanity

**60-322** Brushed nickel

(4) 100W A19 max.

Dimensions: Width 30", Height 7 1/4", Extension 8 1/2"



## Ballerina Five Light 36" Vanity

**60-323** Brushed nickel

(5) 100W A19 max.

Dimensions: Width 36", Height 7 1/4", Extension 8 1/2"



## Ballerina Seven Light 48" Vanity

**60-291** Brushed nickel

(7) 100W A19 max.

Dimensions: Width 48", Height 7 1/4", Extension 8 1/2"



## Ballerina Two Light 18" Vanity

**60-324** Old Bronze

(2) 100W A19 max.

Dimensions: Width 18", Height 7 1/4", Extension 8 1/2"



## Ballerina Three Light 24" Vanity

**60-325** Old Bronze

(3) 100W A19 max.

Dimensions: Width 24", Height 7 1/4", Extension 8 1/2"



## Ballerina Four Light 30" Vanity

**60-326** Old Bronze

(4) 100W A19 max.

Dimensions: Width 30", Height 7 1/4", Extension 8 1/2"



## Ballerina Five Light 36" Vanity

**60-327** Old Bronze

(5) 100W A19 max.

Dimensions: Width 36", Height 7 1/4", Extension 8 1/2"



## Ballerina Seven Light 48" Vanity

**60-292** Old Bronze

(7) 100W A19 max.

Dimensions: Width 48", Height 7 1/4", Extension 8 1/2"





# vanity & Wall Fixtures



*Ballerina Two Light 18" Vanity*

**60-332** Textured White

(2) 100W A19 max.

Dimensions: Width 18", Height 7 1/2", Extension 8 1/2"



*Ballerina Three Light 24" Vanity*

**60-333** Textured White

(2) 100W A19 max.

Dimensions: Width 24", Height 7 1/2", Extension 8 1/2"



*Ballerina Four Light 30" Vanity*

**60-334** Textured White

(4) 100W A19 max.

Dimensions: Width 30", Height 7 1/2", Extension 8 1/2"



*Ballerina Five Light 36" Vanity*

**60-335** Textured White

(5) 100W A19 max.

Dimensions: Width 36", Height 7 1/2", Extension 8 1/2"



*Ballerina Seven Light 48" Vanity*

**60-294** Textured White

(7) 100W A19 max.

Dimensions: Width 48", Height 7 1/2", Extension 8 1/2"



*Ballerina Two Light 18" Vanity*

**60-316** Polished Chrome

(2) 100W A19 max.

Dimensions: Width 18", Height 7 1/2", Extension 8 1/2"



*Ballerina Three Light 24" Vanity*

**60-317** Polished Chrome

(3) 100W A19 max.

Dimensions: Width 24", Height 7 1/2", Extension 8 1/2"



*Ballerina Four Light 30" Vanity*

**60-318** Polished Chrome

(4) 100W A19 max.

Dimensions: Width 30", Height 7 1/2", Extension 8 1/2"



*Ballerina Five Light 36" Vanity*

**60-319** Polished Chrome

(5) 100W A19 max.

Dimensions: Width 36", Height 7 1/2", Extension 8 1/2"



*Ballerina Seven Light 48" Vanity*

**60-290** Polished Chrome

(7) 100W A19 max.

Dimensions: Width 48", Height 7 1/2", Extension 8 1/2"

vanity & wall fixtures

# vanity & Wall Fixtures



## Ballerina Two Light 18" Vanity

**60-328** Polished Brass

(2) 100W A19 max.

Dimensions: Width 18", Height 7 $\frac{1}{2}$ ", Extension 8 $\frac{1}{2}$ "



## Ballerina Three Light 24" Vanity

**60-329** Polished Brass

(3) 100W A19 max.

Dimensions: Width 24", Height 7 $\frac{1}{2}$ ", Extension 8 $\frac{1}{2}$ "



## Ballerina Four Light 30" Vanity

**60-330** Polished Brass

(4) 100W A19 max.

Dimensions: Width 30", Height 7 $\frac{1}{2}$ ", Extension 8 $\frac{1}{2}$ "



## Ballerina Five Light 36" Vanity

**60-331** Polished Brass

(5) 100W A19 max.

Dimensions: Width 36", Height 7 $\frac{1}{2}$ ", Extension 8 $\frac{1}{2}$ "



## Ballerina Seven Light 48" Vanity

**60-293** Polished Brass

(7) 100W A19 max.

Dimensions: Width 48", Height 7 $\frac{1}{2}$ ", Extension 8 $\frac{1}{2}$ "



## 18" Three Light Vanity Strip

**60-304** Old Bronze

(3) 100W Type G / Med. base max.

Dimensions: Width 18", Height 4 $\frac{1}{4}$ ",  
Extension 2" (less lamp)



## 24" Four Light Vanity Strip

**60-305** Old Bronze

(4) 100W Type G / Med. base max.

Dimensions: Width 24", Height 4 $\frac{1}{4}$ ",  
Extension 2" (less lamp)



## 36" Six Light Vanity Strip

**60-306** Old Bronze

(6) 100W Type G / Med. base max.

Dimensions: Width 36", Height 4 $\frac{1}{4}$ ",  
Extension 2" (less lamp)




## 48" Eight Light Vanity Strip

**60-307** Old Bronze

(8) 100W Type G / Med. base max.

Dimensions: Width 48", Height 4 $\frac{1}{4}$ ",  
Extension 2" (less lamp)





# vanity & Wall Fixtures



## 18" Three Light Vanity Strip

**60-300** Brushed Nickel

(3) 100W Type G / Med. base max.

*Dimensions:* Width 18", Height 4 1/4",  
Extension 2" (less lamp)



## 24" Four Light Vanity Strip

**60-301** Brushed Nickel

(4) 100W Type G / Med. base max.

*Dimensions:* Width 24", Height 4 1/4",  
Extension 2" (less lamp)



## 36" Six Light Vanity Strip

**60-302** Brushed Nickel

(6) 100W Type G / Med. base max.

*Dimensions:* Width 36", Height 4 1/4",  
Extension 2" (less lamp)



## 48" Eight Light Vanity Strip

**60-303** Brushed Nickel

(8) 100W Type G / Med. base max.

*Dimensions:* Width 48", Height 4 1/4",  
Extension 2" (less lamp)



## 18" Three Light Vanity Strip

**60-296** Polished Chrome

(3) 100W Type G / Med. base max.

*Dimensions:* Width 18", Height 4 1/4",  
Extension 2" (less lamp)



## 24" Four Light Vanity Strip

**60-297** Polished Chrome

(4) 100W Type G / Med. base max.

*Dimensions:* Width 24", Height 4 1/4",  
Extension 2" (less lamp)



## 36" Six Light Vanity Strip

**60-298** Polished Chrome

(6) 100W Type G / Med. base max.

*Dimensions:* Width 36", Height 4 1/4",  
Extension 2" (less lamp)



## 48" Eight Light Vanity Strip

**60-299** Polished Chrome

(8) 100W Type G / Med. base max.

*Dimensions:* Width 48", Height 4 1/4",  
Extension 2" (less lamp)

# vanity & Wall Fixtures



## 18" Three Light Vanity Strip

**60-308** Polished Brass

(3) 100W Type G / Med. base max.

Dimensions: Width 18", Height 4¼",  
Extension 2" (less lamp)



## 24" Four Light Vanity Strip

**60-309** Polished Brass

(4) 100W Type G / Med. base max.

Dimensions: Width 24", Height 4¼",  
Extension 2" (less lamp)



## 36" Six Light Vanity Strip

**60-310** Polished Brass

(6) 100W Type G / Med. base max.

Dimensions: Width 36", Height 4¼",  
Extension 2" (less lamp)



## 48" Eight Light Vanity Strip

**60-311** Polished Brass

(8) 100W Type G / Med. base max.

Dimensions: Width 48", Height 4¼",  
Extension 2" (less lamp)



## 18" Three Light Vanity Strip

**60-312** Textured White

(3) 100W Type G / Med. base max.

Dimensions: Width 18", Height 4¼",  
Extension 2" (less lamp)



## 24" Four Light Vanity Strip

**60-313** Textured White

(4) 100W Type G / Med. base max.

Dimensions: Width 24", Height 4¼",  
Extension 2" (less lamp)



## 36" Six Light Vanity Strip

**60-314** Textured White

(6) 100W Type G / Med. base max.

Dimensions: Width 36", Height 4¼",  
Extension 2" (less lamp)



## 48" Eight Light Vanity Strip

**60-315** Textured White

(8) 100W Type G / Med. base max.

Dimensions: Width 48", Height 4¼",  
Extension 2" (less lamp)





# vanity & Wall Fixtures

vanity & wall fixtures



18" Three Light Vanity Strip

**77-192** Polished Chrome

(3) 100W Type G / Med. base max.

Dimensions: Width 18", Height 4 1/4",  
Extension 2" (less lamp)



24" Four Light Vanity Strip

**77-193** Polished Chrome

(4) 100W Type G / Med. base max.

Dimensions: Width 24", Height 4 1/4",  
Extension 2" (less lamp)



36" Six Light Vanity Strip

**77-194** Polished Chrome

(6) 100W Type G / Med. base max.

Dimensions: Width 36", Height 4 1/4",  
Extension 2" (less lamp)



48" Eight Light Vanity Strip

**77-195** Polished Chrome

(8) 100W Type G / Med. base max.

Dimensions: Width 48", Height 4 1/4",  
Extension 2" (less lamp)



18" Three Light Vanity Strip

**77-188** Polished Brass

(3) 100W Type G / Med. base max.

Dimensions: Width 18", Height 4 1/4",  
Extension 2" (less lamp)



24" Four Light Vanity Strip

**77-189** Polished Brass

(4) 100W Type G / Med. base max.

Dimensions: Width 24", Height 4 1/4",  
Extension 2" (less lamp)



36" Six Light Vanity Strip

**77-190** Polished Brass

(6) 100W Type G / Med. base max.

Dimensions: Width 36", Height 4 1/4",  
Extension 2" (less lamp)



48" Eight Light Vanity Strip

**77-191** Polished Brass

(8) 100W Type G / Med. base max.

Dimensions: Width 48", Height 4 1/4",  
Extension 2" (less lamp)

# vanity & Wall Fixtures



vanity & wall fixtures



**14" White "U" Channel Glass**  
77-990 White / With Convenience Outlet  
77-087 White / Without Convenience Outlet  
(2) 60W A19 max.  
Dimensions: Width 14", Height 4 1/4", Extension 4 1/4"



**24" White "U" Channel Glass**  
77-991 White / With Convenience Outlet  
77-088 White / Without Convenience Outlet  
(4) 60W A19 max.  
Dimensions: Width 24", Height 4 1/4", Extension 4 1/4"



**14" Diamond "U" Channel Glass**  
76-276 White / Without Convenience Outlet  
(2) 60W A19 max.  
Dimensions: Width 14", Height 4 1/4", Extension 4 1/4"



**24" Diamond "U" Channel Glass**  
76-277 White / Without Convenience Outlet  
(4) 60W A19 max.  
Dimensions: Width 24", Height 4 1/4", Extension 4 1/4"





# vanity & Wall Fixtures



*7" Diamond "U" Channel Glass*

**76-273** White / With Bottom Turn Knob Switch

(1) 60W A19 max.

*Dimensions: Width 4½", Height 7½", Extension 4¼"*



*7" White "U" Channel Glass*

**77-989** White / With Bottom Turn Knob Switch

**77-086** White/Without Switch

(1) 60W A19 max.

*Dimensions: Width 4½", Height 7½", Extension 4¼"*



*Hooded Grape Shade*

**77-120** Polished Brass / With Bottom Turn Knob Switch

(1) 60W A19 max.

*Dimensions: Width 4½", Height 8", Extension 5"*



*Crystal Bottom Bath Shade*

**77-121** Chrome / With Convenience Outlet

(1) 60W A19 max.

*Dimensions: Width 4½", Height 4¼", Extension 6¼"*



*Frosted Grape Shade*

**77-118** Polished Brass / With Bottom Turn Knob Switch

(1) 60W A19 max.

*Dimensions: Width 4½", Height 7¾", Extension 4¼"*

vanity & wall fixtures

# poly Lanterns



**Coach Wall Lantern**  
with Brass Trimmed Acrylic Panels

**77-896** Black

**77-897** White

(1) 60W A19 max.

*Dimensions: Height 17", Extension 8",  
Diameter 7¼", Top to Outlet 12"*



**Hex Dome Wall Lantern**  
with Clear Acrylic Panels

**77-804** Black

**77-805** White

(1) 60W A19 max.

*Dimensions: Height 17½", Extension 8",  
Diameter 8", Top to Outlet 12"*



**Mansard Wall Lantern**  
with Textured Acrylic Panels

**77-852** Black

**77-853** White

(1) 60W A19 max.

*Dimensions: Height 17½", Extension 8",  
Diameter 8", Top to Outlet 12"*



**Swirl Dome Wall Lantern**  
with Clear Acrylic Panels

**77-854** Black

**77-855** White

(1) 60W A19 max.

*Dimensions: Height 17½", Extension 8½",  
Diameter 8", Top to Outlet 12"*



**Coach Post Lantern**  
with Brass Trimmed Acrylic Panels

**77-898** Black

**77-899** White

(1) 60W A19 max.

*Dimensions: Height 12½",  
Extension 8", Diameter 7¼"*



**Hex Dome Post Lantern**  
with Clear Acrylic Panels

**77-806** Black

**77-807** White

(1) 60W A19 max.

*Dimensions: Height 13½", Diameter 8"*



# poly Cages



**Oval Cage**  
with Poly Body and Lens

77-857 Black

77-858 White

(1)75W A19 max.

Dimensions: Height 10", Width 5",  
Extension 4"



**Round Cage**  
with Poly Body and Lens

77-859 Black

77-861 White


(1)75W A19 max.

Dimensions: Height 10", Extension 4"



**Round Cage**  
Energy Saver

with Poly Body and Lens

 77-892 Black

 77-893 White


(2) 9W Twin/G23 base max. Included

Dimensions: Height 10", Extension 4"



**Oval Cage**  
Energy Saver

with Poly Body and Lens

 77-894 Black

 77-895 White

(1) 9W Twin/G23 base max. Included

Dimensions: Height 10", Width 5", Extension 4"

poly lanterns



# industrial style Surface Mounts



industrial style surface mounts



*Large Old Bronze*  
**76-627** (1) 200W A Type max.  
Dimensions: Height 11", Diameter 5 1/2"



*Large Metallic Silver*  
**76-626** (1) 200W A Type max.  
Dimensions: Height 11", Diameter 5 1/2"



*Large White*  
**76-618** (1) 200W A Type max.  
Dimensions: Height 11", Diameter 5 1/2"



*Small Old Bronze*  
**76-625** (1) 100W A Type max.  
Dimensions: Height 9", Diameter 4 1/4"



*Small Metallic Silver*  
**76-624** (1) 100W A Type max.  
Dimensions: Height 9", Diameter 4 1/4"



*Small White*  
**76-616** (1) 100W A Type max.  
Dimensions: Height 9", Diameter 4 1/4"

## FEATURES

### CEILING MOUNTED FIXTURES

- Die-Cast Aluminum
- Frosted Glass Globe with Gasket
- Die Cast Junction Box Supplied
- Suitable for Residential Use Without Junction Box



# industrial style Wall Mounts

industrial style wall mounts



Large White

76-617 (1) 300W A Type max.

Dimensions: Height 11", Diameter 5 1/2"



Large Metallic Silver

76-622 (1) 300W A Type max.

Dimensions: Height 11", Diameter 5 1/2"



Large Old Bronze

76-623 (1) 300W A Type max.

Dimensions: Height 11", Diameter 5 1/2"



Small White

76-615 (1) 150W A Type max.

Dimensions: Height 9 3/8", Diameter 4 1/4"



Small Metallic Silver

76-620 (1) 150W A Type max.

Dimensions: Height 9 3/8", Diameter 4 1/4"



Small Old Bronze

76-621 (1) 150W A Type max.

Dimensions: Height 9 3/8", Diameter 4 1/4"



76-651

76-650

76-652

Die-Cast Junction Box  
(Can be added to wall fixture)

### FEATURES

WALL MOUNTED FIXTURES

- Die-Cast Aluminum
- Frosted Glass Globe with Gasket
- Die Cast Junction Box Available For Surface Mount Installations
- Suitable for Residential Use Without Junction Box



# carport Flush Mounts



carport flush mounts



**Small Poly Frame  
Black**  
Frosted Acrylic Panels  
**77-863**  
(1) 60W A19 max.  
Dimensions: Width 8¼",  
Height 4½"



**Small Poly Frame  
White**  
Frosted Acrylic Panels  
**77-835**  
(1) 60W A19 max.  
Dimensions: Width 8¼",  
Height 4½"



**Large Poly Frame  
White**  
Frosted Acrylic Panels  
**77-879**  
(2) 60W A19 max.  
Dimensions: Width 10¼",  
Height 5½"



**Large Poly Frame  
Black**  
Frosted Acrylic Panels  
**77-891**  
(2) 60W A19 max.  
Dimensions: Width 10¼",  
Height 5½"



**Metal Frame  
Black**  
Textured Frosted Glass  
**60-473**  
(2) 60W A19 max.  
Dimensions: Width 9¼",  
Height 5"



**Metal Frame  
White**  
Textured Frosted Glass  
**60-470**  
(2) 60W A19 max.  
Dimensions: Width 9¼",  
Height 5"



**Metal Frame  
Polished Brass Finish**  
Textured Frosted Glass  
**60-471**  
(2) 60W A19 max.  
Dimensions: Width 9¼",  
Height 5"



**Metal Frame  
Old Bronze**  
Textured Frosted Glass  
**60-472**  
(2) 60W A19 max.  
Dimensions: Width 9¼",  
Height 5"



**UTILITY LIGHTING**  
WALL & CEILING MOUNTED FIXTURES

- Die-Cast Aluminum
- White Glass with Gasket
- U.L. Wet Location Listed
- Suitable for Residential Use

utility  
**Fixtures**

utility fixtures



Wall Mount with  
White Glass Cylinder  
**77-137 Black**  
(1) 100W A19 max.  
Dimensions: Height 8",  
Diameter 4 1/4", Extension 6"



Wall Mount with  
White Glass Cylinder  
**77-136 Satin Aluminum**  
(1) 100W A19 max.  
Dimensions: Height 8",  
Diameter 4 1/4", Extension 6"



Wall Mount with  
White Glass Cylinder  
**77-138 Bronztotic**  
(1) 100W A19 max.  
Dimensions: Height 8",  
Diameter 4 1/4", Extension 6"



Wall Mount with  
White Glass Cylinder  
**77-530 White**  
(1) 100W A19 max.  
Dimensions: Height 8",  
Diameter 4 1/4", Extension 6"



Ceiling Mount with  
White Glass Globe  
**77-157 Black**  
(1) 60W A19 max.  
Dimensions: Height 7 1/4",  
Diameter 6"



Ceiling Mount with  
White Glass Globe  
**77-152 Satin Aluminum**  
(1) 60W A19 max.  
Dimensions: Height 7 1/4",  
Diameter 6"



Ceiling Mount with  
White Glass Globe  
**77-153 Bronztotic**  
(1) 60W A19 max.  
Dimensions: Height 7 1/4",  
Diameter 6"



Ceiling Mount with  
White Glass Globe  
**77-532 White**  
(1) 60W A19 max.  
Dimensions: Height 7 1/4",  
Diameter 6"



Wall Mount with  
White Glass Globe  
**77-140 Black**  
(1) 100W A19 max.  
Dimensions: Height 7 1/4",  
Diameter 6", Extension 7"



Wall Mount with  
White Glass Globe  
**77-139 Satin Aluminum**  
(1) 100W A19 max.  
Dimensions: Height 7 1/4",  
Diameter 6", Extension 7"



Wall Mount with  
White Glass Globe  
**77-141 Bronztotic**  
(1) 100W A19 max.  
Dimensions: Height 7 1/4",  
Diameter 6", Extension 7"



Wall Mount with  
White Glass Globe  
**77-531 White**  
(1) 100W A19 max.  
Dimensions: Height 7 1/4",  
Diameter 6", Extension 7"



Ceiling Mount with  
White Glass Cylinder  
**77-154 Black**  
(1) 60W A19 max.  
Dimensions: Height 8",  
Diameter 4 1/4"



Ceiling Mount with  
White Glass Cylinder  
**77-155 Satin Aluminum**  
(1) 60W A19 max.  
Dimensions: Height 8",  
Diameter 4 1/4"



Ceiling Mount with  
White Glass Cylinder  
**77-156 Bronztotic**  
(1) 60W A19 max.  
Dimensions: Height 8",  
Diameter 4 1/4"



Ceiling Mount with  
White Glass Cylinder  
**77-533 White**  
(1) 60W A19 max.  
Dimensions: Height 8",  
Diameter 4 1/4"



# porch Wall Fixtures



porch wall fixtures



**White Globe**  
**77-993** Polished Brass Finish  
(1) 60W A19 max.  
Dimensions: Diameter 5½",  
Height 8½", Extension 6"



**Clear Mason Jar**  
**77-996** Polished Brass Finish  
(1) 60W A19 max.  
Dimensions: Diameter 5½",  
Height 8½", Extension 6"



**White Globe**  
**77-992** Black  
(1) 60W A19 max.  
Dimensions: Diameter 5½",  
Height 8½", Extension 6"



**Clear Mason Jar**  
**77-119** Black  
(1) 60W A19 max.  
Dimensions: Diameter 5½",  
Height 8½", Extension 6"




**White Globe**  
**77-994** Antique Brass Finish  
(1) 60W A19 max.  
Dimensions: Diameter 5½",  
Height 8½", Extension 6"



**Clear Mason Jar**  
**77-995** Antique Brass Finish  
(1) 60W A19 max.  
Dimensions: Diameter 5½",  
Height 8½", Extension 6"





# porch Wall Fixtures

### Frosted Mason Jar

**76-702** Gloss White

(1) 60W A19 max.

Dimensions: Diameter 5½",  
Height 8½", Extension 6"



### White Globe

**76-704** Gloss White

(1) 60W A19 max.

Dimensions: Diameter 5½",  
Height 8½", Extension 6"



### Frosted Mason Jar

**76-700** Old Bronze

(1) 60W A19 max.

Dimensions: Diameter 5½",  
Height 8½", Extension 6"



### White Globe

**76-703** Old Bronze

(1) 60W A19 max.

Dimensions: Diameter 5½",  
Height 8½", Extension 6"



### Frosted Mason Jar

**76-701** Brushed Nickel

(1) 60W A19 max.

Dimensions: Diameter 5½",  
Height 8½", Extension 6"



### White Globe

**76-705** Brushed Nickel

(1) 60W A19 max.

Dimensions: Diameter 5½",  
Height 8½", Extension 6"



porch wall fixtures



# porch Wall Fixtures



porch wall fixtures



**Clear Mason Jar with Photoelectric Sensor**

**77-856 Black**  
 (1) 60W A19 max.  
 Dimensions: Diameter 4½",  
 Height 6", Extension 6"



**Clear Mason Jar with Photoelectric Sensor**

**77-862 White**  
 (1) 60W A19 max.  
 Dimensions: Diameter 4½",  
 Height 6", Extension 6"



**Lexan Globe with Photoelectric Sensor Energy Saver**

**77-750 Black**  
 Requires (1) 13W Quad tube  
 GX23-2 Base max.  
 Dimensions: Diameter 6",  
 Height 8", Extension 7¼"



**Lexan Globe with Photoelectric Sensor Energy Saver**

**77-751 White**  
 Requires (1) 13W Quad tube  
 GX23-2 Base max.  
 Dimensions: Diameter 6",  
 Height 8", Extension 7¼"



**Lexan Cylinder with Photoelectric Sensor Energy Saver**

**77-748 Black**  
 Requires (1) 13W Quad tube  
 GX23-2 Base max.  
 Dimensions: Diameter 4",  
 Height 8", Extension 6"



**Lexan Cylinder with Photoelectric Sensor Energy Saver**

**77-749 White**  
 Requires (1) 13W Quad tube  
 GX23-2 Base max.  
 Dimensions: Diameter 4",  
 Height 8", Extension 6"



**Lexan Globe Energy Saver**

**77-728 Black**  
 Requires (1) 13W Quad tube  
 GX23-2 Base max.  
 Dimensions: Diameter 6",  
 Height 8", Extension 7¼"



**Lexan Globe Energy Saver**

**77-729 White**  
 Requires (1) 13W Quad tube  
 GX23-2 Base max.  
 Dimensions: Diameter 6",  
 Height 8", Extension 7¼"




**Lexan Cylinder Energy Saver**

**77-726 Black**  
 Requires (1) 13W Quad tube  
 GX23-2 Base max.  
 Dimensions: Diameter 4",  
 Height 8", Extension 6"



**Lexan Cylinder Energy Saver**

**77-727 White**  
 Requires (1) 13W Quad tube  
 GX23-2 Base max.  
 Dimensions: Diameter 4",  
 Height 8", Extension 6"



# exterior Floodlights

exterior flood lights



**One Light PAR Floodlight**  
**77-702 Gray**  
(1) 150W PAR38 max.  
Dimensions: Width 4 1/2",  
Extension 8"



**One Light PAR Floodlight**  
**77-494 Bronze**  
(1) 150W PAR38 max.  
Dimensions: Width 4 1/2",  
Extension 8"



**One Light PAR Floodlight**  
**77-487 White**  
(1) 150W PAR38 max.  
Dimensions: Width 4 1/2",  
Extension 8"



**One Light PAR Floodlight**  
**77-700 Black**  
(1) 150W PAR38 max.  
Dimensions: Width 4 1/2",  
Extension 8"

**HEAVY DUTY  
CAST ALUMINUM**

- FEATURES**
- Contemporary styling
  - Heavy duty cast aluminum construction
    - Adjustable swivels
    - Weather proof gasket



# exterior Floodlights



exterior flood lights



Two Light PAR Floodlight

77-495 Bronze

(2) 150W PAR38 max.

Dimensions: Width 15", Extension 8"



Two Light PAR Floodlight

77-703 Gray

(2) 150W PAR38 max.

Dimensions: Width 15", Extension 8"



Two Light PAR Floodlight

77-701 Black

(2) 150W PAR38 max.

Dimensions: Width 15", Extension 8"



Two Light PAR Floodlight

77-488 White

(2) 150W PAR38 max.

Dimensions: Width 15", Extension 8"

**HEAVY DUTY  
CAST ALUMINUM**

- FEATURES**
- Contemporary styling
  - Heavy duty cast aluminum construction
    - Adjustable swivels
    - Weather proof gasket



# exterior Floodlights



*Twin Floodlight with Motion Sensor*

**76-502** White    **76-503** Black

(2) 150W PAR38 max.

Dimensions: Width 10", Extension 9 1/2"



*Twin Floodlight with Motion Sensor*

**76-530** White    **76-531** Black

(2) 150W PAR38 max.

Dimensions: Width 14", Extension 9 1/2"

*One Light PAR Floodlight Holder*

**76-520** White

**76-521** Black

(1) 150W PAR38 max.

Dimensions: Width 4 1/2", Extension 5"



*Two Light PAR Floodlight Holder*

**76-522** White

**76-523** Black

(2) 150W PAR38 max.

Dimensions: Width 10", Extension 5"



*One Light "Quick Mount" Adjustable Par Holder*

**76-682** White

(2) 150W PAR38 max.

Dimensions: Width 14", Extension 9 1/2"



*One Light "Quick Mount" Adjustable Par Holder*

**76-683** Bronze

(2) 150W PAR38 max.

Dimensions: Width 14", Extension 9 1/2"



*Two Light "Quick Mount" Adjustable Par Holder*

**76-684** White

(2) 150W PAR38 max.

Dimensions: Width 14", Extension 9 1/2"



*Two Light "Quick Mount" Adjustable Par Holder*

**76-685** Bronze

(2) 150W PAR38 max.

Dimensions: Width 14", Extension 9 1/2"



### SENSOR FEATURES

- 110° x 15M Sensor range
- 5 sec. to 18 min. delay control
- Adjustable daylight control
- Manual override feature

*Add On Motion Sensor*

*Fits 1/2" Threaded Knockouts*

**76-500** White

**76-501** Black



exterior flood lights

# exterior Floodlights



exterior flood lights




*Mini Halogen Floodlight*

**76-510** White

**76-511** Black

(1) 150W Type J 78mm Halogen bulb - Included

Dimensions: Width 5", Height 3 1/4", Extension 8"



*Twin Mini Halogen Floodlight*

**76-512** White

**76-513** Black

(2) 150W Type J 78mm Halogen bulb - Included

Dimensions: Width 15", Height 3 1/4", Extension 8"



*Mini Halogen Floodlight  
with Motion Sensor*

**76-504** White

**76-505** Black

(1) 150W Type J 78mm Halogen bulb - Included

Dimensions: Width 5", Height 6", Extension 8"



*Twin Mini Halogen Floodlight  
with Motion Sensor*

**76-506** White

**76-507** Black

(2) 150W Type J 78mm Halogen bulb - Included


Dimensions: Width 15", Height 7", Extension 8"

## FEATURES

- Contemporary styling
- Heavy duty cast aluminum construction
  - Adjustable swivels
  - Weather proof gasket

## SENSOR FEATURES

- 110° x 15M Sensor range
  - 5 sec. to 18 min. delay control
- Manual override feature



# exterior Floodlights



Large Halogen FloodLight

76-515 Black

(1) 300W Type J 118mm Halogen bulb - Included  
Dimensions: Width 7 1/4" Height 10", Extension 10"



Large Halogen FloodLight

76-514 White

(1) 300W Type J 118mm Halogen bulb - Included  
Dimensions: Width 7 1/4" Height 10", Extension 10"



Large Halogen FloodLight  
with Motion Sensor

76-509 Black

(1) 300W Type J 118mm Halogen bulb - Included  
Dimensions: Width 7 1/4" Height 12", Extension 10"



Large Halogen FloodLight  
with Motion Sensor

76-508 White

(1) 300W Type J 118mm Halogen bulb - Included  
Dimensions: Width 7 1/4" Height 12", Extension 10"

### FEATURES

- Contemporary styling
- Heavy duty cast aluminum construction
  - Adjustable swivels
  - Weather proof gasket

### SENSOR FEATURES

- 110° x 15M Sensor range
  - 5 sec. to 18 min. delay control
- Manual override feature

exterior flood lights



# landscape Floods



landscape floods



*PAR16 Floodlight*

**76-645** Dark Bronze

(1) 60W PAR16 max.

*Dimensions: Diameter 2 1/8", Length 5 1/2"*



*PAR20 Floodlight*

**76-646** Dark Bronze

(1) 75W PAR20 max.

*Dimensions: Diameter 2 3/8", Length 6 1/4"*




*PAR30 Floodlight*

**76-647** Dark Bronze

(1) 75W PAR30 (Longneck) max.

*Dimensions: Diameter 4 1/4", Length 11 1/2"*



*PAR38 Floodlight*

**76-648** Dark Bronze

(1) 150W PAR38 max.

*Dimensions: Diameter 5 1/4", Length 12 1/2"*

### Landscape Floods


Incandescent Flood Lights

- Die-cast aluminum
- With hood and weatherproof gasket
- Stainless Steel Screws
- For uplighting trees, foliage, statues...





# landscape Floods



### PAR16 Floodlight

**76-655** Antique Verdi

(1) 60W PAR16 max.

Dimensions:  
Diameter 2 1/4",  
Length 5 1/4"



### PAR30 Floodlight

**76-657** Antique Verdi

(1) 75W PAR30  
(Longneck) max.

Dimensions:  
Diameter 4 1/4",  
Length 11 1/2"



### PAR20 Floodlight

**76-656** Antique Verdi

(1) 75W PAR20 max.

Dimensions:  
Diameter 2 3/4",  
Length 6 1/4"




### PAR38 Floodlight

**76-658** Antique Verdi

(1) 150W PAR38 max.

Dimensions:  
Diameter 5 1/2",  
Length 12 1/2"



### Mounting Plates

Die Cast

**76-665** 1 Light / Dark Bronze



### Mounting Plates

Die Cast

**76-667** 1 Light / Antique Verdi



### Mounting Plates

Die Cast

**76-666** 2 Light / Dark Bronze



### Mounting Plates

Die Cast

**76-668** 2 Light / Antique Verdi



### Landscape Floodlight Mounting Plates

- Convert Any Landscape Floodlight into a Wall Mounted Security Floodlight
- U.L. Listed for Dual Applications



Hardware and gasket included with mounting plates.

bulk lighting hardware



# pathway Lighting



pathway lighting

Two Louver  
Small Hood

**76-632** Old Bronze

(1) 75W A19 max.

Dimensions: Height 7 1/8",  
Diameter 6 1/8"



Two Louver  
Small Hood

**77-323** Green

(1) 75W A19 max.

Dimensions: Height 7 1/8",  
Diameter 6 1/8"



Two Louver  
Large Hood

**76-635** Old Bronze

(1) 75W A19 max.

Dimensions: Height 7 1/8",  
Diameter 9 3/8"



Two Louver  
Large Hood

**76-634** Green

(1) 75W A19 max.

Dimensions: Height 7 1/8",  
Diameter 9 3/8"



Three Louver  
Small Hood

**76-633** Old Bronze

(1) 100W A19 max.

Dimensions: Height 8 3/8",  
Diameter 6 1/8"



Three Louver  
Small Hood

**77-324** Green

(1) 100W A19 max.

Dimensions: Height 8 3/8",  
Diameter 6 1/8"



Three Louver  
Large Hood

**76-637** Old Bronze

(1) 100W A19 max.

Dimensions: Height 8 3/8",  
Diameter 9 3/8"



Three Louver  
Large Hood

**76-636** Green

(1) 100W A19 max.

Dimensions: Height 8 3/8",  
Diameter 9 3/8"



All Pathway Lighting Fixtures Supplied  
with 1/2" Couplings for Use with  
Mounting Posts on the Following Page.



# mounting Posts

**PVC Mounting Post**

- 2" & 3" Wide cap • 1/2" Female thread
- 18" High • Ground wire attached
- Stabilizer bar included
- Cast aluminum cap included



2" Diameter PVC Mounting Post

76-638  
Green Finish

Dimensions: Height 18",  
Diameter 2"



2" Diameter PVC Mounting Post

76-639  
Old Bronze Finish

Dimensions: Height 18",  
Diameter 2"



3" Diameter PVC Mounting Post

76-641  
Dark Bronze

Dimensions: Height 18",  
Diameter 3"



2" Diameter PVC Mounting Post

76-640  
Dark Bronze Finish

Dimensions: Height 18",  
Diameter 2"



2" Diameter PVC Mounting Post

76-644  
Verdi Finish

Dimensions: Height 18",  
Diameter 2"



3" Diameter PVC Mounting Post

76-664  
Verdi Finish

Dimensions: Height 18",  
Diameter 3"



12" X 1/2" Steel Mounting Post  
Threaded on Both Ends

90-1278  
Green Finish



12" X 1/2" Steel Mounting Post  
Threaded on Both Ends

90-1279  
Old Bronze Finish



mounting posts



# twist Lock Globes



twist lock globes

## White Acrylic Globe

|        | Dia. | Fitter |
|--------|------|--------|
| 50-784 | 10"  | 4"     |
| 50-785 | 12"  | 5 1/4" |
| 50-786 | 14"  | 5 1/4" |
| 50-787 | 16"  | 5 1/4" |



## White Acrylic Cube

|        | Dia. | Fitter |
|--------|------|--------|
| 50-796 | 10"  | 5 1/4" |



## Smoke Acrylic Globe

|        | Dia. | Fitter |
|--------|------|--------|
| 50-780 | 10"  | 4"     |
| 50-781 | 12"  | 5 1/4" |
| 50-782 | 14"  | 5 1/4" |
| 50-783 | 16"  | 5 1/4" |



## Smoke Acrylic Cube

|        | Dia. | Fitter |
|--------|------|--------|
| 50-797 | 10"  | 5 1/4" |



## Clear Stripe Acrylic Globe

|        | Dia. | Fitter |
|--------|------|--------|
| 50-788 | 10"  | 4"     |
| 50-789 | 12"  | 5 1/4" |
| 50-790 | 14"  | 5 1/4" |
| 50-791 | 16"  | 5 1/4" |



## Clear Acrylic Cube

|        | Dia. | Fitter |
|--------|------|--------|
| 50-798 | 10"  | 5 1/4" |



*Shown: 50-781 Globe with 77-969 Holder*





# Twist Lock Globes

*White Acrylic Elliptical*

**50-800**      Dia.      Fitter  
                 16"x10"   5 1/4"



*Smoke Acrylic Elliptical*

**50-799**      Dia.      Fitter  
                 16"x10"   5 1/4"



*Clear Stripe Acrylic Elliptical*

**50-801**      Dia.      Fitter  
                 16"x10"   5 1/4"



*Clear Acrylic Elliptical*

**50-802**      Dia.      Fitter  
                 16"x10"   5 1/4"



*White Acrylic Pear*

**50-794**      Dia.      Fitter  
                 12"      5 1/4"



*Smoke Acrylic Pear*

**50-792**      Dia.      Fitter  
                 12"      5 1/4"



*Choose a globe and holder to create a complete fixture. Globe and holders sold separately. All acrylic globes have 1/4 turn twist lock notched holders for easy relamping. Holders are available in compact fluorescent and incandescent versions to fit all standard 3" posts and pier mount bases.*



Shown:  
**50-801** Globe with  
**SF77-998** Holder

Also Shown:  
**50-726** Clear  
Prismatic Cylinder

twist lock globes



# twist lock Globes



## Clear Acrylic Pear

50-793    Dia. 12"    Fitter 5 1/4"




## Clear Stripe Acrylic Pear


50-795    Dia. 12"    Fitter 5 1/4"



# twist lock Holders



Incandescent



Compact Fluorescent



|              |                |
|--------------|----------------|
| 4" Holders   | 5 1/4" Holders |
| 77-692 Black | 77-968 Black   |
| 77-693 White | 77-969 White   |

Incandescent Max. Wattages:  
10" Globes-60 watt max.  
12" to 14"-100 watt max.  
16"-150 watt max.




|              |                |
|--------------|----------------|
| 4" Holders   | 5 1/4" Holders |
| 77-949 Black | 77-998 Black   |
| 77-967 White | 77-999 White   |

All compact fluorescent holders accommodate 13W Twin Tube GX23-2 base max.

twist lock globes

# track Heads



track heads



### R30 Step Cylinder

TH206 White

TH207 Black

TH304 Brushed Nickel

(1) R30/PAR30 75W max.  
(Long Neck)

Dimensions: Height 6 1/2",  
Width 4 1/2", Extension 8 1/2"



### R20 Step Cylinder

TH204 White

TH205 Black

TH303 Brushed Nickel

(1) R20/PAR20 50W max.

Dimensions: Height 5 1/2",  
Width 3 1/2", Extension 7 1/2"



### R30 Soft Square

TH214 White

TH215 Black

(1) R30/PAR30 75W max.  
(Long Neck)

Dimensions: Height 7",  
Width 4 1/2", Extension 9 1/2"




### R20 Soft Square

TH212 White

TH213 Black

(1) R20/PAR20 50W max.

Dimensions: Height 6",  
Width 3 1/2", Extension 8"



# track Heads



### R20 Straight Cylinder

TH200 White

TH201 Black

TH307 Brushed Nickel

(1) R20/PAR20 50W max.

Dimensions: Height 6 1/2",  
Width 4 1/4", Extension 9 1/2"



### R30 Straight Cylinder

TH202 White

TH203 Black

TH308 Brushed Nickel

(1) R30/PAR30 75W max.  
(Long Neck)

Dimensions: Height 7",  
Width 4 1/4", Extension 9 1/2"



### R20 Bullet Cylinder

TH208 White

TH209 Black

TH305 Brushed Nickel

(1) R20/PAR20 50W max.

Dimensions: Height 7",  
Width 4 1/4", Extension 9 1/2"



### R30 Bullet Cylinder

TH210 White

TH211 Black

TH306 Brushed Nickel

(1) R30/PAR30 75W max.  
(Long Neck)

Dimensions: Height 7",  
Width 4 1/4", Extension 9 1/2"

track heads



# track Heads



### PAR20 Gimbal Ring

**TH220** White  
**TH221** Black  
**TH300** Brushed Nickel

(1) PAR20 50W max.

Dimensions: Height 4½",  
Width 2¾", Extension 6¾"



### PAR30 Gimbal Ring

**TH222** White  
**TH223** Black  
**TH301** Brushed Nickel

(1) PAR30 75W max. (Short Neck)

Dimensions: Height 4½",  
Width 4", Extension 10½"



### PAR38 Gimbal Ring

**TH224** White  
**TH225** Black  
**TH302** Brushed Nickel

(1) PAR38 150W max.

Dimensions: Height 6¼",  
Width 5", Extension 10½"



### PAR20 Short Bullet Cylinder

**TH216** White  
**TH217** Black

(1) PAR20 50W max.

Dimensions: Height 4½",  
Width 3½", Extension 7"



### PAR30 Short Bullet Cylinder

**TH218** White  
**TH219** Black

(1) PAR30 75W max. (Short Neck)

Dimensions: Height 5¼",  
Width 4½", Extension 8"



# 12V track Heads

## MR11 Mini Square

**TH269** White

**TH270** Black

(1) 35W MR11 12V max.

Dimensions: Height 2¼",  
Width 1½", Extension 5½"



## MR11 Mini Round

**TH267** White

**TH268** Black

(1) 35W MR11 12V max.

Dimensions: Height 3¼",  
Width 2¼", Extension 6½"



## MR16 Round

**TH234** White

**TH235** Black

**TH309** Brushed Nickel

(1) 50W MR16 12V max.

Dimensions: Height 3¼",  
Width 2¼", Extension 6½"



## MR16 Square

**TH232** White

**TH233** Black

**TH310** Brushed Nickel

(1) 50W MR16 12V max.

Dimensions: Height 3¼",  
Width 2¼", Extension 6½"



## MR16 Roundback

**TH236** White

**TH237** Black

**TH327** Brushed Nickel

(1) 50W MR16 12V max.

Dimensions: Height 3¼",  
Width 2¼", Extension 6½"



## MR16 Gimbal Ring

**TH238** White

**TH239** Black

**TH311** Brushed Nickel

(1) MR16 50W 12V max.

Dimensions: Height 2¼",  
Width 2", Extension 4½"



## MR16 Cast Ring

**TH259** White

**TH260** Black

**TH328** Brushed Nickel

(1) MR16 50W max.

Dimensions: Height 4",  
Width 2¼", Extension 6½"



## PAR36 Gimbal Ring

**TH271** White

**TH272** Black

(1) 50W PAR36 12V max.

Dimensions: Height 3",  
Width 4¼", Extension 7"





# 120V Track Heads



120V track heads



MR16 Square

TH312 White

(1) 50W MR16 / GU10 base 120V max.

Dimensions: Height 3¼",  
Width 2¼", Extension 6½"



MR16 Square

TH313 Black

(1) 50W MR16 / GU10 base 120V max.

Dimensions: Height 3¼",  
Width 2¼", Extension 6½"



MR16 Square

TH314 Brushed Nickel

(1) 50W MR16 / GU10 base 120V max.

Dimensions: Height 3¼",  
Width 2¼", Extension 6½"



MR16 Roundback

TH315 White

(1) 50W MR16 / GU10 base 120V max.

Dimensions: Height 3¼",  
Width 2¼", Extension 6½"



MR16 Roundback

TH316 Black

(1) 50W MR16 / GU10 base 120V max.

Dimensions: Height 3¼",  
Width 2¼", Extension 6½"



MR16 Roundback

TH317 Brushed Nickel

(1) 50W MR16 / GU10 base 120V max.

Dimensions: Height 3¼",  
Width 2¼", Extension 6½"



MR16 Gimbal Ring

TH321 White

(1) 50W MR16 / GU10 base 120V max.

Dimensions: Height 2¼",  
Width 2", Extension 4½"



MR16 Gimbal Ring

TH322 Black

(1) 50W MR16 / GU10 base 120V max.

Dimensions: Height 2¼",  
Width 2", Extension 4½"



MR16 Gimbal Ring

TH323 Brushed Nickel

(1) 50W MR16 / GU10 base 120V max.

Dimensions: Height 2¼",  
Width 2", Extension 4½"



# track Heads



*Power Flood  
with Barndoor*

**TH228** White

**TH229** Black

(1) 150W J Type 78MM  
(Short) max.

*Dimensions: Height 2 1/4",  
Width 5 X 2 1/4", Extension 4 1/2"*



*R40 Step Cylinder*

**TH281** White

**TH282** Black

(1) 150W BR40/  
PAR38/BR38 max.

*Dimensions: Height 8",  
Width 5 1/2", Extension 11"*



*Snake-Flexible  
Gooseneck*

**TH273** White

**TH274** Black

(1) 50W MR16 12V. max.

*Dimensions: Height 22",  
Width 2 1/4"*



*R40 Straight Cylinder*

**TH283** White

**TH284** Black

(1) 150W BR40/  
PAR38/BR38 max.

*Dimensions: Height 8",  
Width 5 1/2", Extension 12"*

track heads

# universal Holders



universal holders

### Mini Universal Holder

TH279 White

TH280 Black

(1) R20/BR30/BR40/PAR20 /PAR30/PAR38 150W. max.

Dimensions: Height 2 1/4" Width 2", Extension 6" (without lamp)



### Universal Holder

TH226 White

TH227 Black

TH324 Brushed Nickel

(1) R20/BR30/BR40/PAR20 /PAR30/PAR38 150W. max.

Dimensions: Height 4 1/4" Width 2", Extension 7" (without lamp)



### Universal Holder Lamping Suggestions



R20



BR30



BR40



PAR20



PAR30



PAR38



# track lighting Accessories

track lighting accessories



Self  
Grounding  
3 Conductor  
System

## POWER FEEDS



Conduit Live End

TP169 White  
TP170 Black

Electrifies the track from the end of the run to a conduit pipe.



Live End & Canopy

TP152 White  
TP153 Black

Electrifies the track from the end of the run.



Live End Cord Kit

TP154 White  
TP155 Black

Electrifies the track anywhere along the length of the run.



Live End Cord Kit

TP156 White  
TP157 Black

Electrifies the track from the end of the run supplied with 15' of two conductor wire and line switch.

## CONNECTORS



Mini Straight Connector

TP144 White  
TP145 Black

Connects tracks in a straight run.



"X" Connector

TP150 White  
TP151 Black

Connects four tracks together in an "X" shape pattern.



"T" Connector

TP148 White  
TP149 Black

Connects three tracks together in a "T" shape pattern.



"L" Connector

TP146 White  
TP147 Black

Connects tracks at a 90° angle.



Flexible Connector

TP167 White  
TP168 Black

Variable angle connector.



Inline Feed

TP171 White  
TP172 Black



# track Lighting Accessories




track lighting accessories

### Extensions

- 18" **TP159** White
- TP163** Black
- 24" **TP160** White
- TP164** Black
- 36" **TP161** White
- TP165** Black
- 48" **TP162** White
- TP166** Black

Lowers track heads to desired length.



**Monopoint Adapter**



**Monopoint Adapter**

**TP142** White

**TP143** Black

Individually mounts a single track head to a junction box.  
*Note: Not for use with low voltage track heads.*



**White Baffle**

**TP180** R20 Size

**TP181** R30 Size



**Offset Monopoint Adapter**

**TP176** White

**TP177** Black

Offset monopoint for low voltage track heads.



### Pendant Suspension Kit

- 24" **TP178** White
- TP179** Black


**Kit Includes:**


Canopy, Stem, Support & Power Feed Accessories

### Tracks

- 2' **TR118** White
- TR119** Black
- TR126** Brushed Nickel
- 4' **TR120** White
- TR121** Black
- TR127** Brushed Nickel
- 6' **TR124** White
- TR125** Black
- TR128** Brushed Nickel
- 8' **TR122** White
- TR123** Black
- TR129** Brushed Nickel

All tracks include two dead end caps and mounting hardware.






# track lighting Kits

track lighting kits



**PAR30 Gimbal Ring**  
**TK316** White  
(3) PAR30 (shortneck) 75W max.



**PAR30 Gimbal Ring**  
**TK317** Black  
(3) PAR30 (shortneck) 75W max.



**PAR30 Gimbal Ring**  
**TK343** Brushed Nickel  
(3) PAR30 (shortneck) 75W max.



**R30 Straight Cylinder**  
**TK318** White  
(3) R30/PAR30 (longneck) 75W max.



**R30 Straight Cylinder**  
**TK319** Black  
(3) R30/PAR30 (longneck) 75W max.



**R30 Straight Cylinder**  
**TK341** Brushed Nickel  
(3) R30/PAR30 (longneck) 75W max.



**R30 Step Cylinder**  
**TK320** White  
(3) R30/PAR30 (longneck) 75W max.



**R30 Step Cylinder**  
**TK321** Black  
(3) R30/PAR30 (longneck) 75W max.



**R30 Step Cylinder**  
**TK340** Brushed Nickel  
(3) R30/PAR30 (longneck) 75W max.



**R30 Bullet Cylinder**  
**TK322** White  
(3) R30/PAR30 (longneck) 75W max.



**R30 Bullet Cylinder**  
**TK323** Black  
(3) R30/PAR30 (longneck) 75W max.



**R30 Bullet Cylinder**  
**TK342** Brushed Nickel  
(3) R30/PAR30 (longneck) 75W max.

**ALL TRACK KITS INCLUDE:**

- (1) Four foot track
- (3) Track lighting heads
- (1) Floating power feed canopy
- All necessary mounting hardware
- Four color display carton



All track kits supplied with floating canopy kit





# track lighting Kits



## LINE VOLTAGE



**MR16 Square**  
**TK347** Brushed Nickel  
(3) 50W MR16 / GU10 base 120V max.



**MR16 Square**  
**TK345** White  
(3) 50W MR16 / GU10 base 120V max.



**MR16 Square**  
**TK346** Black  
(3) 50W MR16 / GU10 base 120V max.



**MR16 Round Back**  
**TK349** Black  
(3) 50W MR16 / GU10 base 120V max.



**MR16 Round Back**  
**TK348** White  
(3) 50W MR16 / GU10 base 120V max.



**MR16 Round Back**  
**TK354** Brushed Nickel  
(3) 50W MR16 / GU10 base 120V max.



**MR16 Gimbal Ring**  
**TK355** White  
(3) 50W MR16 / GU10 base 120V max.



**MR16 Gimbal Ring**  
**TK352** Black  
(3) 50W MR16 / GU10 base 120V max.



**MR16 Gimbal Ring**  
**TK353** Brushed Nickel  
(3) 50W MR16 / GU10 base 120V max.

## LOW VOLTAGE



**MR16 Square**  
**TK310** White  
(3) 50W MR16 / GX5.3 base 12V max.



**MR16 Square**  
**TK311** Black  
(3) 50W MR16 / GX5.3 base 12V max.



**MR16 Round Back**  
**TK312** White  
(3) 50W MR16 / GX5.3 base 12V max.



**MR16 Round Back**  
**TK313** Black  
(3) 50W MR16 / GX5.3 base 12V max.



**MR16 Gimbal Ring**  
**TK314** White  
(3) 50W MR16 / GX5.3 base 12V max.



**MR16 Gimbal Ring**  
**TK315** Black  
(3) 50W MR16 / GX5.3 base 12V max.

### ALL TRACK KITS INCLUDE:

- (1) Four foot track
- (3) Track lighting heads
- (1) Floating power feed canopy
- All necessary mounting hardware
- Four color display carton



All track kits supplied with floating canopy kit

track lighting kits



# flexible track Kits

The days of rigid linear tracks are now a bygone era. Flexible Track Kits afford freedom of choice in lighting design. Whether an "S" shape, semicircle or free form, these systems allow sleek curves to gracefully move across the ceiling. Each kit comes packaged with everything needed for a quick, simple installation.

## DIRECT WIRE KITS

### Direct Wire Bullet Kit

**76-460 Silver**

5 Lights X 20W MR16 Max. (included)

**INCLUDES:**

- 5 Metallic Silver Bullets
- 15' X 1/2" Silver Track and Supports
- Direct Wire Silver Transformer



### Direct Wire MR16 Spot Kit

**76-454 Silver**

5 Lights X 20W MR16 Max. (included)

**INCLUDES:**

- 5 Metallic Silver MR16 Spots
- 15' X 1/2" Silver Track and Supports
- Direct Wire Silver Transformer



## PORTABLE KITS

### Portable Bullet Kit

**76-457 Silver**

5 Lights X 20W MR16 Max. (included)

**INCLUDES:**

- 5 Metallic Silver Bullets
- 15' X 1/2" Silver Track and Supports
- Portable Silver Transformer with 10'coiled cord



### Portable MR16 Spot

**76-450 Silver**

5 Lights X 20W MR16 Max. (included)

**INCLUDES:**

- 5 Metallic Silver MR16 Spots
- 15' X 1/2" Silver Track and Supports
- Portable Silver Transformer with 10'coiled cord





### Portable MR16 Spot

**76-453 Transparent**

5 Lights X 20W MR16 Max. (included)

**INCLUDES:**

- 5 Transparent MR16 Spots
- 15' X 1/2" Transparent Track and Supports
- Portable Transparent Transformer with 10'coiled cord



See Page 286 for More information

**FLEXIBLE TRACK KITS INCLUDE:** • Five Spotlights • 15' X 1/2" Flexible Track • Transformer


flexible track kits

# flexible track Kits




flexible track kits

### Portable transformers



### Direct wire transformers



All transformers rated at 105 Watts maximum.

Kits Include All Mounting Hardware & Halogen Lamps

### Satco Lighting & Electrical Merchandisers

Our coordinated merchandising programs allow for a seamless presentation of lighting and electrical related products. These all in one programs combine hundreds of lamp craft items for the do it your self market, as well as many successful consumer products.

**S1354**

Lamp Repair Center  
Header Sign  
10" X 48"

**S1355**

Lighting Hardware  
Header Sign  
10" X 48"

merchandising





### Four Color Retail Packaging

offers ease of product identification, uniformity and contemporary design.



**S1300 A** – Four foot white gondola display.

(Bottom shelf included) 48"W X 24"D X 71"H

**S1300 B** – (3) Four foot white shelves

**S1356**

Lamp Craft Center  
Header Sign  
10" X 48"



merchandising



**S1357**  
Spool Wire /  
Reel Chain  
Dispenser

Mounts to any standard  
gondola display  
Stocks 9 spools of wire  
or 6 reels of chain

**Hardware**  
Tilt Out Bin Program

- Easy product identification
- Uniform presentation
- Flexible , modular system
- Simple to reorder product

This versatile merchandising system  
offers the capability  
to display & stock over one hundred  
different products  
on a four foot display.

|              |             |                                 |
|--------------|-------------|---------------------------------|
| <b>S1370</b> | Three Bin - | 9 1/2" H x 7 3/4" D x 23 7/8" W |
| <b>S1371</b> | Four Bin -  | 8 1/8" H x 6 5/8" D x 23 7/8" W |
| <b>S1372</b> | Five Bin -  | 6 1/2" H x 5 1/4" D x 23 7/8" W |
| <b>S1373</b> | Six Bin -   | 4 1/2" H x 3 5/8" D x 23 7/8" W |

**S1374** 70" Mounting Rails (Set of two)  
Rails attach to pegboard, plywood, concrete, etc.

**S1375** Mounting Disc & Screw  
(Two each needed per bin unit)

**S1376** Hardware Product labels  
(One complete set)

**Satco** Power Panels can be customized to suit your specific product needs.



**S1364** Night Light power panel:

|             |             |             |
|-------------|-------------|-------------|
| 12 - 75-017 | 12 - 75-019 | 12 - 75-004 |
| 12 - 75-014 | 12 - 75-003 | 12 - 75-010 |
| 12 - 75-023 | 12 - 75-007 | 12 - 75-021 |
| 12 - 75-018 | 12 - 75-008 | 12 - 75-013 |
| 12 - 75-015 | 12 - 75-000 | 12 - 75-022 |
| 12 - 75-024 | 12 - 75-009 |             |

15"W X 48"H X 4.5"D

**S1365** Surge Suppressor & Extension Cord power panel:

|             |             |             |
|-------------|-------------|-------------|
| 12 - 91-220 | 12 - 93-170 | 12 - 93-193 |
| 12 - 91-221 | 12 - 93-192 | 12 - 93-195 |
| 12 - 91-222 | 12 - 93-194 | 12 - 93-197 |
| 12 - 91-223 | 12 - 93-196 |             |

15"W X 48"H X 4.5"D

## **Satco** Lighting Fixture Merchandiser

Satco offers hundreds of lighting fixtures for interior and exterior use around the home.

Our fixture header signs mount to any standard gondola and can display a variety styles.

Ask for details regarding merchandising plans.

**S1358**

Lighting Fixture  
Header Sign  
(Fixtures Sold Separately)



**S1300 A** – Four foot wide gondola display. (Bottom shelf included)  
48"W X 24"D X 71"H

**S1300 B** – (3) Four foot wide shelves





merchandising

# track lighting Display Panel



*A complete demonstrating merchandiser  
for Satco Track Lighting*

**Features:** 30" x 60" flexible merchandiser can be displayed, freestanding, wall hung or suspended from the ceiling.

- Track display panels can be grouped together to form a continuous uniform presentation.
- Two–four foot electrified tracks with rotary on/off switch supplied.
- Full four color graphics with detailed information and application guides.
- Consumer catalogs and catalog holder included.
- Neutral textured gray color.



**Track Lighting  
Display Panel**

White Track TD1001  
Black Track TD1002  
Legs for freestanding  
option TD/LEG

*(Leg supports must be ordered  
in addition to the display panel  
for the freestanding version.)*

# accent *Lite*



**Accent Lite  
Counter Display**  
**33600**  
*Included with wall display*

**Accent Lite 36–Piece  
Wall Display**  
**33601**  
*With order of 12–10",  
20" and 30" Units.  
40" size not included  
in wall display*





**S1352** Four foot  
Display Canopy  
22"D X 48"W X 10"H

The bold colors and contemporary graphics of this dynamic header create a sophisticated product presentation.

The 22" X 48" bottom Chrome louver allows light to pass through for product illumination.

Mounts to any standard four foot gondola display.



**S1353** Vertical Glass  
& Holder Sign

This eye catching sales add mounts to the front of any standard gondola display.

The hinged brackets swing the sign open for easy shelf stocking. Perfect for use where there are height restrictions.

Glass sign swings open for easy  
product access.



**S1300 A** – Four foot white gondola display.  
(Bottom shelf included) 48"W X 24"D X 71"H

**S1300 B** – (3) Four foot white shelves