The safest, most durable, time saving fasteners for electrical wiring and coaxial cable

Sturgeon Bay Metal Products is a family owned company established over 60 years ago by an electrician looking for a better way to secure Romex wire. In 1946, he developed and patented a metal HANDY STRAP and built the

Almost 45 years ago, when highquality plastics became available, we introduced the first fully insulated plastic HANDY STRAP. We now offer a complete line of insulated plastic straps for building wiring, communication and data systems, and coaxial cable.

specialized equipment required to

manufacture his new strap.

- HANDY STRAPS are individually injection molded from the best plastic available for this application. Their superior impact strength is retained even at low temperatures.
 - Their fully insulated plastic saddles prevent cable damage and provide the safest installation of electrical wire and cable.
 - The nails and screws used in our straps are zinc plated, and a yellow chromate provides added corrosion protection.
- Our nails are made from high carbon wire and drive easily without splitting the wood.
- For outdoor use, black colored straps with a UV stabilizer are available to resist the effects of sunlight.
- Highly efficient manufacturing techniques, developed during many years of producing HANDY STRAPS, make it possible for us to sell premium straps at affordable prices without sacrificing quality.
- We care about our customers. Please call us if you have a question or need a strap we do not offer.

Sturgeon Bay Metal Products, Inc.

1018 Green Bay Road ● Sturgeon Bay, WI 54235-3815 Phone: (920) 743-2221 or (800) 423-7402 FAX: (920) 743-6190 ● www.handystraps.com

Proudly made in the USA

Straps for Nonmetallic-Sheathed (NM) and Underground Feeder (UF) Cable

			PACKAGE	STD.	APPROX.
	MAXIMUM		AND	CARTON	SHIPPING WT.
CAT. NO.	CABLE SIZE	COLOR	QUANTITY	QUANTITY	PER CARTON

1/2" STRAP FOR 2, 3, AND 4 WIRE NM CABLE UP TO 10/3, UF CABLE UP TO 12/2, AND OTHER CABLE UP TO .500" WIDE

RA-1477P	1/2"	White	Reclosable Plastic Bag of 100	1000	5 lbs.
RA-1577	1/2"	White	Box of 100	1000	5 lbs.
RA-1580	1/2"	White	Bulk	5000	23 lbs.
RA-1581	1/2"	White	Plastic Pail of 1000	1000	5 lbs.
RA-1582	1/2"	White	Plastic Pail of 2000	2000	10 lbs.
RA-1585	1/2"	White	Plastic Pail of 5000	5000	24 lbs.
RA-1588 or RA-1588UV	1/2"	White Black	Kraft Bag of 500	5000	23 lbs.

1/2" STACKER STRAPS FOR SECURING MORE THAN ONE NM OR UF CABLE

- Secure combinations of NM and UF Cable to narrow structural members with one strap.
- Color coded for easy identification.

	For tw	vo 2 wire NM or UF	Cables stacked up to	o 3/8″ high	
RA-1588/2	1/2″	Tan	Box of 50	500	4 lbs.
RA-1582/2	1/2"	Tan	Plastic Pail of 1000	1000	10 lbs.
For thre	ee 2 wire cables	or combinations of	2, 3, and 4 wire ca	bles stacked up t	o 1/2″ high
RA-1588/3	1/2″	Gray	Box of 50	500	5 lbs.
RA-1582/3	1/2″	Gray	Plastic Pail of 1000	1000	10 lbs.
For four	2 wire cables o	or combinations of 2	, 3, and 4 wire cabl	les stacked up to	11/16″ high
RA-1588/4	1/2"	White	Box of 50	500	5 lbs.
RA-1582/4	1/2″	White	Plastic Pail of 1000	1000	11 lbs.



1/2" straps also available in gray, orange or yellow



5/8" straps also available in gray or orange

RA-6250 5/8" White Box of 100 1000 6 lbs.

	Straps fo	r Nonmetallic-She	eathed and Unde	rground Feeder Cat	ole (Continued)	
· I	CAT. NO. 3/4" STR	MAXIMUM CABLE SIZE EAP FOR 2 WIRE	COLOR E NM AND UF	PACKAGE AND QUANTITY CABLE UP TO NO	STD. CARTON QUANTITY . 8, 3 WIRE UF	APPROX. SHIPPING WT. PER CARTON CABLE UP TO
		NO. 1	2, AND OTHER	R CABLE UP TO .7	50" WIDE	
	RA-1455P	3/4"	White	Reclosable Plastic Bag of 100	1000	5 lbs.
C UL US	RA-1555	3/4"	White	Box of 100	1000	6 lbs.
3/4" straps also available in gray	RA-1560	3/4"	White	Bulk	5000	25 lbs.
or orange	RA-1562	3/4"	White	Plastic Pail of 1500	1500	8 lbs.
	RA-1566 or RA-1566UV	3/4"	White Black	Kraft Bag of 250	5000	25 lbs.
		\$1	RAPS FOR 3 A	ND 4 WIRE NM	CABLE	
	RA-1610R	For 14/3, 12 .312" Dia.	/3, and 14/4 NM White	Cable and other cable Box of 100	e up to 5/16" Dia. 1000	6 lbs.
ĪĪ	RA-1620R	For 10/3 an .406" Dia.	nd 12/4 NM Cab White	le and other cable up Box of 100	o to 13/32″ Dia. 1000	6 lbs.
	RA-1630R	For 8 .500" Dia.	3/3 NM Cable ar White	nd other cable up to 1 Box of 100	1/2″ Dia. 1000	6 lbs.
C UL US	RA-1640R	For 6, .563" Dia.	/3 NM Cable and White	d other cable up to 9 Box of 50	P/16" Dia. 500	5 lbs.
	RA-1650R	For .625" Dia.	other round cable White	e and tubing up to 5, Box of 50	/8″ Dia. 500	6 lbs.
Ī		or is gray with a UV stabili utdoor exposure, black col	zer.	FOR UF CABLE abilizer are also available.		
	UF-2040	.336" x 1.077"	For 8 Gray	3/3 UF Cable Box of 50	1000	13 lbs.
C (UL) US	UF-2050	.400" x 1.300"	For 6 Gray	5/3 UF Cable Box of 50	1000	17 lbs.
		Straps for Armor	ed Cable (AC) an	d Metal-Clad (MC) (Cable	
	ACMC-10	For AC 1/2" Dia.	and MC Cable fro Gray	m 3/8" (.375) to 1/2' Box of 50	" (.500) Dia. 500	5 lbs.
C UL US	ACMC-20	For AC 5/8" Dia.	and MC Cable fro Gray	m 1/2" (.500) to 5/8' Box of 50	" (.625) Dia. 500	6 lbs.

Straps for Service Entrance Cable and EMT								
	CAT. NO.	MAXIMUM Cable or Pipe size	COLOR	PACKAGE AND QUANTITY	STD. Carton Quantity	APPROX. Shipping WT. Per Carton		
īĬ	RA-1710	.718" Dia.	For #6 SER (4 Gray	Conductor) and 1/2″ E/ Box of 50	M <i>T</i> 1000	16 lbs.		
	RA-1720	.937" Dia.	For #2 SER (4 Gray	Conductor) and 3/4" E/ Box of 25	M <i>T</i> 500	13 lbs.		
C UL US	RA-1724	1.062" Dia.	For #1/0 Gray	SER (4 Conductor) Box of 25	500	15 lbs.		
	RA-1730	1.160" Dia.	For #2/0 SER Gray	(4 Conductor) and 1" E/ Box of 25	M <i>T</i> 500	16 lbs.		
	RA-1740	1.438" Dia.	For #4/0 Gray	SER (4 Conductor) Box of 10	200	9 lbs.		
		l color is gray with a UV stabilized outdoor exposure, black colo		stabilizer are also available.				
	RA-1750	.437" x .750"	For #6 S Gray	SEU (3 Conductor) Box of 100	2000	21 lbs.		
	RA-1760	.550" x .972"	For #2 S Gray	SEU (3 Conductor) Box of 50	1000	17 lbs.		
CUL US	RA-1765	.775″ x 1.265″	For #2/0 Gray	SEU (3 Conductor) Box of 25	500	16 lbs.		
	RA-1770	.855" x 1.500"	For #4/0 Gray	SEU (3 Conductor) Box of 25	500	18 lbs.		
		2-Hole Str	raps for Plastic	c Pipe and Conduit				
	PC-1210	1/2" .840" Dia.	Gray	Box of 50	1000	10 lbs.		
	PC-1220	3/4" 1.050" Dia.	Gray	Box of 50	1000	11 lbs.		
c (U) us	PC-1230	1" 1.312" Dia.	Gray	Box of 25	500	11 lbs.		
	PC-1240	1-1/4" 1.670" Dia.	Gray	Box of 25	500	12 lbs.		
		P	Protective Hand	dy Plates				
7		rical cables passing through wo requirements of the National El	•					
J	SA-10015	3" x 1-1/2" x 16 ga.	-	Box of 100	500	38 lbs.		

Straps for Communication (CM) and Multipurpose (MP) Cable (Voice, Data, Instrumentation, Control, Alarm, Security and Audio Systems)

	CAT. NO.	MAXIMUM CABLE SIZE	COLOR	PACKAGE AND QUANTITY	STD. Carton Quantity	APPROX. Shipping Wt. Per Carton
		For Bell & The	ermostat Wire and	other CM and MP Cab	le up to 1/4" wide	
. T	RA-1599 (2-Nail)	.125" x .250"	Tan	Box of 100	1000	3 lbs.
Ĭ		For #12 Gro	und Wire, 22/4 Tel	ephone Cable and other	· CM and MP Cable	
	CM-140	.140" Dia.	Gray	Box of 100	1000	3 lbs.
			For CM and MI	P Cable up to .180" l	Dia.	
Ŷ	CM-180	.180" Dia.	Ivory	Box of 100	1000	3 lbs.
		For Cat 5 an	d 5E 4 Pair CMP (F	Plenum) Cable and other	CM and MP Cable	
	CM-200	.200" Dia.	Blue	Box of 100	1000	3 lbs.
٧		For Cat 5 and 5E		r) and Cat 6 4 Pair C/ M and MP Cable	MP (Plenum) Cable	and
9	CM-230	.230" Dia.	Black	Box of 100	1000	3 lbs.
		For 6 Pair	•	. Cat 6 4 Pair CMR (F M and MP Cable	Riser) Cable and	
	CM-240	.240" Dia.	Tan	Box of 100	1000	3 lbs.
		For H	lybrid Cable with	(1) Cat 5E and (1) F	RG6 Quad	
P	CM-25/50	.250" x .500"	Black	Box of 100	1000	5 lbs.
611.0			For CM and MI	P Cable up to .275" I	Dia.	
	CM-275	.275" Dia.	Black	Box of 100	1000	3 lbs.
			For CM and MI	P Cable up to .300" I	Dia.	
· Î	CM-300	.300" Dia.	Black	Box of 100	1000	4 lbs.
		For 25 I	Pair Telephone Co	able and other CM a	nd MP Cable	
	CM-420	.420" Dia.	Gray	Box of 50	500	3 lbs.
		For H	lybrid Cable with	h (2) Cat 5E and (2) I	RG6 Quad	
	CM-640	.640" Dia.	Blue	Box of 50	500	6 lbs.
	<u> </u>			W. 1.9. ANN. 27	W. 97W	San

Straps for Coaxial Cable

- Our UV stabilized black straps are recommended for extended outdoor use. UV stabilized white, ivory, tan, and gray straps are also available on special order.
- Our 1" nails are heat treated for use in wood, mortar joints, or 'soft' masonry. Longer 1-3/16" heat treated nails are available on special order.
- Our CC-1021 has a special 5/8" nail designed exclusively for use in masonry.
- To prevent cable damage from an accidental hammer blow, we offer straps with a #6 x 1" Phillips Head self-tapping screw. If used with a plastic screw anchor, this strap can also be used on masonry.
- Our CC-1006 strap has a #8 x 3/4" Type AB Tapping Screw for attaching #14 and #12 ground wire. Straps with a #8 x 1" Slotted/Phillips Hex Head Type AB Tapping Screw are also available. Type AB screws will cut threads in a pre-drilled hole in concrete, block, or any masonry material.
- \bullet A 'snap on' feature for straps with the #8 Tapping Screw speeds installation.

CAT. NO.	MAXIMUM Cable Size	NAIL/SCREW	PACKAGE AND QUANTITY	STD. Carton Quantity	APPROX. Shipping Wt. Per Carton
CC-1005	#12 Ground Wire .140" Dia.	1" x .080 Dia. Hardened Nail	Box of 100	1000	3 lbs.
CC-1006	#14 and #12 Ground Wire .110"145" Dia.	#8 x 3/4" Slotted/Phillips Hex Head Type AB Tapping Screw	Box of 50	500	4 lbs.
CC-1010	RG59 .242" Dia.	1" x .080 Dia. Hardened Nail	Box of 100	1000	3 lbs.
CC-1012	RG59 .242" Dia.	#6 x 1" Phillips Head Self-Tapping Screw	Box of 100	1000	7 lbs.
CC-1016	RG59 .242" Dia.	#8 x 1" Slotted/Phillips Hex Head Type AB Tapping Screw	Box of 100	1000	9 lbs.
CC-2010	RG59 Dual .250" x .500"	1" x .080 Dia. Hardened Nail	Box of 100	1000	5 lbs.
CC-1020	RG6 .275" Dia.	1" x .080 Dia. Hardened Nail	Box of 100	1000	3 lbs.
CC-1021	RG6 .275" Dia.	.072 x 5/8" Hardened Nail	Box of 100	1000	3 lbs.
CC-1022	RG6 .275" Dia.	#6 x 1" Phillips Head Self-Tapping Screw	Box of 100	1000	7 lbs.
CC-1026	RG6 .275" Dia.	#8 x 1" Slotted/Phillips Hex Head Type AB Tapping Screw	Box of 100	1000	9 lbs.







Straps for Coaxial Cable (Continued)							
	CAT. NO.	MAXIMUM CABLE SIZE	NAIL/SCREW	PACKAGE AND QUANTITY	STD. Carton Quantity	APPROX. Shipping Wt. Per Carton	
	CC-2020	RG6 Dual .305" x .594"	1" x .080 Dia. Hardened Nail	Box of 100	1000	5 lbs.	
h	CC-2022	RG6 Dual .305" x .594"	#6 x 1" Phillips Head Self-Tapping Screw	Box of 50	500	5 lbs.	
	CC-2026	RG6 Dual .305" x .594"	#8 x 1" Slotted/Phillips Hex Head Type AB Tapping Screw	Box of 50	500	5 lbs.	
	CC-1030	RG6 Quad .300" Dia.	1" x .080 Dia. Hardened Nail	Box of 100	1000	4 lbs.	
	CC-1032	RG6 Quad .300" Dia.	#6 x 1" Phillips Head Self-Tapping Screw	Box of 100	1000	7 lbs.	
	CC-1036	RG6 Quad .300" Dia.	#8 x 1" Slotted/Phillips Hex Head Type AB Tapping Screw	Box of 100	1000	9 lbs.	
Ä	CC-1060	RG11 .395" Dia.	1-3/16" x .080 Dia. Hardened Nail	Box of 100	1000	6 lbs.	
	CC-1062	RG11 .395" Dia.	#6 x 1" Phillips Head Self-Tapping Screw	Box of 100	1000	7 lbs.	
	CC-1066	RG11 .395" Dia.	#8 x 1" Slotted/Phillips Hex Head Type AB Tapping Screw	Box of 100	1000	9 lbs.	
		Our Adjustable The unique wedge design	_	both RG6 and RG6 to adjust to the cable dia			
	ACS-60 ACS-61	RG6 (.275" Dia.) to RG6 Quad (.300" Dia.)	#8 x 1" Slotted/Phillips Hex Head Type AB Tapping Screw	Box of 50 Plastic Pail of 1000	500 1000	5 lbs. 10 lbs.	

Straps for Plastic and Copper Tubing PACKAGE AND QUANTITY STD. Carton APPROX. SHIPPING WT. MAXIMUM TUBE SIZE COLOR CAT. NO. **QUANTITY** PER CARTON For 1/2" Plastic and Copper Tubing WA-1810 .625" Dia Tan Box of 100 2000 23 lbs. For 3/4" Plastic and Copper Tubing WA-1820 .875" Dia. Box of 25 13 lbs. Tan 500 Straps for PEX and Copper Tubing For 1/2" PEX Tubing PEX-50R Red PEX-50B .625" Dia. Blue Box of 100 2000 23 lbs. PEX-50W White Also available in red or white



		For 3	/4" PEX Tubing		
PEX-75R PEX-75B PEX-75W	.875" Dia.	Red Blue White	Box of 50	1000	20 lbs.
		For	1" PEX Tubing		
PEX-100R PEX-100B PEX-100W	1.125" Dia.	Red Blue White	Box of 25	500	16 lbs.

- These straps provide a quick and convenient way to secure PEX Tubing to wooden supports.
- Straps are available in red, blue or white to match PEX Tubing.
- Red colored straps work well on copper tubing.